NASA

830-5-1

Aerospace Medicine and Biology

A Continuing Bibliography with Indexes NASA SP-7011 (219) May 1981

UBILLIVIA

National Aeronautics and Space Administration COMPLETED 53

/ Aerospace Medicine & Biolog & Biology Aerospace Medic ledicine & Biology Aeros ospace Medicine & Biolog space Medicine & ine & Biology Aerospace N ce Medicine & Biology A Aerospace Medicine & Bio ledicine & Biology Ae e Medicine & Bi

ACCESSION NUMBER RANGES

Accession numbers cited in this Supplement fall within the following ranges.

STAR (N-10000 Series) N81-15968 N81-17980

IAA (A-10000 Series) A81-19673 A81-23368

This bibliography was prepared by the NASA Scientific and Technical Information Facility operated for the National Aeronautics and Space Administration by PRC Data Services Company.

AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY WITH INDEXES

(Supplement 219)

A selection of annotated references to unclassified reports and journal articles that were introduced into the NASA scientific and technical information system and announced in April 1981 in

- Scientific and Technical Aerospace Reports (STAR)
- International Aerospace Abstracts (IAA)

NASA SP-7011 and its supplements are available from the National Technical Information Service (NTIS). Questions on the availability of the predecessor publications, Aerospace Medicine and Biology (Volumes I - XI) should be directed to NTIS.

This supplement is available as NTISUB/123/093 from the National Technical Information Service (NTIS), Springfield, Virginia 22161 at the price of \$7.00 domestic: \$14.00 foreign



INTRODUCTION

This Supplement to Aerospace Medicine and Biology (NASA SP-7011) lists 118 reports, articles and other documents announced during April 1981 in Scientific and Technical Aerospace Reports (STAR) or in International Aerospace Abstracts (IAA). The first issue of the bibliography was published in July 1964; since that time, monthly supplements have been issued.

In its subject coverage, Aerospace Medicine and Biology concentrates on the biological, physiological, psychological, and environmental effects to which man is subjected during and following simulated or actual flight in the earth's atmosphere or in interplanetary space. References describing similar effects of biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. In general, emphasis is placed on applied research, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the bibliography consists of a bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged in two major sections: IAA Entries and STAR Entries, in that order. The citations, and abstracts when available, are reproduced exactly as they appeared originally in IAA or STAR, including the original accession numbers from the respective announcement journals. This procedure, which saves time and money, accounts for the slight variation in citation appearances.

Two indexes -- subject and personal author -- are included.

An annual index will be prepared at the end of the calendar year covering all documents listed in the 1981 Supplements.

AVAILABILITY OF CITED PUBLICATIONS

IAA ENTRIES (A81-10000 Series)

All publications abstracted in this Section are available from the Technical Information Service. American Institute of Aeronautics and Astronautics Inc. (AIAA) as follows. Paper copies of accessions are available at \$7.00 per document up to a maximum of 40 pages. The charge for each additional page is \$0.25. Microfiche of documents announced in IAA are available at the rate of \$3.00 per microfiche on demand, and at the rate of \$1.25 per microfiche for standing orders for all IAA microfiche. The price for the IAA microfiche by category is available at the rate of \$1.50 per microfiche plus a \$1.00 service charge per category per issue. Microfiche of all the current AIAA Meeting Papers are available on a standing order basis at the rate of \$1.50 per microfiche.

Minimum air-mail postage to foreign countries is \$1.00 and all foreign orders are shipped on payment of pro-forma invoices

All inquiries and requests should be addressed to AIAA Technical Information Service. Please refer to the accession number when requesting publications.

STAR ENTRIES (N81-10000 Series)

One or more sources from which a document announced in STAR is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line.

Avail NTIS. Sold by the National Technical Information Service. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code followed by the letters HC or MF in the STAR citation. Current values for the price codes are given in the tables on page vii

Documents on microfiche are designated by a pound sign (#) following the accession number. The pound sign is used without regard to the source or quality of the microfiche.

Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) is available at greatly reduced unit prices. For this service and for information concerning subscription to NASA printed reports, consult the NTIS Subscription Section, Springfield, Va. 22161.

NOTE ON ORDERING DOCUMENTS: When ordering NASA publications (those followed by the * symbol), use the N accession number. NASA patent applications (only the specifications are offered) should be ordered by the U.S.-Patent-Appl-SN number. Non-NASA publications (no asterisk) should be ordered by the AD, PB, or other report number shown on the last line of the citation, not by the N accession number. It is also advisable to cite the title and other bibliographic identification.

Avail SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy. The current price and order number are given following the availability line. (NTIS will fill microfiche requests, at the standard \$3.50 price, for those documents identified by a # symbol.)

 A microfiche is a transparent sheet of film. 105 by 148 mm in size, containing as many as 60 to 98 pages of information reduced to micro images (not to exceed 26.1 reduction).



- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration, Public Documents Room (Room 126), 600 Independence Ave., S.W., Washington, D.C. 20546, or public document rooms located at each of the NASA research centers, the NASA Space Technology Laboratories, and the NASA Pasadena Office at the Jet Fropulsion Laboratory.
- Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in *Energy Research Abstracts*. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center*. Its Functions and Services (TID-4660), which may be obtained without charge from the DOE Technical Information Center.
- Avail: Univ Microfilms. Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) and microfilm All requests should cite the author and the Order Number as they appear in the citation.
- Avail. USGS Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed in this introduction. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.
- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, California. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI
- Avail. BLL (formerly NLL)—British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail. Fachinformationszentrum. Karlsruhe. Sold by the Fachinformationszentrum Energie. Physik. Mathematik. GMBH. Eggenstein. Leopoldshafen. Federal. Republic of Germany, at the price shown in deutschmarks (DM).
- Avail Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.
- Avail. U.S. Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of 50 cents each, postage free.
- Other availabilities: If the publication is available from a source other than the above, the publisher and his address will be displayed entirely on the availability line or in combination with the corporate author line.

SUBSCRIPTION AVAILABILITY

This publication is available on subscription from the National Technical Information Service (NTIS). The annual subscription rate for the monthly supplements, excluding the annual cumulative index, is \$65.00 domestic; \$130.00 foreign. All questions relating to the subscriptions should be referred to NTIS.

ADDRESSES OF ORGANIZATIONS

American Institute of Aeronautics and Astronautics Technical Information Service 555 West 57th Street, 12th Floor New York, New York 10019

British Library Lending Division. Boston Spa. Wetherby, Yorkshire. England

Commissioner of Patents and Trademarks U.S. Patent and Trademark Office Washington, D.C. 20231

Department of Energy Technical Information Center P.O. Box 62 Oak Ridge, Tennessee 37830

ESA-Information Retrieval Service ESRIN Via Galileo Galilei 00044 Frascati (Rome) Italy

Fachinformationszentrum Energie. Physik.
Mathematik GMBH
7514 Eggenstein Leopoldshafen
Federal Republic of Germany

Her Majesty's Stationery Office P.O. Box 569, S.E. 1 London, England

NASA Scientific and Technical Information Facility P.O. Box 8757 B. W. I. Airport, Maryland 21240

National Aeronautics and Space
Administration
Scientific and Technical Information
Branch (NST-41)
Washington, D.C. 20546

National Technical Information Service 5285 Port Royal Road Springfield, Virginia 22161

Pendragon House, Inc. 899 Broadway Avenue Redwood City, California 94063

Superintendent of Documents U.S. Government Printing Office Washington, D.C. 20402

University Microfilms
A Xerox Company
300 North Zeeb Road
Ann Arbor, Michigan 48106

University Microfilms, Ltd Tylers Green London, England

U.S. Geological Survey 1033 General Services Administration Building Washington, D.C. 20242

U.S. Geological Survey 601 E. Cedar Avenue Flagstaff, Arizona 86002

U.S. Geological Survey 345 Middlefield Road Menlo Park, California 94025

U.S. Geological Survey Bldg. 25, Denver Federal Center Denver, Colorado 80225

NTIS PRICE SCHEDULES

STANDARD PAPER COPY PRICE SCHEDULE

(Effective Jenuary 1 1981)

| Price | Page Range | North American | Foreign |
|-------|------------|----------------|---------|
| Code | | Price | Price |
| 401 | Microfiche | \$ 3.50 | \$ 7.00 |
| A02 | 001-025 | 5.00 | 10.00 |
| AO3 | 026 050 | 6 50 | 13 00 |
| A04 | 051 075 | 8.00 | 16.00 |
| A05 | 076 100 | 9 50 | 19.00 |
| A06 | 101 125 | 11.00 | 22 00 |
| A07 | 126-150 | 12 60 | 25 00 |
| A08 | 151 176 | 14 00 | 28 00 |
| A09 | 176-200 | 15 50 | 31 00 |
| A10 | 201 225 | 17.00 | 34 00 |
| ATT | 226 250 | 18 50 | 37 00 |
| A12 | 251-275 | 20 00 | 40.00 |
| A13 | 276-300 | 2150 | 43 00 |
| A14 | 301-325 | 23 00 | 46 00 |
| A15 | 326-350 | 24 50 | 49.00 |
| A16 | 381 378 | 26 00 | 62 00 |
| A17 | 378 400 | 27 50 | 55.00 |
| A18 | 401 425 | 29 00 | 58 00 |
| A19 | 426 450 | 30 50 | 61 00 |
| A20 | 451-475 | 32 00 | 64 00 |
| A21 | 476 500 | 33 50 | 67 00 |
| A22 | 501 525 | 35 00 | 70 00 |
| A23 | 526 550 | 36 50 | 73 00 |
| A24 | 551-575 | 38 00 | 78 00 |
| A25 | 576 600 | 39 50 | 79 00 |
| | 601 up | 1/ | 1 |

A99 - Write for quote

- 1/ Add \$1.50 for each additional 25 page increment or portion thereof for 601 pages up
- 2/ Add \$3.00 for each additional 25 page increment or portion thereof for 601 pages and more

Schedule E EXCEPTION PRICE SCHEDULE


Paper Copy & Microfiche

| Price | North American | Foreign |
|-----------------------|----------------|---------|
| Code | Price | Prime |
| E01 | \$ 5.50 | \$ 1150 |
| E02 | 6 50 | 13 50 |
| 603 | 8 50 | 17 50 |
| EO4 | 10 50 | 21 50 |
| E06 | 12 50 | 25 50 |
| 606 | 14 50 | 29 50 |
| €07 | 16 50 | 33 50 |
| E 08 | 18 50 | 37 50 |
| E 09 | 20 50 | 4150 |
| €10 | 22 50 | 45.50 |
| E11 | 24 50 | 49 50 |
| E12 | 27 50 | 55 50 |
| E13 | 30 50 | 61 50 |
| £14 | 33 50 | 67 50 |
| E16 | 36 50 | 73 50 |
| £16 | 39 50 | 79 50 |
| £17 | 42 50 | 85 50 |
| E18 | 45 50 | 91 50 |
| E19 | 50 50 | 100 50 |
| €20 | 60 50 | 121 50 |
| E99 - Write for quote | | |
| NOT | 28 00 | 40 00 |
| | | |


TABLE OF CONTENTS

| Pa | age |
|--------------------------|-----|
| IAA ENTRIES (A81-10000) | 63 |
| STAR ENTRIES (N81-10000) | 73 |
| Subject Index | 1-1 |
| Personal Author Index | 17 |

TYPICAL CITATION AND ABSTRACT FROM STAR



TYPICAL CITATION AND ABSTRACT FROM IAA



AEROSPACE MEDICINE AND BIOLOGY A Continuing D

A Continuing Bibliography (Suppl. 219)

MAY 1981

IAA ENTRIES

A81-19678 # Heliobiological research - Present status and prospects (Geliobiologicheskie issledovaniia - Sovremennoe sostoianie i perspektivy). V. N. Benevolenskii and A. D. Voskresenskii. Akademiia Nauk SSSR, Vestnik, no. 10, 1980, p. 54-64. 13 refs. In Russian.

The state of knowledge on the relationships in the system 'sun-biosphere' is reviewed with reference to statistics on disease incidence and rate of mortality from suicides, noninfectious diseases, and road accidents correlated with aperiodic (magnetic storms) and periodic solar events. Consideration is given to the mechanisms of biological effects of heliophysical factors and specific reactions of living organisms to external influences related to solar activity. V.L.

A81-19711 Current concepts in clinical cardiology; Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979. Edited by J. H. K. Vogel (Goleta Valley Community Hospital, Santa Barbara, Calif.). Basel, S. Karger AG (Advances in Cardiology. Volume 27), 1980. 367 p. \$118.75.

Papers are presented concerning the current status of clinical cardiology in the areas of high-altitude effects, noninvasive cardiographic techniques, coronary artery disease, pediatric heart disease, valvular heart disease and the management of cardiological disorders. Specific topics include the clinical treatment of acute mountain sickness, methodologies and applications of two-dimensional echocardiography, the status of radionuclide imaging in the evaluation of patients with cardiovascular disease, the applicability of electrocardiographic stress testing in the detection of coronary artery disease, means for infarct size reduction and the detection and management of asymptomatic patients with coronary artery disease. Attention is also given to the state of open heart surgery in the first year of life, the status of valvular xenograft and valvular xenobioprosthesis, the implications and treatment of premature ventricular complexes, and the role of biochemical factors in ventricular dysrhythmia accompanying ischemia.

A81-19712 Speculations on the pathogenesis of highaltitude pulmonary edema. R. F. Grover (Colorado, University, Denver, Colo.). In: Current concepts in clinical cardiology; Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979. Basel, S. Karger AG, 1980, p. 1-5, 9 refs. Grant No. NIH-14985.

Possible mechanisms for the onset of high-altitude pulmonary edema upon the extended exposure of certain healthy, fit individuals to hypoxia at altitudes above 9000 ft are considered. Evidence is presented which indicates that pulmonary hypertension is a major cause of the pulmonary edema, and possible sources of the obstruction to pulmonary blood flow are discussed, including the constriction of small muscular pulmonary arteries, the mechanical plugging of vessels by platelet clumps or thrombi, and endothelial

swelling due to exercise at high altitude. On the basis of these considerations, it is postulated that the individual susceptible to high-altitude pulmonary edema is characterized by a poor hyperventilatory response to high altitude, possibly related to an inherently small hypoxic ventilatory response.

A.L.W.

A81-19713 Acute mountain sickness - The clinical approach. P. H. Hackett (Colorado, University, Medical Center, Denver, Colo.). In: Current concepts in clinical cardiology; Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979. Basel, S. Karger AG, 1980, p. 6-10. 7 refs.

The clinical evaluation and management of acute mountain sickness are discussed. It is pointed out that although the only definitive therapy for acute mountain sickness is descent, it may not be necessary or possible in certain cases, and a scheme for the management of acute mountain sickness is presented based on the severity of the symptoms. Effective treatments are indicated for high-altitude headache (the first sign of mountain sickness), mild acute mountain sickness, which is characterized by any combination of headache, nausea or lack of appetite, insomnia and lassitude, and serious acute mountain sickness, which is characterized by additional symptoms including vomiting, severe headache, ataxia and severe shortness of breath. Treatment to be performed prior to and during descent in cases of high-altitude pulmonary edema and cerebral edema are also pointed out. It is noted that persons having ecovered from acute mountain sickness can usually reascend, as long as it is done slowly and cautiously, and with proper prophylactic measures. A.L.W.

A81-19714 Two-dimensional echocardiography - Methodology and application in clinical cardiology. R. P. Martin (Virginia, University, Charlottesville, Va.). In: Current concepts in clinical cardiology: Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979.

Basel, S. Karger AG, 1980, p. 17-39. 14 refs.

The clinical application of two-dimensional echocardiography as a diagnostic tool is discussed. The development of wide-angle real-time systems which could produce tomographic sections or images of the heart in a dynamic format is reviewed, and the various types of electrical and mechanical real-time sector scanners are presented, including linear and phased arrays, and single and multiple transducers. The views affordable by two-dimensional echocardiography are then examined, with attention given to the advantages and means of obtaining the parasternal long-axis view, the parasternal short-axis views, the apical long-axis view, the apical short-axis view and the subxyphoid views. Means of applying two-dimensional echocardiography in the evaluation of left ventricular function and coronary artery disease, myopathies, valvular abnormalities and pericardial abnormalities are discussed, and limitations to the current state of the art are pointed out. A.L.W.

A81-19715 Echocardiographic studies evaluating the effects of exercise training on the heart. V. F. Froelicher (University Hospital, San Diego, Calif.). In: Current concepts in clinical

cardiology; Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979. Basel, S. Karger AG, 1980, p. 51-57. 10 rets. Grant No. NIH-HL-

7682.

A81-19716 Electrocardiographic stress testing - The debate goes on /probably/. J. S. Forrester (Cedars-Sinai Medical Center, Los Angeles, Calif.) and G. A. Diamond (California, University, Los Angeles, Calif.). In: Current concepts in clinical cardiology; Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979. Basel, S. Karger AG, 1980, p. 83-92. 18 refs.

Various approaches to the interpretation of the results of electrocardiographic stress testing are evaluated in light of the current controversy over the diagnostic value of the stress test. Consideration is given to the values and limitations of the categorical approach, whereby the stress test is categorized as positive or negative based on the ST segment response alone, the judgemental approach, which includes the judgement of an experienced clinician, the ordinal approach, which assigns arbitrary weightings to judgemental factors, the multivariate approach, in which each clinical modifier is mathematically weighted, and the probabilistic approach, which determines the probability of coronary artery disease in a patient on the basis of Bayes' theorem. It is suggested that due to the strengths and weaknesses of all the approaches examined, a combination of techniques, specifically initial probabilistic analysis modified by judgemental interpretation, may represent the optimum synthesis of the most desirable aspects of the various methods of electrocardiographic stress test interpretation.

A81-19717 Detection and management of the asymptomatic patient with coronary artery disease. C. R. Conti (Florida, University, Gainesville, Fla.). In: Current concepts in clinical cardiology; Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979.
Basel, S. Karger AG, 1980, p. 181-190. 9 refs.

Methods for the detection and management of coronary artery disease in patients lacking coronary symptoms are discussed. Results of a study illustrating the inconsistency of symptoms in patients with transient electrocardiographic evidence of myocardial ischemia are indicated, and a case history demonstrating the problems of interpreting a positive exercise stress test in an asymptomatic individual is presented. Experimental confirmations performed by means of exercise thallium perfusion and exercise isotope angiography of coronary artery disease in asymptomatic patients are pointed out, as well as the confirmation by angiography of coronary artery disease in 10 out of a sample of 17 asymptomatic patients with a positive stress test. Guidelines are presented for the systematic evaluation of asymptomatic individuals who present with a positive exercise stress test, and an approach is suggested to the management of patients who have not exhibited pain during exercise-induced S-T segment depression and who have undergone coronary angiography.

A81-19718 Does exercise protect from coronary artery disease. V. F. Froelicher (University Hospital, San Diego, Calif.). In: Current concepts in clinical cardiology; Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979. Basel, S. Karger AG, 1980, p. 237-242. Grant No. NIH-HL-17682.

Results of recent epidemiological studies of the relation of physical activity levels to the incidence of coronary artery disease are presented in an attempt to evaluate the relative contributions of physical activity per se and selection for physical activity to the observed lower incidence of the disease in physically active populations. Consideration is given to the longitudinal studies of longshoremen and college alumni with different levels of energy output reported by Paffenbarger et al. (1978). The studies are shown to support the protective rather than the selective effects of physical

exercise, which is found to most likely decrease the risk for coronary heart disease as well as other risk factors for coronary disease.

A.L.W

A81-19719 Premature ventricular complexes - Therapeutic dilemmas and decisions. D. W. Snyder, D. J. Sheridan, and B. E. Sobel (Washington University, St. Louis, Mo.). In: Current concepts in clinical cardiology; Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979.

Basel, S. Karger AG, 1980, p. 322-342.80 refs. Grant No. NIH-HL-17646.

The diagnosis, incidence and treatment of ventricular ectopic activity (VEA) are discussed. The diagnostic features of typical premature ventricular complexes (PVCs) are indicated, and the Lown classification of PVC severity on the basis of frequency, electrocardiographic morphology and timing is introduced. The incidence of VEA in the pre-hospital, early hospital, late hospital and convalescent phases of acute myocardial infarction, in ambulatory patients with stable coronary artery disease and in ostensibly normal subjects is examined, and it is pointed out that adult subjects with high-grade VEA have an increased risk of sudden death, most likely reflecting a predisposition to ventricular fibrillation. Approaches to the pharmocological, electrical and surgical management of VEA are considered, indications for treatment are discussed, and it is argued that low-grade VEA does not require treatment in ambulatory patients without specific indications.

A.L.W.

A81-19720 The role of biochemical factors in ventricular dysrhythmia accompanying ischemia. P. B. Corr and B. E. Sobel (Washington University, St. Louis, Mo.). In: Current concepts in clinical cardiology; Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979.

Basel, S. Karger AG, 1980, p. 346-360. 50 refs. Grants No. NIH-NL-17646; No. NIH-HL-21654.

The role of biochemical factors in precipitating the electrophysiological changes characterizing malignant ventricular dysrhythmia which accompany ischemia is discussed. The nature of the electrophysiological changes observed in vitro and in vivo in heart tissue after ischemia is considered, and the possible roles of slow-response action potentials in dysrhythmias early after the onset of ischemia and of reperfusion are pointed out. The effects of metabolic and biochemical factors, including hypoxia, lactate, pH and mono- and divalent cation concentrations, on ventricular electrophysiology are then examined, together with the possible influence of the autonomic nervous system, cyclic AMP accumulation, free fatty acids and fatty acid esters and lysophosphoglycerides. It is concluded that regional, heterogeneous accumulations of noxious ions and metabolites as well as hypoxia play a significant role in mediating the effects of ischemia on ventricular function, and that elucidation of the biochemical mechanisms responsible is of particular importance to the development of therapeutic interventions of high specificity. A.L.W.

A81-19841 A hierarchical programming approach to robot assembly. D. S. Seltzer. In: Advanced manufacturing technology: Programming research and operations logistics; Proceedings of the Fourth International Conference, Ann Arbor, Mich., May 21-23, 1979. Amsterdam, North-Holland Publishing Co., 1980, p. 237-246. 11 refs.

A software control system was developed for industrial assemblies by a multiaxis manipulator which partitions the programming tasks into a four level programmer hierarchy. This allows the operation of a sophisticated software system by floor personnel without programming experience. The first level of the hierarchy is the Systems Programmer responsible for the framework of the run-time system; a Strategy Programmer writes a library of general Fortran strategy routines; a Task Sequence Programmer uses this library in solving particular tasks; and finally, the Shop Floor Programmer/Operator provides the real world positioning information using the manipulator arm as a surveying instrument.



A81-19842 Partly unmanned machining. O. Bjorke and A. Rolstadas. In: Advanced manufacturing technology: Programming research and operations logistics; Proceedings of the Fourth International Conference, Ann Arbor, Mich., May 21-23, 1979.

Amsterdam, North-Holland Publishing Co., 1980, p. 271-284, 6 refs.

A manufacturing system design using the building block principle so that it is constructed of conventional parts permitting evolutionary development is discussed. Motion, state survey, and diagnostic functions can be included in a system which is implemented as a hierarchy consisting of the machine tool, the cell, and the total factory. The control system can be divided into management, technology, direct equipment, and diagnosis control portions. A.T.

A81-19900 # Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric study in vivo/ (Dinamika sostoianiia redoks-sistem strukturnykh elementov kory mozga pri kislorodnom golodanii /prizhiznennoe tsitofotometricheskoe issledovanie/). M. O. Samoilov, D. G. Semenov, and A. N. Derii (Akademiia Nauk SSSR, Institut Fiziologii, Leningrad, USSR). Akademiia Nauk SSSR, Doklady, vol. 255, no. 3, 1980, p. 766-768. 11 refs. In Russian.

Quantitative studies were used to determine redox system dynamics in various types of pyramidal neurons and in adjacent areas of the sensomotor region in the cerebral cortex of cats and rabbits. In vivo measurements of nearby oxygen tension and spectrophotometric recordings of oxidized forms of staining solutions were employed to study effects of hypoxia levels. Factors responsible for disturbances of redox processes on the cellular level are discussed.

T.M.

A81-20052 # Effects of internal noise on helicopter operation - An aircrew view. J. E. Maitland (RAF, London, England). In: Symposium on Internal Noise in Helicopters, Southampton, England, July 17-20, 1979, Proceedings. Southampton, England, University of Southampton, 1980, p. A1 1, A1 2.

Various factors bearing on internal helicopter noise are discussed in the context of effective helicopter operation. Light structures, such as honeycomb, are necessary to ensure structural integrity under battle conditions, even though such structures may increase internal noise levels owing to their resonance. It is also noted that quilted insulating materials add to the weight and pose a fire hazard when saturated with oil or hydraulic fluid. Noise can even be useful; changes in pitch or intensity may warn of such faults as fluctuations in rotor RPM or trouble in an ancillary drive. On the other hand, noise interferes with communication between crew members. It also induces fatigue and makes direct-voice rebriefing of troops being transported by helicopter difficult. Noise may also raise the stress experienced by a rescued person. Improvements must therefore be made only when all operational needs are considered.

C.R.

A81-20056 # The effective acoustic environment of helicopter crewman. R. T. Camp, Jr. (U.S. Army, Aeromedical Research Laboratory, Fort Rucker, Ala.). In: Symposium on Internal Noise in Helicopters, Southampton, England, July 17-20, 1979, Proceedings.

Southampton, England, University of Southampton, 1980, p. B1 1-B1 4.

One of the primary reasons for quantification of the acoustic noise in helicopters is to assess the acoustic hazards to the crew and passengers. The usual sound-level meter or dosimeter measures of the internal and external noise levels do not yield a good estimate of the actual or 'effective acoustic environment' of the crew and passengers. Realistic estimates of the effective acoustic environments require the application of reliable narrow-band analyses of the noise from all sources including the system noise of electronic communication systems, the spectra of which must be corrected for its attenuation characteristics of helmets and hearing protectors. The problems of ascertaining the composite acoustic stimuli and the application of corrections for other variables that affect the effective acoustic environment are included in this presentation. (Author)

A81-20057 * # Acceptance and control of aircraft interior noise and vibration. D. G. Stephens and J. D. Leatherwood (NASA, Langley Research Center, Hampton, Va.). In: Symposium on Internal Noise in Helicopters, Southampton, England, July 17-20, 1979, Proceedings. Southampton, England, University of Southampton, 1980, p. 82 1-82 14, 22 refs.

Ride quality criteria for noise, vibration, and their combination the helicopter cabin environment are discussed. Results are presented of laboratory and field studies of passenger responses to interior noise and vibration during the performance of a listening task and during reverie, as well as to the interaction of noise with multi-frequency and multi-axis vibration. A study of means for reducing helicopter interior noise based on analytical, experimental and flight studies of the near-field noise source characteristics of the aircraft, the transmission of noise through aircraft structure, and the attenuation of noise by various noise control treatments is then presented which has resulted in a reduction of 3 dB in helicopter cabin noise. Finally, a model under development to evaluate passenger acceptance of a helicopter noise and vibration environment is indicated which incorporates the observed noise and vibration effects on comfort and is expected to provide insights for more effective noise and vibration control.

A81-20059 Factors affecting acceptable noise levels in helicopters. K. R. Maslen (Royal Aircraft Establishment, Human Engineering Div., Farnborough, Hants., England). In: Symposium on Internal Noise in Helicopters, Southampton, England, July 17-20, 1979, Proceedings. Southampton, England, University of Southampton, 1980, p. 84 1-84 9, 14 refs.

Difficulties encountered in defining acceptable noise levels inside helicopters are discussed. Since the bulk of helicopter noise is of low frequency and contains narrow bands of high sound pressure levels, there is a danger of indirect masking of speech and other signals. The low-frequency noise and infrasound, especially when combined with vibration, may have disturbing subjective effects, and isolated noise peaks may cause annoyance. It is thought that the danger of incurring permanent hearing loss in helicopter noise will differ from that in fixed-wing aircraft for the same A-weighted levels at the ear.

C.R.

A81-20467 * Human factors by descent energy management. R. E. Curry (NASA, Ames Research Center, Aviation Safety Research Office, Moffett Field, Calif.). In: Conference on Decision and Control, and Symposium on Adaptive Processes, 18th, Fort Lauderdale, Fla., December 12-14, 1979, Proceedings. Volume 1.

Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1979, p. 422-426. 5 refs.

This paper describes some of the results of a human factors study of energy management during descent using standard aircraft displays. Discussions with pilots highlighted the practical constraints involved and the techniques (algorithms) used to accomplish the descent. The advantages and disadvantages of these algorithms are examined with respect to workload and their sensitivity to disturbances. Vertical navigation and flight performance computers are discussed in terms of the information needed for effective pilot monitoring and takeover. (Author)

A81-20499 * Mental workload in decision and control. T. B. Sheridan (MIT, Cambridge, Mass.). In: Conference on Decision and Control, and Symposium on Adaptive Processes, 18th, Fort Lauderdale, Fla., December 12-14, 1979, Proceedings. Volume 2.

Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1979, p. 9/7-982. 21 refs. U.S. Department of Transportation Contract No. OS-70055; Grant No. NsG-2118.

This paper briefly reviews the problems of defining and measuring the 'mental workload' of aircraft pilots and other human operators of complex dynamic systems. Of the alternative approaches the author indicates a clear preference for the use of subjective scaling. Some recent experiments from MIT and elsewhere

are described which utilize subjective mental workload scales in conjunction with human decision and control tasks in the laboratory. Finally a new three-dimensional mental workload rating scale, under current development for use by IFR aircraft pilots, is presented.

(Author)

A81-20500 Frequency domain measures of human performance under G-stress. J. Korn, D. L. Kleiman (Connecticut, University, Storrs, Conn.), and D. W. Repperger (USAF, Aerospace Medical Research Laboratories, Wright-Patterson AFB, Ohio). In: Conference on Decision and Control, and Symposium on Adaptive Processes, 18th, Fort Lauderdale, Fla., December 12-14, 1979, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1979, p. 983-988. 13 refs. Contract No. F33615-78-C-0517.

Results of compensatory tracking experiments under G-stress are presented which confirm the hypothesis that human performance deteriorates under linear acceleration. The optimal control model (OCM) validates the experimental data. It is shown that the OCM parameters which are most affected include the motor noise, observation noise, neuromotor time constant, and reaction time-delay, all of which significantly increase under G-stress. In addition, some accumulative G-effects are evident as the neuromotor time constant remains higher than nominal in the post-G runs, reflecting a lower control bandwidth and perhaps fatigue.

A81-20501 * Human controller modeling in equironments that include non-control tasks. T. Govindaraj (Purdud University, West Lafayette, Ind.), and W. B. Rouse. In: Conference on Decision and Control, and Symposium on Adaptive Processes, 18th, Fort Lauderdale, Fla., December 12-14, 1979, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1979, p. 989-994, 7 refs. Grant No. NsG-2119.

In complex environments where the human operator is a supervisor, he must allocate his attention between different kinds of tasks for optimum overall performance. When a portion of the future reference trajectory for the control task is available for preview, scheduling various activities is possible. A model has been developed for this situation using dynamic programming to solve an optimal control problem. An experiment was conducted where subjects controlled an airplane symbol over a map, shown a fixed distance into the future. Discrete, non-control tasks were introduced as number entry tasks. Results from the model are compared with experimental results. (Author)

A81-20502 Helicopter pilot performance and workload as a function of night vision symbologies. E. J. Hartzell (U.S. Army, Aeromechanics Laboratory, Moffett Field, Calif.). In: Conference on Decision and Control, and Symposium on Adaptive Processes, 18th, Fort Lauderdale, Fla., December 12-14, 1979, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1979, p. 995, 996.

A full six-degree-of-freedom motion simulation of an advanced U.S. Army helicopter flying a night time nap-of-the-earth scenario was conducted in order to assess pilot performance, training requirements, and workload as a function of the flight control symbologies used. The results of the time estimation techniques used in conjunction with this experiment support the predicted levels of difficulty designed into the flight scenario. Time estimation provides a relative scale of workload between hover maneuvers and suggests that there is no significant difference in workload between the three symbology types studied.

V.L.

A81-20503 Evaluation and prediction of the vertical situation from a horizontal situation display. S. G. Hart and L. L. Loomis (Tufts University, Medford, Mass.). In: Conference on Decision and Control, and Symposium on Adaptive Processes, 18th, Fort Lauderdale, Fla., December 12-14, 1979, Proceedings. Volume 2.

 $\label{eq:Piscataway} Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1979, p. 997-1001.$

This study was designed to provide additional information about the content, symbology, and format of a cockpit display of traffic information (CDTI). Several different symbols for other aircraft and different ways to display information about its status that pilots had preferred in an earlier survey based on static displays and pilot opinion were evaluated. In addition, different features of the vertical and horizontal situation of two aircraft (e.g. angular separation, relative altitude, difference in ground speed) were studied to determine the interaction between parameters of an encounter between two aircraft displayed on a simple dynamic CDTI and display symbologies on pilot perception of relative motion and separation. (Author)

A81-20511 * An analysis of the human as a predictor model. J. G. Kreifeldt (Tufts University, Medford, Mass.). In: Conference on Decision and Control, and Symposium on Adaptive Processes, 18th, Fort Lauderdale, Fla., December 12-14, 1979, Proceedings. V. 'ume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1979, p. 1074-1077. 7 refs. Grant No. NsG-2156.

A hybrid sampled data-continuous impulse response of a preview tracker using a fast time model predictor aid is derived. The model can accept transient and nontransient imputs and is suitable for studying a human preview tracker using an internalized or externalized predictor display. The model is shown to behave reasonably in a simple example and its implications for modeling studies are discussed. (Author)

A81-20845 " The colony-forming capacity of bone marrow cells in a tissue culture after uniform and nonuniform radiation (O kolonieobrazuiushchei sposobnosti kletok kostnogo mozga v kul'ture tkani posle ravnomernogo i neravnomernogo oblucheniia). L. B. Berlin, T. D. Pozharisskaia, E. N. Sokolova, and A. D. Smirnov (Voenno-Meditsinskaia Akademiia, Leningrad, USSR). Akademiia Nauk SSSR, Doklady, vol. 255, no. 4, 1980, p. 983-985. 6 refs. In Russian.

A81-20849 "The flowering and ripening of Arabidopsis seeds under weightlessness conditions - Biosatellite Kosmos 1129 experiment (Tsvetenie i sozrevanie semian Arabidopsisa v nevesomosti - Eksperiment na biosputnike 'Kosmos-1129'). G. P. Parfenov and V. M. Abramova (Ministerstvo Zdravookhraneniia SSSR, Institut Mediko-Biologicheskikh Problem, Moscow, USSR). Akademiia Nauk SSSR, Doklady, vol. 256, no. 1, 1981, p. 254-256. 15 refs. In Russian.

The generative cycle of Arabidopsis thaliana, paca Enkheim-1 seeds was observed under weightless conditions of spaceflight for 18 days from the fertilization stage through its ripening. The number of fertile seeds sharply decreased and the quantity of abortive formations increased during the flight; this increase resulted from unfavorable conditions of weightlessness, and were not of hereditary nature.

A.T.

A81-20916 * Cockpit displayed traffic information and distributed management in air traffic control. J. G. Kreifeldt (Tufts University, Medford, Mass.). *Human Factors*, vol. 22, Dec. 1980, p. 671-691, 24 refs. Grant No. NsG-2156.

A graphical display of information (such as surrounding aircraft and navigation routes) in the cockpit on a cathode ray tube has been proposed for improving the safety, orderliness, and expeditiousness of the air traffic control system. An investigation of this method at NASA-Ames indicated a large reduction in controller verbal work load without increasing pilot verbal load; the visual work may be increased. The cockpit displayed traffic and navigation information system reduced response delays permitting pilots to maintain their spacing more closely and precisely than when depending entirely on controller-issued radar vectors and speed command.

A.T.

A81-20917 Predicting search performance for multiple targets. T. Morawski, C. G. Drury, and M. H. Karwan (New York, State University, Amherst, N.Y.). *Human Factors*, vol. 22, Dec. 1980, p. 707-718. 18 refs.

Performance in a visual search task is usually measured by the cumulative probability of locating a target, F(t), in a given time (t). Two extreme F(t) against (t) relationships have been postulated, one assuming that search is random, and the other assuming that search is systematic. However, these relationships have been available for the situation in which each search field contains a single occurrence of a single type of target. This paper extends both search models (random and systematic) first to the case of multiple occurrences of a single fault type within a search field and second to the case of multiple fault types. For systematic search, these two cases can be combined to predict the effects of multiple occurrences of multiple fault types. The general F(t) relationships are given in each case and illustrated with a worked example. (Author)

A81-20925 Implications of a critical level in the ear for assessment of noise hazard at high intensities. G. R. Price (U.S. Army, Human Engineering Laboratory, Aberdeen Proving Ground, Md.). Acoustical Society of America, Journal, vol. 69, Jan. 1981, p. 171-177, 33 refs.

The argument is advanced that there is a critical level (CL) for the ear at high intensities where the loss mechanism undergoes a fundamental change. In physiological terms, CL probably represents the intensity at which a given level of mechanical stress is reached in the Organ of Corti. Electrophysiological, histological, and threshold shift data support this contention. Further, CL varies as a function of the spectrum of the sound. A preliminary estimate of the freefield SPL reaching CL in the human ear has been calculated as has been the distribution of CL. The implications for human exposure and damage-risk criteria are discussed. (Author)

A81-21020 A recursive Lagrangian formulation of manipulator dynamics and a comparative study of dynamics formulation complexity. J. M. Hollerbach (MIT, Cambridge, Mass.). *IEEE Transactions on Systems, Man, and Cybernetics*, vol. SMC-10, Nov. 1980, p. 730-736. 23 refs. Contract No. N00014-77-C-0389.

An efficient Lagrangian formulation of manipulator dynamics has been developed. The efficiency derives from recurrence relations for the valocities, accelerations, and generalized forces. The number of additions and multiplications varies linearly with the number of joints, as opposed to past Lagrangian dynamics formulations with a fourth-power joint number depindence. With this formulation it should be possible in principle to compute the Lagrangian dynamics in real time. The computational complexities of this and other dynamics formulations including recent Newton-Euler formulations and tabular formulations are compared. It is concluded that recursive formulations based either on the Lagrangian or Newton-Euler dynamics offer the best method of dynamics calculation. (Author)

A81-21023 A stochastic differential game theory approach to human operators in adversary tracking encounters. J. L. Speyer (Texas, University, Austin, Tex.), S. Samn, and R. Albanese (USAF, School of Aerospace Medicine, Brooks AFB, Tex.). IEEE Transactions on Systems, Man, and Cybernetics, vol. SMC-10, Nov. 1980, p. 755-762, 22 refs.

The paper examines whether conclusions based upon passive signal analysis using linear quadratic Gaussian differential game theory with perfect state information are applicable to the complex adversary encounter. It is shown that the available information on passive (compensatory) tracking may be extended to the case when the display is perturbed by a second intelligent operator acting as an adversary. Conclusions based on passive encounter usually do not predict the active encounter; an example is given of the tracking error variance and control effort computed for the passive case which are smaller than that predicted by the active encounter.

A.T.

A81-21024 Matter-slave manipulator performance for various dynamic characteristics and positioning task parameters. W. J. Book and D. P. Hannema (Georgia Institute of Technology,

Atlanta, Ga.I. IEEE Transactions on Systems, Man, and Cybernetics, vol. SMC-10, Nov. 1980, p. 764-771. 17 refs. Research supported by Du Pont de Nemours and Co.; Grant No. NIH-5-505-R-7-24-10.

The relationship between the performance of an experimental master-slave manipulator and natural frequency, Coulomb friction, and backlash was quantified by time measurements for accomplishing a simple positioning task. Statistical analysis indicated that a simple linear model could be constructed to relate the task parameters of distance and width to manipulator performance and characteristics. The results can be used for the cost-performance tradeoff of the manipulator design; they have been interpreted in terms of an information transmission model of the man-machine system with separate transmission rates for gross motions and a point of transfer between the two motions.

A.T.

A81-21031 Learning and control for a compliant computer-controlled manipulator. A. Liégeois, E. Dombre, and P. Borrel (Montpellier II, Université, Montpellier, France). IEEE Transactions on Automatic Control, vol. AC-25, Dec. 1980, p. 1097-1102.

Precise automated manipulation and assembly by means of a computer-controlled manipulator with elastic drives require a model of the compliant structure. A calibration procedure based on a learning technique is used to identify the structural parameters of the model. The force reflecting performances of the cable drives makes possible simple continuous active accommodations to adapt the apparent compliance in the task space during fine motions. The damping of oscillations induced by fast transient motions is carried out by means of measurements of cable deformations and their derivatives. Experimental results with a computer-controlled slave telemanipulator show that performance may be improved by adaptive control. (Author)

A81-21125 // Data acquistion system for thermal stress studies. R. P. Layton and W. H. Mints, Jr. (U.S. Naval Medical Research Institute, Bethesda, Md.). American Society of Mechanical Engineers, Winter Annual Meeting, Chicago, Ill., Nov. 16-21, 1980, Paper 80-WA/OCE-14. 3 p. Members, \$2.00; nonmembers, \$4.00.

A system is described that monitors cutaneous heat flow and temperature at individual body sites using commerical thermoelectric heat flow transducers and thermistors. The system can operate either dry or immersed in water at pressures up to 16 atmospheres absolute (ATA) and at ambient temperatures between 0 C and 50 C. The data output from the 15 heat flux transducers and 15 thermistor temperature sensors are presented as a two-channel multiplexed signal. The small size of the system and output cable give the subject freedom of movement for performing various tasks with minimal hindrance from the monitoring package. Designed to monitor exposure to cold stress in hyperbaric environments, this system is directly applicable to studies of thermal stress in general and easily can be adapted to accommodate the requirements of other physiological studies. (Author)

A81-21450 # On the binaural processing of stimuli with different interaural phase relations. J. Raatgever. Delft, Technische Hogeschool, Doctor in de technische Wetenschappen Dissertation, 1980. 133 p. 99 refs.

Binaural hearing mechanisms are examined with regard to the processing of interaural time differences. The internal coding of interaural time differences in the temporal fine structure of binaural stimuli is investigated; consequently, signals containing frequency parts below 1600 Hz are of interest. Particular consideration is given to dichotic pitch, lateralization of low-frequency signals, a spectral model for lateralization and dichotic pitch, lateralization of different dichotic pitch phenomena, and binaural masking with dichotic pitch stimuli.

B.J.

AB1-21471 Control of breathing during prolonged exercise. B. J. Martin, E. J. Morgan, C. W. Zwillich, and J. V. Weil (Colorado, University, Medical Center, Denver, Colo.). Journal of

Applied Physiology: Respiratory, Environmental and Exercise Physiology, vol. 50, Jan. 1981, p. 27-31. 30 refs. Grant No. NIH-HL-14985.

Mechanisms for the steady upward drift of minute ventilation throughout prolonged heavy exercise are investigated. The roles of elevated body temperature, lactate and catecholamine levels, increased metabolic rate and changes in respiratory pattern were examined during one hour of bicycle ergometer exercise at 2/3 maximal aerobic capacity in ten healthy subjects, during which minute ventilation was observed to increase by 13%. The rise in ventilation is not found to be affected by an artificial elevation of body temperature, and to occur despite unchanged arterial CO2 pressure, lactate and pH levels and CO2 ventilation. The ventilation increase is attributed to increased dead space ventilation, with tidal volume unchanged, which cannot be accounted for by rapid shallow breathing. The factors responsible for the observed upward drift in minute ventilation thus remain undetermined.

A.L.W.

A81-21472 Responses to dry heat of men and women with similar aerobic capacities. A. J. Frye and E. Kamon (Pennsylvania State University, University Park, Pa.). Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology, vol. 50, Jan. 1981, p. 65-70. 25 refs.

A81-21473 * Plasma volume, osmolality, vasopressin, and renin activity during graded exercise in man. V. A. Convertino, L. C. Keil, E. M. Bernauer, and J. E. Greenleaf (NASA, Ames Research Center, Biomedical Research Div., Moffett Field, Calif.). Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology, vol. 50, Jan. 1981, p. 123-128. 33 refs. Grant No. NCA2-OR-180-703.

The influence of work intensity on plasma volume, osmolality, vasopressin and renin activity and the interrelationships between these responses are investigated. Plasma volume, renin activity and osmotic, sodium and arginine vasopressin concentrations were measured in venous blood samples taken from 15 healthy male subjects before and after six minutes of bicycle ergometer exercise at 100, 175 and 225 W. Plasma volume is found to decrease significantly with increasing work intensity, while increases in Na(+) concentration, osmolality and vasopressin are only observed to be significant when the work intensity exceeds 40% maximal aerobic capacity and plasma resin activity increased linearly at all work levels. In addition, significant correlations are observed between plasma volume and osmolality and sodium changes, and between vasopressin and osmolality and sodium content changes. Data thus support the hypotheses that (1) vasopressin may be the primary controlling endocrine for fluid and electrolyte levels following exercise; (2) an exercise intensity greater than 40% maximal aerobic capacity is required to stimulate vasopressin release through changes in plasma osmolality; and (3) the stimulation of the renin-angiotensin system is a more general stress response.

A81-21474 Diffusing capacity of the lung during hypoxia-Role of capillary recruitment. R. L. Capen, L. P. Latham, and W. W. Wagner, Jr. (Colorado, University, Denver, Colo.). Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology, vol. 50, Jan. 1981, p. 165-171. 34 refs. Grants No. NIH-HL-14985; No. NIH-HL-07171.

The effects of lung capillary recruitment induced by hypoxia on the diffusing capacity of the lung are investigated. In vivo microscopy of healthy adult dogs was performed to monitor capillary recruitment in the upper part of the lung, and lung diffusing capacity for carbon monoxide was measured during conditions of normoxia, hypoxia, hypoxia with the intravenous infusion of a vasodilator, and normoxia with continuing vasodilator infusion. The pulmonary diffusing capacity as measured by a rebreathing technique is found to be significantly correlated with the extent of capillary perfusion under both hypoxic and normoxic conditions, even with the acceleration of the reaction rate between carbon monoxide and hemoglobin under hypoxic conditions taken into account. The

evidence thus suggests that the capillary recruitment elicited during airway hypoxia causes an increase in the diffusion rate and is of physiological benefit, and that the microscopic observations are representative of much of the lung.

A.L.W.

A81-21726 * The role of simulation in Space Shuttle training. J. W. Bilodeau (NASA, Johnson Space Center, Houston, Tex.). In: Summer Computer Simulation Conference, Toronto, Canada, July 16-18, 1979, Proceedings. Montvale, N.J., AFIPS Press, 1980, p. 813-818.

The content and the scope of the flight crew training program for the Space Shuttle are discussed with emphasis on the role of simulation in such training. The training flow chart is presented and requirements in hours are given for each of the subject areas. V.L.

AB1-21727 An integrated training approach. A. D. Windsor (U.S. Navy, Corpus Christi, Tex.) and H. Brouwer (Gould, Inc., Melville, N.Y.). In: Summer Computer Simulation Conference, Toronto, Canada, July 16-18, 1979, Proceedings.

Montvale, N.J., AFIPS Press, 1980, p. 821, 822.

The training program for U.S. Navy pilots that has evolved in response to high turnover and rising costs is discussed. It is noted that the Navy Integrated Flight Training System introduces instrument flying skills very early in the pilot's course. Here, systems operations training is facilitated by the use of specially designed, computer driven graphic panels that provide visual representation of system functions in both normal and degraded conditions. Trainees move next to the procedures trainer and then to the flight simulator. It is noted that training devices provide effective initial training for student pilots, maintain and improve the proficiency of experienced pilots, reduce training and operating costs, and conserve scarce resources, such as energy, weapons, and ammunition.

C.R.

A81-21728

Task segmentation · An approach to simulator task fidelity. E. A. Stark (Singer Co., Link Div., Binghamton, N.Y.). In: Summer Computer Simulation Conference, Toronto, Canada, July 16-18, 1979, Proceedings.

Montvale, N.J., AFIPS Press, 1980, p. 835-838.

It is noted that the complex motion and visual cuing systems offered by simulators today provide more information than is required for effective training. Attention is also given to the high cost of these simulators. The need for a careful identification of task/cue relationships and dynamics is stressed. A method of analyzing skilled operator tasks as more or less complex procedures is proposed as a way of identifying the minimum simulator complexity required for full task fidelity. Three distinct phases of learning - cognitive, perceptual, and psychomotor - are identified, and the role to be played by the simulator in each phase is discussed. It is noted that the first approach to the definition of minimum cue requirements is in the segmentation of the maneuvers to be learned. It is concluded that while providing very little information by itself, segmentation furnishes a structure in which simulator designers, training analysts, instructors, and pilots can explore the processes by which flight skills are developed and maintained. C.R.

A81-21923 # Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task (Analyse et modélisation de la réponse céphalique d'un opérateur humain soumis à une stimulation binauriculaire dans une tâche de localisation d'un son). J.-P. Bourrieres. Lille I, Université, Docteur-Ingénieur Thesis, 1979. 181 p. 43 refs. In French. Research supported by the Direction des Recherches, Etudes et Techniques.

Systematic relationships are obtained between the physical characteristics of binaural sound stimuli and the perception of the lateral position of the sound source. The objective parameters of binaural hearing are reviewed, with particular attention given to the spatial and energetic characteristics of binaural stimulation. An

experimental apparatus developed to investigate perceptual responses to binaural stimulation is then presented in which head position is used to indicate the sound source position, and in which the operator is placed in the loop as the error detector. Means for the processing of the input signal and output head response data are examined, and statistical results concerning the abilities of the 10 subjects to localize the sources are presented. A behavioral model is then proposed to explain the results based on the mean response to a position corresponding to the eccentricity of the sound source.

A I W

AB1-21987 // Development of a secondary task method for measuring operator workload. II - A change of secondary task performance with acquisition of flying skill by Link Trainer. Y. Nagasawa, H. Hagihara, S. Aramaki, and N. Utsuki (Japan Air Self-Defense Force, Aeromedical Laboratory, Tachikawa, Japan). Japan Air Self Defence Force, Aeromedical Laboratory, Reports, vol. 21, June 1980, p. 61-73. 6 refs. In Japanese, with abstract in English.

A81-21988 # Experimental studies on the survival capacity in the sealed environment. I - Effect of cooping up in the individual sealed chamber of various volume on survival time in rats of various body weight. H. Fujiwara (Japan Air Self-Defense Force, Aeromedical Laboratory, Tachikawa, Japan). Japan Air Self Defence Force, Aeromedical Laboratory, Reports, vol. 21, June 1980, p. 75-86. 37 refs. In Japanese, with abstract in English.

The effects of sealed environments on the survival times and the lethal concentration of oxygen and carbon dioxide in 45 Sprague-Dawley male rats is evaluated. Mean survival times are given for each group of 60, 210 and 420 grams in body weight for sealed chambers of 10, 20 and 30 liter volume. The mean lethal concentrations of oxygen and carbon dioxide were 2.9 plus or minus .9% and 14.7 plus or minus .3% respectively for all groups.

L.S.

A81-21989 # Structural analysis of factor patterns on EEG under various states of consciousness. Y. Kurihara (Japan Air Self-Defense Force, Aeromedical Laboratory, Tachikawa, Japan). Japan Air Self Defence Force, Aeromedical Laboratory, Reports, vol. 21, June 1980, p. 87-101. 58 refs. In Japanese, with abstract in English.

The direct varimax method of factor analysis was applied to the electroencephalogram to investigate the effects under 12 situations of consciousness. A small number of common factors in the EEG were used. Correlation coefficients of the factor loading patterns were very high, suggesting the stability of the factor loading. L.S.

A81-21990 # Statistical studies on blood pressure of JASDF pilots. III - Relationship between physical constitution and blood pressure. Y. Kurihara (Japan Air Self-Defense Force, Aeromedical Laboratory, Tachikawa, Japan). Japan Air Self Defence Force, Aeromedical Laboratory, Reports, vol. 21, June 1980, p. 103-114. 65 refs. In Japanese, with abstract in English.

A81-22077 Evaluation of full-head enclosed breathing system for extended exposure at high altitude. G. Dixon, J. D. Adams, and A. Moore (USAF, School of Aerospace Medicine, Brooks AFB, Tex.). In: Survival and Flight Equipment Association, Annual Symposium, 17th, Las Vegas, Nev., December 2-6, 1979, Proceedings.

Canoga Park, Calif., Survival and Flight Equipment Association, 1980, p. 12-14.

An evaluation of a full-head enclosed breathing system for oxygen prebreathing prior to high-altitude exposure or EVA is presented. The breathing system, consisting of a completely enclosed stocking cap type of rubberized head enclosure with oxygen or air supply through an oro-nasal diffuser or a spray bar extending across the upper portion of the face plate, was measured for rates of oxygen flow, breathing resistance, mask pressures and ease and comfort to the wearer over periods of five to seven hours. Results obtained indicate the mask to be adequate in providing oxygen in a

high-altitude environment, characterized by ease of operation and long-term comfort, the provision of oxygen with minimal negative pressure or increased breathing resistance, and no apparent leakage when properly fit.

A.L.W.

A81-22081 An improved oxygen mask for high-altitude protection. W. Sears, J. Ernsting, R. Krutz, Jr., R. Shaffstall, R. Holden (USAF, School of Aerospace Medicine, Brooks AFB, Tex.), and D. Root (USAF, Aeronautical Systems Div., Wright-Patterson AFB, Ohio). In: Survival and Flight Equipment Association, Annual Symposium, 17th, Las Vegas, Nev., December 2-6, 1979, Proceedings.

Canoga Park, Calif., Survival and Flight Equipment Association, 1980, p. 42, 43.

In a continuing effort to provide nonencumbering short duration protection at altitudes above 50,000 ft, several studies have been completed using the RAF high-altitude protective ensemble. Recently six samples of the RAF P/Q masks have been modified to be compatible with standard USAF helmets and intercommunication systems. Basic changes included: reducing the microphone impedance from 300 to 7 ohms; a new ...rness and mask hookup assembly; and a synthetic rather than the natural rubber facepiece. The modified masks have been shown to withstand windblast to 650 knots, with good retention, on a manikin; and the results of preliminary inflight and groundlevel tests of the masks have been very encouraging. The new mask, coupled with a jerkin and g-suit, provides: compatibility with standard USAF life-support and intercommunications equipment; nonencumbering high-altitude protection; low-breathing resistance; an increased shelf life, and improved retention during high-g maneuvering.

A81-22082 Onboard oxygen generation. R. L. Miller, K. G. Ikels, and L. J. Luskus (USAF, School of Aerospace Medicine, Brooks AFB, Tex.). In: Survival and Flight Equipment Association, Annual Symposium, 17th, Las Vegas, Nev., December 2-6, 1979, Proceedings.

Ganoga Park, Calif., Survival and Flight Equipment Association, 1980, p. 44-47, 5 refs.

The basic operating characteristics of two systems for the in-flight generation of aviators' breathing gas to replace stored oxygen supplies are discussed in relation to potential applications in Air Force aircraft, Consideration is given to the concepts and realizations of the fluomine system, in which a solid cobalt chelate forms a reversible complex with molecular oxygen which is released at higher temperature, and the molecular seive system, in which synthetic zeolites selectively absorb nitrogen and most other compounds from the ambient air, thus concentrating the oxygen in the effluent breathing gas. Advantages of simplicity, relatively long chemical lifetime, effective filtration and a built-in dilution mechanism inherent in the molecular sieve concept are pointed out, and it is concluded that molecular sieves are most suitable for fighter, attack, and trainer aircraft with a maximum of three crew. Conversely, the fluomine system appears to scale more easily to larger crew sizes, but suffers from system complexity, a high power penalty and low chemical lifetime. ALW

A81-22083 Development of an automatic opening lap belt buckle for aircrew restraint systems. E. D. Kenzie (Irvin Industries Canada, Ltd., Fort Erie, Ontario, Canada). In: Survival and Flight Equipment Association, Annual Symposium, 17th, Las Vegas, Nev., December 2-6, 1979, Proceedings.

Canoga Park, Calif., Survival and Flight Equipment Association, 1980, p. 65-69.

The design of an automatic-opening lap belt buckle currently under development for ejection seat restraint harnesses is presented. The buckle was designed in view of potential problems such as inadvertent release, environmental durability, gas pressure retention, actuation pressure, manual override, operating simplicity, maintainability, durability and reliability to permit both manual and automatic release of the restraint harness. The basic buckle concept is that of a main base ring with the top interior rim providing the latching surface for hook-type harness lugs, with a spool-shaped cover moving up and down in the center of the ring to hold or release the harness lug hooks. Supplementary features include a parachute

arming lanyard key, an automatic parachute arming lanyard key, an override push button, a safety interlock socket, and gas operation of the automatic release. Results of limited tests of prototype units have been found encouraging.

A81-22084 New developments in restraint systems. L. Farris (Pacific Scientific Co., Anaheim, Calif.). In: Survival and Flight Equipment Association, Annual Symposium, 17th, Las Vegas, Nev., December 2-6, 1979, Proceedings. Park, Calif., Survival and Flight Equipment Association, 1980, p.

The development of hardware and theories for aircrew restraint systems for use in current and future high-performance aircraft is discussed. Attention is given to a two-motion lift-lever buckle for lap belt systems, a heavy-duty rotary buckle, a two-motion rotary buckle, a mini rotary buckle with dual inertia lock reels, a gas-operated lift-lever buckle, the use of polyester webbing, a recyclable powered inertia lock reel for command prepositioning the aircrew during adverse maneuvers, limb restraints during ejection, and a dual tension inertia reel. The current need for the development of advanced aircrew restraints for high performance aircraft is emphasized as a means of preventing injury and saving lives. A.L.W.

Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments. D. C. Johanson, S. M. Reeps, and L. J. SantaMaria (U.S. Naval Material Command, Naval Air Development Center, Warminster, Pa.I. In: Survival and Flight Equipment Association, Annual Symposium, 17th, Las Vegas, Nev., December 2-6, 1979, Proceedings.

Canoga Park, Calif., Survival and Flight Equipment Association, 1980, p. 77-83.

A group of representative free world anti-exposure suit configurations was selected for a test program designed to evaluate their relative effects on aviator performance in the areas of mobility loss, heat stress, and immersion hypothermia protection. Sequential testing was utilized to eliminate those configurations which did not meet predetermined requirements to satisfy the operational need of naval forces. Mobility loss and heat stress testing at 36 C have been completed. Immersion hypothermia testing in 7.2 C water is currently being conducted with tests in 0 C water to follow. (Author)

Effectiveness and wearability of immersion hypothermia protection equipment, R. M. Harnett, E. M. O'Brien, F. R. Sias (Clemson University, Clemson, S.C.), and J. R. Pruitt (Oconee Memorial Hospital, Seneca, S.C.). In: Survival and Flight Equipment Association, Annual Symposium, 17th, Las Vegas, Nev., December 2-6, 1979, Proceedings. Canoga Park Calif., Survival and Flight Equipment Association, 1980, p. 84-87. 6 refs. U.S. Department of Transportation Contract No. CG-72074-A.

A wide range of personal equipment for protection from immersion hypothermia was studied through experiments involving human volunteers. Immersion experiments in a tank of refrigerated water revealed the protection effectiveness of each test article. This effectiveness is expressed in terms of estimates of survival time in 35 F water for 'thin, average and heavy' individuals. 'Wearability' was established (through stress testing) in terms of reductions in mobility, heat loading and fatigue induced during selected exercises as compared to similar results obtained while the subjects were wearing nominal clothing. The results indicate clear trade-offs between effectiveness and wearability and provide a basis for informed selections of protection equipment (Author)

Crew station assessment using the Bioman modeling system. G. D. Frisch (U.S. Naval Aerospace Medical Center, Naval Aerospace Medical Research Laboratory, New Orleans, La.) and L. A. D'Aulerio (U.S. Naval Material Command, Naval Air Development Center, Warminster, Pa.). In: Survival and Flight Equipment Association, Annual Symposium, 17th, Las Vegas, Nev., December 2-6, 1979, Proceedings. Canoga Park, Calif., Survival and Flight Equipment Association, 1980, p. 132-137. 9 refs.

The use of the Bioman modeling system in the evaluation of the physical compatibil - of crew members with crew stations under emergency egress conditions is demonstrated. The Bioman system, which is comprised of cockpit geometry, occupant anthropometry and gross motion simulation subprograms, was used to evaluate the proposed F-18 crew station, and simulation results were compared with those obtained from track and tower tests using instrumented dummies and physiological acceptance tests using human subjects. Results of the simulations indicated a possible foot-instrument panel contact problem that was confirmed by the dummy and human tests. Further modeling was then undertaken to quantify the severity of the problem, and the simulated acceleration profiles were found to be in good agreement with experimental measurements. As a result of the simulation and the dummy and human tests, the proposed crew station configuration was deemed unacceptable, and modifications to the station, including a dynamic kick plate to prevent foot-instrument panel contact during ejection, were analyzed.

Long-term follow-up of lung volume measure-A81-22105 ments in initially healthy young aviators. N. R. MacIntyre, R. E. Mitchell, A. Oberman, W. R. Harlan, and A. Graybiel (U.S. Naval Aerospace Medical Center, Naval Aerospace Medical Research Laboratory, Pensacola, Fla., Alabama, University, Birmingham, Ala.). Aviation, Space, and Environmental Medicine, vol. 52, Jan. 1981, p. 1-5. 19 rafs.

Lung volume measurements on a large number of initially healthy young military aviators were recorded periodically in follow-up from 1940-69. Vital capacities were measured spirometrically and total lung capacities were measured planimetrically from chest roentgenograms. Residual volumes were calculated by subtracting the vital capacity from the total lung capacity in each subject. Additional variables available for analysis were cigarette smoking histories, family histories, aviation career patterns, pulmonary symptoms, cardiac disease diagnoses, and anthropometric measurements. Multiple linear regression techniques were used on these variables to construct prediction equations for each lung volume in 1969. From these longitudinal analyses, cigarette smoking and pulmonary symptoms were found to be associated with an obstructive lung volume pattern in 1969, while coronary artery disease and weight gain were found to be associated with a restrictive lung volume pattern in 1969. A career in military aviation had no significant association with lung volumes.

Response to transient haemorrhage after acute and chronic section of the carotid sinus nerves. A. Howe and A. N. Nicholson, Aviation, Space, and Environmental Medicine, vol. 52, Jan. 1981, p. 11-15, 25 refs.

Adaptation to denervation of the carotid sinus region was studied in cats during hypotension induced by a controlled hemorrhage. After denervation, the fall in arterial pressure in response to hemorrhage was increased, but the partial recovery of blocd pressure was preserved. In chronic animals, this pattern of response was also seen, but a resting hypertension developed and ensured that the minimal blood pressure and the recovery reached during the hemorrhage were similar to those of intact animals. The studies suggest that the primary role of the carotid receptors is to minimize the effect of stresses which lead to hypotension, rather than to set the level of the resting blood pressure. (Author)

Cardiovascular and biochemical response to simulated space flight entry. J. R. Hordinsky, U. Gebhardt, H. M. Wegmann, and G. Schafer (Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, Institut für Flugmedizin, Bonn, West Germany). Aviation, Space, and Environmental Medicine, vol. 52, Jan. 1981, p. 16-18, 7 refs.

Twelve men and 12 women were exposed to two types of short-duration (6 h) space flight entry simulation bedrest (no head-down tilt) and water immersion (to the neck). Preceding and following the simulation, orthostatic tolerance testing using LBNP



(Lower Body Negative Pressure) was performed. Male LBNP tolerance was greater than female LBNP tolerance at all four comparison points. (pre- and post-bedrest, pre- and post-water immersion), whereas the short-duration bedrest reduces female LBNP tolerance about as effectively as water immersion, only water immersion leads to marked LBNP intolerance in the male subjects. If the water immersion model simulates zero G, loss of male and female orthostatic tolerance will be about equal after short-duration space flight. On the other hand, the bedrest simulation would indicate a greater loss of orthostatic tolerance for females. (Author)

A81-22108 Dopaminergic agonists and conditioned avoidance response in normoxic or hypoxic rats. C. Saligaut, N. Moore, J.-L. Leclerc, and F. Boismare (Rouen, Université, Rouen, France). Aviation, Space, and Environmental Medicine, vol. 52, Jan. 1981, p. 19-23, 30 refs.

The actions of four dopaminergic agonists (apomorphine, bromocriptine, amantadine, piribedil) on a conditioned avoidance response were studied in normoxic or hypobaric hypoxic rats. Low doses of agonists have no effects in normoxis, but induce an anthihypoxic protection (improvement of learning in hypoxia). In contrast, the higher doses impair learning both in normoxia and hypobaric hypoxia. The possibility of an antihypoxic property induced by dopaminergic post-synaptic receptors stimulation is discussed and seems to be the main phenomenon while action or other nonspecific sites seems to be responsible for the high dose-induced impairment of learning and of resistance to hypoxia.

(Author)

A81-22109 Postmortem coronary atherosclerosis findings in general aviation accident pilot fatalities - 1975-77. C. F. Booze, J. K. Pidkowicz, A. W. Davis, and F. A. Bolding (FAA, Civil Aeromedical Institute, Oklahoma City, Okla.). Aviation, Space, and Environmental Medicine, vol. 52, Jan. 1981, p. 24-27. 7 refs.

The autopsies of 764 pilots involved in fatal general aviation accidents during the years 1976-77 were reviewed to appraise the age specific prevalence of coronary atherosclerosis among the autopsied group. Of the pilots killed in aircraft accidents and autopsied during 1975-77, 51% were found to have some degree of coronary atherosclerosis ranging from minimal to severe. However, only about 5% of the autopsied group were categorized as having severe coronary atherosclerosis. The rate per 1,000 of severe coronary atherosclerosis increased with age from 14.5 for ages less than 30, to 89.9 for ages 50 years and above; the rate nearly tripled from ages 30-39 to 40-49 (22.1 to 63.6). The prevalence of coronary atherosclerosis among this group of autopsied airmen is less than would have been expected based on the results of other recent studies. (Author)

A81-22110 Effect of body supination angle on subjective response to whole-body vibration. C. B. Harrah and R. W. Shoenberger (USAF, Aerospace Medical Research Laboratory, Wright-Patterson AFB, Ohio). Aviation, Space, and Environmental Medicine, vol. 52, Jan. 1981, p. 28-32. 6 refs. Contract No. F33615-79-C-0509.

Three experiments were conducted to evaluate the subjective symptomatology associated with various combinations of supination angle and vibration spectral composition. Sinusoidal, sum-of-sine, and random vibration were used in the first, second, and third experiments, respectively. All exposure periods were 40 s and the supination angle was varied from 13-65 deg. Subjective response was evaluated by means of a physical symptom survey incorporating a discomfort rating scale. For all three experiments, the results indicated a primary effect of supination angle was to shift the vibration-induced sensations across body regions. Small angles (nearly seated upright) were most often associated with stomach, abdomen, and head discomfort; large angles were most often associated with upper back, neck, and sacral discomfort. With respect to the calculated total-body response, results indicated a preference for the 30 deg supination angle for both complex vibration spectrums used and for all three sinusoidal frequencies. This finding suggests the existence of an optimal supination angle for comfort under vibration. (Author)

A81-22111 Brain/computer communication to reduce human error - A perspective. C. W. Sem-Jacobsen (EEG Research Institute, Oslo, Norway). Aviation, Space, and Environmental Medicine, vol. 52, Jan. 1981, p. 33-37. 10 refs.

Recent developments in physiology and neurophysiology, biomedical monitoring, and micro-processors has made it possible to give the pilot improved electronic support and to increase flight safety. Direct brain/computer communication is a new way to combat human error. Monitoring ECG will give information on the operator's physical and mental load/overload situation as well as on impending cardiac failure. Information presented to the operator will elicit different biological patterns whether the operator is alert and takes the information into his stream of thoughts or not. Together with the reaction time, this will give needed information about the operator's alertness and responsiveness. In the future, with this approach, the computer may know on-line to what extent the operator perceives all the information given, as well as the operator's physical and mental load/overload situation and health. Brain/ computer communication should be developed to support keyoperating personnel and to reduce human error.

A81-22112 Antidiuretic hormone excretion at high altitude. M. J. Harber (Kidney Research Unit for Wales Foundation, Institute of Renal Disease, Cardiff, Wales), J. D. Williams (Welsh National School of Medicine, Cardiff, Wales), and J. J. Morton (Medical Research Council, Blood Pressure Unit, Glasgow, Scotland). Aviation, Space, and Environmental Medicine, vol. 52, Jan. 1981, p. 38-40. 15 refs. Research supported by the Kidney Research Unit for Wales Foundation.

Urinary excretion of electrolytes, creatinine, urea, and antidiuretic hormone - measured as arginine vasopressin (AVP) by
radioimmunoassay - was investigated in eight Himalayan mountaineers during ascent on foot from 1900-5400 m. Specimens were
collected from each individual whenever urine was voided, preserved
with 1% boric acid, and subsequently pooled to give samples
representative of 24-h collections. AVP was found to be reasonably
stable under simulated conditions of storage. In all subjects, the
observed AVP excretion rates were mostly in the lower region of the
normal range and there was generally no correlation with altitude,
urine osmolality, electrolyte excretion, or occurrence of AMS
symptoms - even in a fatal case of cerebral oedema. It is concluded
that AVP does not play a primary role in the changes in fluid balance
which accompany either acclimatization to high altitude or the onset
of AMS. (Author)

A81-22113

2,3-diphosphoglycerate and night vision. W. J. Schull, J. Clench, R. E. Ferrell, S. A. Barton (Texas, University, Houston, Tex.), R. I. Goldsmith (Michigan, University, Ann Arbor, Mich.), and F. Rothhammer (Universidad de Chile, Santiago, Chile). Aviation, Space, and Environmental Medicine, vol. 52, Jan. 1981, p. 41-44, 14 refs, Grant No. NIH-19514.

Recovery of night vision at altitude has been examined in relationship to changes in 2,3-diphosphoglycerate (DPG). It appears that, if DPG influences night adaptation, its effect is small. Inter-individual variability is large, both in terms of DPG and performance on the MESOP, the device used to measure dark adaptation. (Author)

AB1-22114 The physician's determination of personnel reliability in sensitive occupations. D. K. Kentsmith (Mental Hygiene Clinic, Omaha, Neb.). Aviation, Space, and Environmental Medicine, vol. 52, Jan. 1981, p. 45-49. 14 refs.

The Air Force Medical Officer through AFR 35-99 (Personnel Reliability Program) is responsible for the medical evaluation, psychological assessment, and surveillance of persons who will work in sensitive occupations. This paper addresses various personality factors which indicate poor personnel reliability and suggest an interviewing technique of open-ended questions and developmental

history assessment to help determine reliability. Once a person is selected into a Personnel Reliability Program, the physician must be alert to the importance of social stress on personnel reliability and performance.

(Author)

A81-22550 The response of a realistic computer model for sitting humans to different types of shocks. H. Mertens and L. Vogt (Deutsche Forschungs und Versuchsanstalt für Luft- und Raumfahrt, Institut für Flugmedizin, Bonn, West Germany). Deutsche Gesellschaft für Luft- und Raumfahrt, Symposium über Aerodynamischen Wiederstand, Colonne, West Germany, Nov. 25, 26, 1980, Paper. 17 p. 10 refs.

A mechanical model of the human body in the sitting posture is described. The model parameters were derived from the results of steady state vibration experiments conducted under various levels of static acceleration up to +4 Gz. The resulting nonlinear behavior of the human body was modeled by calculating the characteristics of the model elements. To investigate the model's response under impact loads, the characteristics of the elements were extrapolated beyond 4 G. The results show that the model is able to predict the forces in the vertebral column for arbitrary input pulse shapes. The fact that a rectangular acceleration pulse of 20 Gz causes spinal injuries could be demonstrated by the response of the model.

(Author

A81-22610 * # Advanced control techniques for teleoperation in earth orbit. A. K. Bejczy and T. L. Brooks (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). In: Association for Unmanned Vehicle Systems, Annual Technical Symposium, 7th. Dayton, Ohio, June 16-18, 1980, Proceedings.

Dayton, Ohio, Association for Unmanned Vehicle Systems, 1980, p. 59-74. 23 refs. Contracts No. NAS7-100; No. NO0014-77-C-0256.

Emerging teleoperation tasks in space invite advancements in teleoperator control technology. This paper briefly summarizes the generic issues related to earth orbital applications of teleoperators, and describes teleoperator control technology development work including visual and non-visual sensors and displays, kinesthetic feedback and computer-aided controls. Performance experiments were carried out using sensor and computer aided controls with promising results which are briefly summarized. (Author)

A81-23092 Histochemical study of lipid-like material in photochemically formed jeewanu, the protocell, with formaldehyde partially replaced by other organic sources. K. Bahadur and P. K. Varma (Allahabad University, Allahabad, India). British Interplanetary Society, Journal (Interstellar Studies), vol. 34, Mar. 1981, p. 100-102, 14 refs.

A81-23093 Hominid evolution and SET1. E. J. Coffey British Interplanetary Society, Journal (Interstellar Studies), vol. 34, Mar. 1981, p. 107-114, 30 refs.

Various preconceptions about human origins and the character of the processes of thinking are shown to be misleading. The extent of the relationship between perceiving and thinking is revealed. It is shown that understanding human evolution requires consideration of human biological adaptations, rather than any supposed human uniqueness. Evidence from various sources is shown to be consistent with the notion of man as a neotenous ape. Bipedalism is shown to be the basic hominid adaptation, and a necessary precondition for the emergence of both technology and language. Hominid evolution is shown to have involved two stages. On the basis of these, the concept of the parallel evolution of intelligence, and the possibility of emergence of creatures with a human-like behavioral capacity, are considered. The unlikelihood of either is indicated. (Author)

A81-23097 The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements. E. Kowler (New York University, New York, N.Y.) and R. M. Steinman (Maryland, University, College Park, Md.). Vision Research, vol. 21, no. 2, 1981, p. 191-203, 15 rets, NSF Grant No. BNS-77-16474.

Previously, we had shown that expectations about the direction of future target motion produce involuntary anticipatory smooth eye movements in the direction of the expected target motion (Kowler and Steinman, 1979). The present experiments extend these results to expected target motions in unpredictable directions. Subjects showed anticipatory smooth eye movements while tracking an unfamiliar pattern of right- and left-going target steps while they were guessing the direction of the expected steps. Eye velocity increased when subjects became certain that they knew what the pattern was. Guesses also produced anticipatory smooth eye movements for both expected target steps and ramps in one of 12 unknown directions. Anticipatory smooth eye movements produced by guesses and by certain knowledge of target direction were not affected when subjects performed a distracting task (mental arithmetic). These results show that the effect of expectations on slow eye movements cannot be removed simply by making target motions unpredictable. Models of the slow oculomotor subsystems, to be complete, require development of techniques to predict the direction and certainty of human expectations about unpredictable patterns of target motion. A technique, which may serve this purpose, is

A81-23098 Displacement detection in human vision. G. E. Legge (Minnesota, University, Minneapolis, Minn.) and F. W. Campbell (Cambridge University, Cambridge, England). Vision Research, vol. 21, no. 2, 1981, p. 205-213, 46 refs.

The displacement threshold is defined to be the smallest instantaneous target displacement that can be detected. Properties of the displacement threshold for a small, luminous spot were measured psychophysically. In a structureless field the displacement threshold was near 1.5 arcmin subject to individual variation. The effects of pattern were studied by measuring displacement thresholds at the centers of a set of annuli ranging from 2.85-728 arcmin in diameter. Displacement thresholds were reduced by the presence of the annuli and were as low as 0,3 arcmin. This threshold reduction could not be fully attributed to processes of relative spatial localization because displacement thresholds were lower than spatial localization thresholds for annulus diameters greater than 20 arcmin. The displacement threshold is virtually independent of orientation and pupil size. It increased about 75% with a three log unit decrease in photopic target luminance. Displacement detection appears to depend upon the motion sense rather than the position sense. It may be limited by fixation accuracy.

A81-23099 Direction-specific and position-specific effects upon detection of displacements during saccadic eye movements. S. Heywood and J. Churcher (Warwick, University, Coventry, England). Vision Research, vol. 21, no. 2, 1981, p. 255-261, 15 refs. Medical Research Council Grant No. G976/154/N.

STAR ENTRIES

NS1-16717 California Univ. Berkeley.
NEUROENDOCRINE STRATEGIES FOR ADAPTATION TO HIGH ALTITUDE Ph.D. Thesis

Susan Fong Akana 1980 145 p

Avail. Univ Microfilms Order No 8029309

Some of the neuroendocrine adaptations which occur in rats after exposure to high altitude are addressed, particularly the responses of the adrenal cortex and their relation to certain aspects of central and peripheral neurotransmitter metabolism. Whether the enhancement of tyrosine hydroxylase activity which occurs in rats at high altitude in select regions of the brain and in the adrenal gland is induced by high levels of corticosterone was experimentally investigated. Major results confirm an increase in tyrosine hydroxylase in the brain and adrenal gland and an increase in corticosterone levels in the juvenile rat developing at high altitude as compared to the young sea level controls. When the adrenocortical function was depressed by administration of metyrapone, both at sea level and high altitude, tyrosine hydroxylase activity remained unchanged. It is suggested from the data that the increase in adrenocortical function and the increase in tyrosine hydroxylase activity in brain and adrenal gland of rats born and maintained at high altitude are two ir Jependent adapations to the hypoxic environment.

Dissert Abstr

NB1-16718* | National Aeronautics and Space Administration. Washington, D. C.

LIFE OF THE ONION NOT KNOWING UP FROM DOWN A. Gordeyev Aug. 1980 9 p. refs Transl. into ENGLISH from Znaiye - Sila. (USSR), v. 12, no. 630, Dec. 1979 p.9-10 Transl. by Kanner (Leo) Associates. Redwood City. Calif. (Contract NASw-3199)

(NASA-TM-76353) Avail NTIS HC A02/MF A01 CSCL 06C

The absence of the force of gravity has a negative effect on plant life. Plants grown on spacecraft have died prematurely. Tests are being made to discover whether or not electricity will compensate for the absence of gravitation. It was found that an onion under current is not subject to the force of gravity Tremendous possibilities are opened up by these experiments.

N81-16719* National Aeronautics and Space Administration. Washington, D. C.

HEMORHEOLOGICAL CHANGES, THE STATE OF MICRO-CIRCULATION, AND BLOOD ACID-BASE BALANCE IN RATS UNDER CONDITIONS OF A 30-DAY LIMITING OF THE MOTOR ACTIVITY

Yu. M. Shtykhno and V. I. Udovichenko Dec. 1980 8 p refs Transl. into ENGLISH from Vestn. Akad. Med. Nauk. SSSR (USSR). no. 2, 1978 p 68-71 Transl by Scientific Translation Service. Santa Barbara, Calif. Original doc. prep. by Inst. of General Pathology and Pathological Physiology of the Akademii Meditsinskikh Nauk, Moscow

(Contract NASw-3198)

(NASA-TM-76464) Avail: NTIS HC A02/MF A01 CSCL

Changes were expressed in reduction in number of true capillaries, the appearance of nonfunctioning empty vessels and in the opening of the arteriolo-venular shunts. Changes in the acid-base balance in the direction of reduction of buffer blood content were also noted

N81-16720 Utah Univ. Salt Lake City CARDIORESPIRATORY AND PERCEPTUAL RECOVERY FROM A MARATHON RUN BY NOVICE AND EXPERIENCED WOMEN MARATHON RUNNERS Ph.D. Thesis

Carol Lynette Christensen 1980 133 p Avail: Univ Microfilms Order No 8101001

Subjects performed tests of maximum oxygen consumption (VO2max), 7-9 days before, and 15-16 days after a marathon They also completed four 30 minute runs on the treadmill at their planned race pace, 6-7 days before, and 2-3 days, 6-7 days, and 13-14 days after the marathon. The five novice and eight experienced women marathon runners who served as subjects in the second experiment, performed VO2max tests 8-11 days before, and 7-9 days after a marathon held approximately 5 months after the first experiment Cardiorespiratory and perceptual parameters do not appear to be decremented by a marathon run nor does marathon running experience appear to affect the time-course of recovery of these parameters. Other factors, such as stiffness, soreness, motivation, and biochemical indices may recover more slowly, but are apparently not reflected in the gross metabolic response to exercise or feelings of exertion Dissert Abstr following a marathon run.

NS1-16721 Washington Univ. Seattle.
PRESSURE-FLOW MYSTERESIS IN THE PULMONARY VASCULATURE Ph.D. Thesis

Kenneth Charles Beck 1980 94 p Avail: Univ. Microfilms Order No. 8029733

Pulmonary vessels are composed of soft tissue that contains smooth muscle, and are embedded in the soft tissue of lung parenchyma Both vascular tissue and pulmonary parenchyma were shown to be hysteretical, i.e., the tissues do not have a unique length-tension or pressure-volume relationship, their mechanical properties depending strongly on stress history Therefore, the pulmonary vascular bed as a whole should not have a unique pressure-volume relationship. Furthermore, vascular resistance should also be history-dependent, in a way that ought to parallel pressure-volume hysteresis. Pressure-flow hysteresis was studied by fixing outflow pressure (P sub pv) and cycling flow (Q) while measuring inflow pressure (P sub pa) and fixing Q and cycling P sub pv while measuring P sub pa. Vascular volume changes were estimated from changes in the perfusion Dissert Abstr circuit reservoir

NB1-16722*# National Aeronautics and Space Administration. Washington, D C ANTIBODIES TO MYOFIBRIL ANTIGENS IN COSMONAUTS AFTER SPACEFLIGHTS

R. Yu. Tashpulatov, T. A. Danilova, A. T. Lesnyak, V. I. Legenkov, V. S. Znamenskiy, and Ye. Yu. Dedyuyeva Aug. 1980 8 p. refs. Transl. into ENGLISH from Zh. Mikrobiol. Epidemiol. Immunobiol (USSR), no. 12. Dec. 1979 p. 36-39 Transl by Kanner (Leo) Associates, Redwood City, Calif. Original doc. prep. Transl by by Moscow Gamalei Inst. for Epidemiology and Microbiol (Contract NASw-3199)

(NA SA-TM-76300) Avail NTIS HC A02/MF A01 CSCL OSP

Serum samples obtained from 15 astronauts before and after spaceflights were studied with the use of the indirect immunofluorescent method. In seven astronauts antibodies to different elements of the human heart muscle appeared after flights. Strong and very strong luminescence of the elements of heart muscle tissue was detected in the astronauts after the third space flight. In a study of the sera on sections of bovine heart muscle tissue the reactions of the sera taken before and after flight were found to show no essential differences. E.D.K.

N81-16723°# National Aeronautics and Space Administration. Washington, D. C.

WAYS OF INCREASING MUSCULAR ACTIVITY BY MEANS OF ISOMETRIC MUSCULAR EXERTION

A. V. Kovalik Aug. 1980 9 p. refs. Transl. into ENGLISH from Teor. i Prakt. Fizicheskoy Kultury (USSR), no. 12. Dec. 1979 p 38-40 Transl. by Kanner (Leo) Associated. Redwood City, Calif. Original doc. prep. by Penza Factory Higher to Technical Inst., USSR

(Contract NASw-3199)

(NASA-TM-76307) Avail: NTIS HC A02/MF A01 CSCL

The effect of isometric muscular exertion on the human body was investigated by having subjects perform basic movements in a sitting position in the conventional manner with additional muscle tension at 50% maximum force and at maximum force. The pulse, arterial pressure, skin temperature, respiratory rate, minute respiratory volume and electrical activity of the muscles involved were all measured. Performance of the exercises with maximum muscular exertion for 20 sec and without movement resulted in the greatest shifts in these indices; in the conventional manner substantial changes did not occur; and with isometric muscular exertion with 50% maximum force with and without movement, optimal functional shifts resulted. The latter is recommended for use in industrial exercises for the prevention of hypodynamia. Ten exercises are suggested.

N81-16724*# National Aeronautics and Space Administration. Washington, D. C.

PHARMACOLOGICAL ACTIVITY AND TOXICITY OF SOME NEUROTROPIC AGENTS UNDER CONDITIONS OF EXPERIMENTAL HYPODYNAMIA

L. T. Kirichek Sep. 1980 B p refs Transl into ENGLISH from Farmakol. Toksikol. (USSR), v. 42. no. 3, May - Jun. 1979 p 221-225 Transl. by Kanner (Leo) Associates, Redwood City. Calif. Original doc. prep. by Kharkov Medical Inst. (USSR) (Contract NASw-3199)

(NASA-TM-76371) Avail NTIS HC A02/MF A01 CSCL

The indices of pharmacological range, risk coefficients, ED50, LD50, the size of the area of toxic activity, and maximal tolerated and absolute lethal doses were compared in hypodynamic mice. The pharmacological activity of the test neurotropic agents exhibiting a central action underwent change, but their toxicity remained unchanged.

AUTOREGULATION OF CEREBRAL BLOOD CIRCULATION UNDER ORTHOSTATIC TESTS

M. D. Gayevyy, V. G. Maltsev and V. E. Pogorelyy. Sep. 1980. 10 p. refs. Transi. into ENGLISH from Fiz. Zh. SSR (USSR), v. 65, no. 2, 1979. p. 263-268. Original language document announced as A79-36098. Transl. by Kanner (Leo) Associates. Redwood City, Calif. Original doc. prep. by Pyatogorsk Pharmaceutical Inst., USSR.

(Contract NASw-3199)

(NASA-TM-76372) Avail: NTIS HC A02/MF A01 CSCL

Autoregulation of cerebral blood flow (ACBF) under orthostatic tests (OT) was estimated in acute experiments on rabbits and cats under local anesthesia according to changes of perfusion pressure (PP) in carotid arteries, cerebral blood flow, pressure in the venous system of the brain, and resistance of cerebral vessels. The OT were conducted by turning a special table with the animal fastened to it from a horizontal to a vertical (head up or head down) position at 40 to 80 deg. In most experiments ACBF correlated with the changes of PP. Different variations of ACBF and its possible mechanisms are discussed.

N81-16726* National Aeronautics and Space Administration. Washington, D. C.

EFFECT OF CERVICOLABYRINTHINE IMPULSATION ON THE SPINAL REFLEX APPARATUS

A. I. Yarotskiy: Sep. 1980 7 p. refs. Transl. into ENGLISH of Fiziol Zh. SSSR (USSR), v. 75, no. 12, Dec. 1979 p. 1838-1840 Transl. by Kanner (Leo) Associates, Redwood City, Calif. Original doc. prep. by Uzbek Inst. for Physical Culture, Tashkent, USSR (Contract NASw-3199)

(NA SA-TM-76375) Avail: NTIS HC A02/MF A01 CSCL

In view of the fact that the convergence effect of vestibular impulsation may both stimulate and inhibit intra and intersystemic

coordination of physiological processes, an attempt was made to define the physiological effect on the spinal reflex apparatus of the convergence of cervicolabyrinthine impulsation on a model of the unconditioned motor reflex as a mechanism of the common final pathway conditioning the formation and realization of a focused beneficial result of human motor activities. More than 100 persons subjected to rolling effect and angular acceleration during complexly coordinated muscular loading were divided according to typical variants of the functional structure of the patella reflex in an experiment requiring 30 rapid counterclockwise head revolutions at 2/sec with synchronous recording of a 20 item series of patella reflex acts. A knee jerk coefficient was used in calculations. In 85 percent of the cases 2 patellar reflexograms show typical braking and release of knee reflex and 1 shows an extreme local variant. The diagnostic and prognostic value of these tests is suggested for determining adaptive possibilities of functional systems in respect to acceleration and proprioceptive stimuli

NB1-16727*# National Aeronautics and Space Administration. Washington, D. C.

RHEOENCEPHALOGRAPHY IN MENIERE'S DISEASE
M. P. Nikolayev and O. N. Mertsalova Sep. 1980 7 p refs
Transl. into ENGLISH from Vestn. Otorinol-Laringol. (USSR).
no. 3, May-Jun. 1979 p 12-15 Transl. by Kanner (Leo)
Associated, Redwood City, Calif. Original doc. prep by Botkin

Clinical Hospital (Contract NASw-3199)

(NASA-TM-76387) Avail NTIS HC A02/MF A01 CSCL

Rheoencephalography (REG) was used on 35 patients with Meniere's disease to determine tonus and perfusion of cerebral vessels. The analysis took account of age, duration of the disease and presence or absence of cervical osteochondrosis. Hypertensive symptoms in the vertebro-basilar system predominated in the under 45 age group, while for the over 45 patients and those suffering for more than 5 years. hypertensive symptoms were likewise noted in the internal carotid arterial system. Signs of angiospasm were revealed both for patients with cervical osteochondrosis and without it. Hypertensive signs were noted in 88.5% of patients with Meniere's disease and as a rule they were noted in the entire vertebro-basilar system without respect to the presence or absence of concurrent cervical osteochondrosis and uni- or bilateral affection of the labyrinth; in patients over 45 who had suffered more than 5 years this also applied to the internal carotid arterial system. Identification of the condition of cerebral circulation and the planning of more effective therapy that influences vascular tone is made possible by REG.

N81-16728*# National Aeronautics and Space Administration. Washington. D. C. HYDROELASTIC EFFECTS IN THE AORTA BIFURCATION

A. S. Volmir, M. S. Gersheyn, and B. A. Purinya Oct. 1980 7 p refs Transl. into ENGLISH of Mekh. Polim. (USSR). v. 7. Jan. - Feb. 1971 p 164-165 Original language document announced as A71-28657 Transl. by Kanner (Leo) Associates. Redwood City, Calif. Original doc. Prep. by Latvian SSR Acad. of Sci. USSR

(Contract NASw-3199)

(NASA-TM-75432) Avail NTIS HC A02/MF A01 CSCL 06P

The mechanical behavior of the vessels and blood is mathematically analyzed at the point of aortic bifurcation using a homogeneous single layer channel as a model of the aorta Allowance is made for the fact that the aortic intima is considerabley less rigid than the other layers. For analysis of blood flow in the major arteries, the blood is treated as a viscous Newtonian fluid whose movements are described by Navier-Stokes equations and a continuity equation. Blood flow dynamics at the aortic bifurcation are discussed on the basis of the results.

E.D.K

N81-16729*# National Aeronautics and Space Administration. Washington, D. C.



ORTHOSTATIC HYPOTENSION

J. J. Grimm Dec. 1980 11 p refs Transl into ENGLISH of Rev. Suisse de Medecine (Switzerland), 69, no. 16, 1980 p 518-521 Transl by Kanner (Leo) Associates. Redwood City. Original doc. prep. by Univ. Med. Policlinic, Lausanne. Switzerland

(Contract NASw-3199)

(NASA-TM-75433) Avail: NTIS HC A02/MF A01 CSCL OAS

Following a brief physiopathological review, orthosiation hypotension is classified into three groups: organic, functional and medication-dependent. The importance of etiological diagnosis, the use of objective tests and appropriate therapy. especially concerning the organic forms, is stressed.

NB1-16730* National Aeronautics and Space Administration. Washington, D. C.

DOSIMETRIC INVESTIGATIONS OF COSMIC RADIATION ABOARD THE KOSMOS-936 AES (JOINT SOVIET-AMERICAN EXPERIMENT K-206)

E. V. Benton, Ye. Ye. Kovalyev, and V. Ye. Dudkin. Apr. 1980 90 p. refs. Transl. into ENGLISH of "Dozimetricheskiye Issledovaniya Kosmicheskikh Izlucheniy na Bortu ISZ Kosmos-936 (Sovmestnyy Sovetsko-Amerikanskiy Eksperiment K-206)" Moscow, 1979 124 p Transl. by Kanner (Leo) Associates. Redwood City, Calif. Original doc. prep. by Inst. of Midico-Redwood City, Calif. Original doc. prep. by I Biological Problems, Ministry of Health, Moscow

(Contract NASw-3199)

(NASA-TM-75772) Avail: NTIS HC A05/MF A01 CSCL

The Soviet and American parts of the experiment are described separately. Particular attention was given to the following problems: placement of the detectors; study of neutron radiation within the biosatellite; and studies of fragmentation of heavy nuclei on accelerators. Unified methods were developed for the calibration of Soviet and American detectors.

N81-16731*# Tennessee Univ., Memphis RELATIVE TOXICITY TESTING OF SPACECRAFT MATERI-ALS. 1: SPACECRAFT MATERIALS Annual Report, 10 Nov. 1978 - 9 Nov. 1980

W. H. Lawrence 6 Nov. 1980 83 p refs (Contract NAS9-15670)

(NASA-CR-160908) Avail: NTIS HC A05/MF A01 CSCL **06T**

In chamber thermodegradation procedures were used to access the lethality to rats of the pyrolysis/combustion products of three foams, an adhesive backed metallic tape and RTV silicone rubber adhesive sealant used in spacecraft construction. The role of carbon monoxide in the overall pyrolysate toxicity was also investigated. Post exposure observation of the rats, histological evaluation of selected organs, carbon monoxide concentration in the chamber atmosphere during exponure and the percent carboxyhemoglobin in the animals exp. ng in the chamber are discussed. Thermogravimetric analysis and dosage response results are given. The lethal effect of the RTV silicon appears to be due to physical obstruction of the respiratory system by particulate matter from pyrolysis.

N81-16732* Tennessee Univ., Memphis RELATIVE TOXICITY TESTING OF SPACECRAFT MATERI-ALS. 2: AIRCRAFT MATERIALS Annual Report, 10 Nov. 1978 - 9 Nov. 1980

W. H. Lawrence 6 Nov. 1980 111 p refs (Contract NAS9-15670)

(NASA-CR-160907) Avail: NTIS HC A06/MF A01 CSCL

The relative toxicity of thermodegradation (pyrolysis/ combustion) products of aircraft materials was studied. approaches were taken to assess the biological activity of the pyrolysis/combustion products of these materials: (1) determine the acute lethality to rats from inhalation of these pyrolysates and (2) examine the tendency for sublethal exposure to the pyrolysates to disrupt behavioral (shock avoidance) performance of exposed rats. The ralative importance of lethality vs. behavioral

effects in selection of a material may be dictated by whether or not individuals potentially exposed to such products, would have an opportunity to escape if they were behaviorally capable of doing so. If so, the second parameter would assume greater importance, but if not the first parameter may be of much greater importance in selecting materials.

N81-16733# McDonnell-Douglas Astronautics Co., St. Louis. **Engineering Psychology Dept.**

DYNAMIC TARGET ACQUISITON: EMPIRICAL MODELS OF OPERATOR PERFORMANCE Final Report, Jul. 1977 . Jun. 1980

Larry R. Beideman, Frank E. Gomer, and Sheldon H. Levine Aug. 1980 221 p refs

(Contract F49620-77-C-0100: AF Proj. 2313)

(AD-A092263: MDC-E2305: AFOSR-80-1177TR) Avail: NTIS

HC A10/MF A01 CSCL 17/8

The intent of this three year research program has been to evaluate detection and recognition processes as observers view dynamic sensor imagery for target acquisition purposes. Moreover, we have attempted to specify differences in human performance which can be attributed to inherent differences between IR and TV target signatures. In all experiments, we have emulated the image dynamics associated with a ground-stabilized, narrow FOV sensor. Further, we have used experienced observers as subjects in these experiments. The operational characteristics of certain attack aircraft and imaging missiles led us to examine initial slant ranges to target of 30,000, 15,000, and 5,000 ft Comparisons of operator performance with simulated IR vs. TV imagery at all initial slant ranges indicated that IR targets were detected more quickly and at greater stand-off ranges than comparable TV targets, especially when targets were embedded in background scenes of medium or high complexity. This occurred even though we simulated optimal visibility conditions, with no significant atmospheric attenuation or distortion of the energy received by the imaging sensor.

N81-16734 Civil Aeromedical Inst. Oklahoma City. Okla EFFECTS OF OZONE (0.30 PARTS PER MILLION, AP-PROXIMATELY 800 MU G/M 3) ON SEDENTARY MEN REPRESENTATIVE OF AIRLINE PASSENGERS AND COCKPIT CREWMEMBERS

E. A. Higgins, M. T. Lategola, C. E. Melton, and J. A. Vaughan Mar. 1980 54 p. refs

(AD-A092268, FAA-AM-80-9) Avail NTIS HC A04/MF A01 **CSCL 01/2**

This study was undertaken to determine the effects of 0.30 ppmv ozone on 40 men representative of airline pilots. All were medically fit: 20 were smokers and 20 were nonsmokers. Subjects were divided into two age groups, 40-49 years and 50-59 years. The experiments consisted of exposure to 0.30 ppmv ozone and, on another occasion, to air only for 3 h at a simulated altitude of 6,000 ft mean sea level. Subjects were sedentary throughout the experiment. Ozone had no effect on heart rate and short-term memory. The group showed a statistically significant incidence of symptoms related to ozone exposure: most were shown by the 40 to 49 year old nonsmoking group while at altitude and postaltitude, and in smokers in the 50 to 59 year age group only at altitude. Eye irritation was the commonest symptom, followed by headache, nasal irritation, and throat irritation. Data showed significant effects of ozone on forced expiratory volume. 1 second forced expiratory volume. and forced end-expiratory flow. The pulmonary effect of ozone appears to be principally on the small airways. Impairment of visual accommodation was associated with ozone. Dark adaptation threshold was elevated in ozone in the 50 to 59 year nonsmoking age group. Retinal bleach recovery time was retarded and blink rate was higher during ozone exposure. It is concluded that 0.30 ppmv ozone is near threshold for adverse effects of ozone. The data are also applicable to passengers who fit into the same category as these sedentary subjects.

N81-16735# School of Aerospace Medicine, Brooks AFB, Tex Aerospace Medical Div EVALUATION OF SIMULATED RADIOFREQUENCY HEAT. ING PROCEDURES Interim Report, 1 Jul. 1978 - 1 Jun.

John C. Burr, Jerome H. Krupp, Doris A. Hamili, and Mary E. Donahue Oct. 1980 28 p refs (AF Proj. 7757)

AD-A092731 SAM-TR-80-30) HC A03/MF A01 CSCL 06/16

Avail

A method for simulating radiofrequency radiation (RFR) heating at 1.2 GHz E-field oriented in the rat using warm moist (90% relative humidity) air is presented. The method can adequately simulate the overall linear rate of internal heating in the rate and the peak temperature excursion but fails to simulate the initial rapid rate of temperature rise due to RFR. Even with this shortcoming it appears that this moist heat simulation is superior to previous hot air simulations.

NO1-16736# New York Univ., N. Y. Neuromagn Neuromagnetism Lab

Samuel J. Williamson and Lloyd Kaufman 15 Jun. 1980 51 p refs Submitted for publication

(Contract NOO014-76-C-0568: NR Proj. 201-209)

(AD A086288, Rept-6) Avail NTIS HC A04/MF A01 CSCL

06/16

The observed patterns over the scalp of magnetic fields evoked by visual, somatic, and auditory stimuli are analyzed to deduce the position and depth of the equivalent current dipole generating source. Expressions are developed for both sphere and half space models for the head, and graphs are presented to correct for the use of a pickup coil of finite diameter. For all three responses. the position of the generating source is deduced to lie in the corresponding primary projection area of the cortex

N81-16737# Saint Elizabeth's Hospital, Brighton, Mass DEVELOPMENT OF PERCUTANEOUS ENERGY TRANSMIS-SION SYSTEMS Annual Progress Report, Apr. 1979 - Mar. 1980

Benedict D.T. Daly, Michael Szycher, Michael Worthington, Victor L. Poirrier, Roger G. Warren, Christian C. Haudenschild, Michael B. Lewis, Charles E. Scheller, Jon N. Meliones, and Donald Demosey 11 Jun. 1980 290 p refs

(Contract NO1-HV-8-2919)

(PB81-109381. NIH-N01-HV-8-2919-2) Avail

HC A13/MF A01 CSCL 06B

A system designed to transmit energy to intracorporeal blood pumps was developed. This system utilized polytetrafluroethylene (PTFE) to provide a connective tissue biomaterial seal limiting epidermal migration and sinus formation. Eight iterations were evaluated in vivo. These studies have demonstrated that PTFE will support ingrowth and that this ingrowth limits epidermal migration. The interface is protected by a polyester velour covered skirt which provides strain relief and this must be implanted subdermally Mobility of the tissues surrounding the device is important to allow displacement which provides additional strain relief. A semiguantitative swab culture technique predicts incipient infection Nutritional deprivation adversely affects biomaterial tissue interactions

N81-16738# California Univ. San Diego. Center for Human Information Processing

ERRORS IN HUMAN PERFORMANCE Final Report, 1 Jun. 1979 - 31 May 1980

Donald A Norman 15 Aug 1980 50 p refs

(Cont act NO0014-79-C-0515, ARPA Order 3767; NR Proj 157-434)

(AD-A091925, Rept-8004) Avail NTIS HC A03/MF A01 CSCL 05/8

Work on this contract examined various applications of human information processing, focusing on the analysis of human error As a result of the contract investigations, several areas of potential application were identified. One area of immediate possible application is in the design of human-machine interfaces. with particular concern for aspects of system design that lead to human error, taking into account what is known about hur asset attentional and short-term memory limitations. The major focus of the research effort was devoted to the study of human error

especially those made by highly skilled operators in complex. high-demand systems. A classification scheme for these errors was developed

N81-16739# Advisory Group for Aerospace Research and Development. Neuilly-Sur-Seine (France)

TECHNICAL EVALUATION REPORT OF THE AEROSPACE MEDICAL PANEL WORKING GROUP WG-08 ON EVALUA-TION OF METHODS TO ASSESS WORKLOAD

Bryce O. Hartman (USAF School of Aerospace Medicine, Brooks AFB. Tex.) Nov. 1980 21 p

(AGARD-AR-139: ISBN-92-835-1374-6) HC A02/MF A01

NTIS Avail

Military aircraft are becoming increasingly complex the associated avionics systems more sophisticaed and the mission profiles more demanding. The problem is to establish if such an increase in aircrew workload has become a limiting factor in the operational employment of some aircraft and to select viable methods to assess it. This companion document to 'Survey of Methods to Assess Workload' sets forth conclusions on workload measurement methodology

N81-16740* Acurex Corp. Mountain View, Calif. Aerospace

FURTHER STUDY FOR FABRICATION, EVALUATION, AND TESTING OF MONOLAYER WOVEN MATERIALS FOR SPACE SUIT INSULATION Finel Report

Robert Short Sep. 1980 12 p

(Contract NAS2-10542: Acurex Proj 6246)

(NASA-CR-166140. ACUREX-TR-80-31/AS) Avail NTIS HC A02/MF A01 CSCL O6K

Improvements to the monolayer woven pile concept were evaluated in terms of increased durability and thermal performance Three varieties of the monolayer material were tested for thermal conductance under various conditions simulating those which occur in space. In addition, the tendency of the pile to unravel was subjectively evaluated

N81-16741*# Vought Corp. Dallas. Tex DEVELOPMENT AND FABRICATION OF AN ADVANCED LIQUID COOLING GARMENT Final Report

C W Hixon 6 Mar 1978 87 p (Contract NAS2-9026)

(NASA-CR-152101. Rept-2-53200/8R-3462) Avail NTIS HC A05/MF A01 CSCL 06G

A tube/fin concept liquid cooling garment head cooler was developed, fabricated and delivered to NASA-ARC. The head cooler was fabricated from polyurethane film which sandwiches the transport fluid tubing and a thermally conductive fin material. The head cooler garment is sewn to form a skull cap and covered with a comfort liner In addition, two Neonate heating garments were fabricated and supplied to NASA for further finishing and use in medical tests. The resulting garment is flexible, elastic and conforms to the head comfortably. Tests on a tube/fin element of identical construction as the head cooler demonstrated good thermal effectiveness. Use of commercially available materials and development of relatively simple fabrication techniques give the potential for a low garment cost.

NB1-16742# Boeing Aerospace Co., Seattle, Wash. Engineering Technology Div

NAVY MANAGER'S GUIDE FOR THE DESIGN SECTIONS OF MIL-H-46855 Final Report, 27 Sep. 1979 - 26 Sep. 1980

Mildred English 26 Sep. 1980 70 p refs

(Contract N62269-79-R-0740)

(AD-A092009, D180-26111-1; NADC-79219-60) Avail NTIS HC A04/MF A01 CSCL 05/5

This document explains how to implement the design sections of MIL-H-46855. Human Engineering Requirements for Military Systems, Equipment and Facilities. It was written for Navy and contractor Human Factors Engineering (HFE) managers. DoD and Navy requirements for performing HFE design during system acquisition are cited. Eight standard HFE design techniques and 9 design techniques using computers are described. When and how techniques are used, their products and purpose, and advantages and limitations are explained.

N81-16743# Virginia Polytechnic Inst. and State Univ.,

Blacksburg. Human Factors Lab.
HUMAN VISUAL PERFORMANCE AND FLAT PANEL DISPLAY IMAGE QUALITY

Harry L. Snyder Jul. 1980 463 p refs

(Contract NOO014-78-C-0238; NR Proj. 196-155)

(AD-A092685: VPI-HFL-80-1/ONR-80-1)

HC A20/MF A01 CSCL 05/5

This is the Final Technical Report of Task I. Human Engineering Survey and Analysis of the subject contract. The task is a survey of the pertinent visual performance, display system capability. and human engineering design requirements for flat panel visual displays, as applied to U.S. Navy Airborne, Shipborne, and Land-Based Systems. The report contains two application examples of the selection of flat panel displays for both airborne and ship-based information systems. It also surveys the current state-of-the-art of flat panel display technologies, and the manner by which existing visual performance and theory can be applied to the selection and evaluation of flat panel technologies for various applications. The flat panel technologies surveyed are light emitting diodes, electroluminescence, liquid crystal, electrochromic, electrophoretic, and gas (plasma) discharge. A uniform set of performance variables is used to compare the various technologies, both among themselves and with the traditional cathode ray tube. Similarly, these technologies are evaluated against design criteria and current models of image quality which relate human performance to display characteristics. Pertinent human visual performance data are presented as the basis for selecting and applying image quality models. Data gaps and needs are summarized at the end of the report.

NS1-16744# Massachusetts Inst. of Tech., Cambridge

Grant Coll. Program.

AN ASSESSMENT OF UNDERSEA TELEOPERATORS Thomas Nico Sofyanos and Thomas B. Sheridan Jun. 1980

316 p refs

(Grant NOAA-79AA-D-00101)

(PB81-102535; MITSG-80-11; NOAA-80082504) Avail NTIS

HC A14/MF A01 CSCL 13J

The current and near future applications of undersea teleoperators and competing modes of underwater intervention are assessed. It identifies the role of remotely operated vehicle systems and the implications on diving safety and underwater inspection of offshore installations. The current development trends for teleoperator systems are examined and federally supported programs are evaluated.

NB1-17001* California Univ., Irvine. Dept. of Developmental and Cell Biology.

DEVELOPMENT OF GUAYULE (PARTHENIUM ARGENTATUM) RESEARCH IN CELL CULTURE Final Report Ernest A. Ball 1 Jan. 1981 14 p refs Prepared for JPL (Contracts NAS7-100: JPL-954955) NASA-CR-163945: UCI-59913) NTIS

HC A02/MF A01 CSCL OBC

Utilizing the lateral buds of known high rubber producing plants as explants in culture medium specifically designed to engender shoot development and to prevent callus formation. unlimited numbers of replicate plants can be produced. Each has the same genotype as the parent. This procedure has long been used to rid plants of virus, the latter generally does not occur in the embryonic tissues of the bud: it elso, by virtue of its axenic nature, eliminates all microorganisms characteristic of the parent plant. Auxins were found essential to callus formation, but since the latter is known to bring about chromosomal aberrations, it was avoided. The cytokinin benzylaminopurine strongly stimulated shoot growth, and the number of regenerated buds on the inoculum was proportional to its concentration. These buds produced shoots several centimeters in length which were caused to root on medium containing indolebutyric acid. Transferred to the septic condition of soil, the plantiets were gradually brought into full sunlight where they showed a brief

vegetative growth with production of mature leaves, and Author

NB1-17682* National Aeronautics and Space Administration Ames Research Center, Moffett Field, Calif.

USE OF AN ELECTRICAL RESISTANCE HYGROMETER TO MEASURE HUMAN SWEAT RATES

Toshiyuki Suga Oct. 1980 30 p refs (NASA-TM-81223: A-8306) Avail: NTIS HC A03/MF A01 CSCI ORP

The application of the resistance hygrometer as a tool to measure the localized sweat rate from the human body in both the active and passive sweat regions was studied. It was found that the physiological function of the skin membrane and fluid carrier transport phenomena from the outer skin have an indistinguishable effect on the observed findings from the instrument. The problems associated with the resistance hygrometer technique are identified and the usage of the instrument in the physiological experimentation from the engineering standpoint is evaluated.

NB1-17683# Academy of Natural Sciences of Philadelphia, Pa. Div. of Limnology and Ecology.
PHYTOPLANKTON STUDIES AND NUTRIENT CONCEN-

TRATIONS IN THE VICINITY OF THE C. P. CRANE GENERATING STATION Final Report, Jul. 1979 - Mar.

K. C. Sellner, L. A. Lyons, R. K. Mahoney, M. M. Olson, and E. S. Perry. 17 Sep. 1980 75 p. refs. Sponsored by Maryland Dept. of Natural Resources. (PB81-114746: PPSP-CPC-80-5)

HC A04/MF A01 CSCL OFF

composition of the phytoplankton.

Plant operations appeared to stimulate phytoplankton productivity at plant discharge and in upper Saltpeter Creek. Carbon fixation rates and assimulation ratios were enhanced in wholewater and nanoplankton size fractions for the three upper Saltpeter Creek stations compared to data collected at intake (Seneca Creek). However, few significant alterations in phytoplankton biomess (chlorophyll alpha) resulting plant operations were noted in the vicinty of the C.P. Crane plant. Enhanced productivities were probably a function of ambient water temperature. Delta Ts observed between intake and the impacted areas and species

NS1-17695/ Army Research Inst. of Environmental Medicine. Military Ergonomics Div. PHYSIOLOGICAL AND HEMATOLOGICAL RESPONSES TO SUMMER AND WINTER DRY-HEAT ACCLIMATION

Yair Shapiro, Roger W. Hubbard, Claire M. Kimbrough, and Kent B. Pendolf 25 Jul. 1980 35 p refs NTIS

(AD-A093194: USARIEM-M-31/80) HC A03/MF A01 CSCL 06/19

Differences between acclimation to heat at the end of winter (W) and at the end of summer (S) were studied on the same 8 male volunteers. Subjects were exposed to 40 C. 30% rh for 10 days on two separate occasions approximately 5 months apart (S and W). Daily exposures lasted 120 min: 10 min rest, 50 min walking 1.34m/s on the level. 10 min rest, 50 min walking. During W acclimation, rectal temperature (Tre) and heart rate (HR) decreased, sweat rate (msw) remained unchanged, and plasma and red cell volume of the blood expanded. During S acclimation, HR decreased while Tre and msw remained unchanged, and plasma volume increased. The Tre of the acclimated subjects remained higher in W and msw lower than in S. It was concluded that acclimation does not totally eliminate the seasonal differences in thermoregulatory set-point and sweat sensitivity. Further, acclimation to a more severe heat did not improve the thermoregulatory set-point that was achieved by natural acclimatization to a milder heat, but affected the cardiovascular adjustment and caused greater plasma volume expansion. W acclimation caused both plasma and blood cell volume expansion while S acclimation affected only plasma GRA

N81-17696# Army Research Inst. of Environmental Medicine,

THERMAL COMFORT IN AN ERA OF ENERGY SHORT-AGE

Raiph F. Goldman 6 Oct. 1980 27 p refs

(AD-A093193: USARIEM-M-30/80) HC A03/MF A01 CSCL 15/5 (AD-A093193: NTIS Avail:

Human thermal comfort rests upon the interactions among six ket factors: four from the environment and two regulated by the individual and his job. The four ambient environmental factors include air temperature, air motion, vapor pressure, and the mean radiant temperature of the surroundings. Heat production and clothing are the individual factors. The correlation of these factors were studied and the results for office environments are presented

NS1-17697# Connecticut Univ., Storrs.

TOXICOLOGY AND METABOLISM OF NICKEL COM-POUNDS: COMPREHENSIVE REPORT OF OVERALL ACTIVITIES DURING THE THREE-YEAR PERIOD FROM 1 DECEMBER 1977 - 30 NOVEMBER 1980

F. W. Sunderman, Jr. 15 Aug. 1980 18 p refs (Contract DE-ASO2-76EV-03140)

(DOE/EV-03140/5-T1) Avail: NTIS HC A02/MF A01
The principal areas of investigation were: embryotoxicity. teratogenicity, and mutagenicity of nickel carbonyl; metabolism. detoxification, and excretion of nickel compounds; studies of nickel carcinogenesis; nickel anlaysis in body fluids and tissues to monitor occupational exposures; and nephrotoxicity of nickel compounds. The hematological effects of nickel compounds were also examined.

NS1-17688# Advisory Group for Aerospace Research and Development, Neuilly-Sur-Seine (France).

SPATIAL DISORIENTATION IN FLIGHT: CURRENT

G. Perdriel, ed. (French Air Force, Paris) and A. J. Benson, ed. (RAF, Famborough, England) Oct. 1980 99 p refs in ENGLISH and FRENCH Proc. of Conf. held in Bodo, Norway, 20-23 May 1980

(AGARD-CP-287: ISBN-92-835-0278-7) HC A05/MF A01

The correlation between spatial disorientation in flight and the occurrance of aircraft accidents is discussed in detail. Particular attention is placed on determining the perceptual errors that characterize spatial disorientation in flight.

NB1-17699# Centre de Recherches du Service de Sante des Armees. Clamart (France).

PHYSIOLOGICAL MECHANISMS OF SPATIAL DISORIEN-TATION NOT OF VISUAL ORIGIN (LES MECHANISMS PHYSIOLOGIQUES DE LA DESORIENTATION SPATIALE D'ORIGINE NON VISUELLE

J. Colin In AGARD Spatial Disorientation in Flight Oct. 1980 6 p refs in FRENCH

Avail: NTIS HC A05/MF A01

Spatial orientation involves the complex integration of data emanating from numerous receptors. In most cases, a disorientation occurs when the visual system, which plays the principle role, can no longer perform its function and the other systems are influenced by a gravito-inertial environment. The reactions thrown out of gear by linear and radial acceleration and then by angular acceleration are reviewed. For a third time the factors modifying the intensity of these reactions are recalled. This permits insisting on the concept of visual dominance and vestibular suppression, which is at the origin of the essential means of preventing spatial disorientation in flight. An aeromedical formation of the crew is particularly important in the visual presentation of information required for piloting, for repeated carry over for flight formation and for flight without visibility. Transl. by A.R.H.

NS1-17700# Advisory Group for Aerospace Research and Development, Neuilly-Sur-Seine (France).
AN UPDATE OF FINDINGS REGARDING SPATIAL

DISORIENTATION IN FLIGHT: A RECONSIDERATION OF UNDERLYING MECHANISMS

F. H. Monesi In its Spatial Disorientation in Flight Oct. 1980. 6 p refs

Aveil: NTIS HC A05/MF A01

The anatomical foundations, physiological mechanisms and mental functions known to influence spatial orientation on Earth and in flight are reviewed. The effects of flight environment on visual, vestibular and kiaesthetic cues as well as on mental functions able to induce perceptual errors conducive to spatial disorientation are reconsidered with a view of identifying the theories accounting for disorientation incidents and accidents in

N81-17701# Italian Air Force Medical Services, Bari-Palese

PERCENTUAL ERRORS IN FLIGHT: A SURVEY OF 100 MILITARY PILOTS ON ACTIVE DUTY

Pietro DeGiosa In AGARD Spatial Disorientation in Flight Oct. 1980 7 p refs

Avail: NTIS HC A05/MF A01

A survey was given to 80 pilots and 20 cadet pilots in flight activity to determine some of the problems associated with perceptive disturbances in flight. The survey consisted of 116 questions, divided into 6 major parts: the first contains biographical data such as age, total hours of flight and the hours of flight activity during 1979, type of aircraft piloted, flight accident if any; the second part is relative to the possible correlation between on the one hand psycho-affective or psycho-social situation and type of mission and on the other hand disturbances if any; the third part refers to the correlation between on the one hand physical conditions, life, habits, the use of drugs and on the other hand possible perceptive alterations they can cause: the fourth part investigates the relations between the type of aircrafts and perceptive alterations; the fifth part deals with different atmospheric conditions in which the flight is possible; with some of the questions we investigate the duration of the disturbances and the time of the disappearance of these perceptive disturbances initially felt; and the last part investigates the perceptive disturbances suffered out of the flight and the quality considered indispensable in avoiding them. R.C.T.

N81-17702# Pennsylvania State Univ., University Park.
THE AMBIENT VISUAL SYSTEM AND SPATIAL ORIENTA-TION

H. W. Liebowitz and J. Dichgans (Tuebingen Univ.) In AGARD Spatial Disorientation in Flight Oct. 1980 4 p refs

(Grants MH-08061: EY-03276) Avail: NTIS HC A05/MF A01

Two modes of processing visual information are reviewed with particular emphasis on their independent functions and the role of the ambient visual system in orientation. The multisensory basis of orientation and the central integration of signals are discussed. Disorientation is assumed to result from a mismatch, in comparison with the previous experience of the individual, of these simultaneously occurring signal patterns. It is suggested that disorientation in aircraft under instrument flight conditions may result from the substitution of an unnatural symbolic indicator to replace the visual stimuli normally involved in orientation and the failure of a learned cognitive skill to compensate for mismatched signals.

N81-17703# School of Aerospace Medicine. Brooks AFB. Tex. Ophthalmology Branch.

VISUAL ILLUSIONS AS A PROBABLE CAUSE OF AIRCRAFT ACCIDENTS

Thomas J. Tredici In AGARD Spatial Disorientation in Flight Oct. 1980 5 p refs

Avail: NTIS HC A05/MF A01

Spatial disorientation, visual restrictions, and illusions were examined as the possible causal factors in aircraft accidents. A number of aircraft accidents were analyzed in which visual illusions appear to be a significant or contributing factor in the accident. It is shown that such factors as rain on the windshield, flashblindness by high intensity strobe lights, disorientation by flickering lights, and ground light intensity variations appear to have led to errors in judgement, thus directly contributing to the aircraft accident. It is concluded that a studied awareness of these factors is the pilot's best corrective action available.

N81-17704# Army Air Corps, Stockbridge (England). DISORIENTATION IN ARMY HELICOPTER OPERATIONS: A GENERAL REVIEW

K. Edgingtom and C. J. Box In AGARD Spatial Disorientation in Flight Oct. 1980 9 p refs

Avail: NTIS HC A05/MF A01

Accidents involving aircraft mishandled during takeoff, landing or tactical low flying (or nap of the earth flight) were investigated. Special emphasis was placed on examining those accidents which occurred as a result of flight disorientation. Orientation error rates, the type of accidents as well as influencing factors were reviewed. Significant results are reported. RCT

N81-17706# Centre d'Essais en Vol, Bretigny-sur-Orge (France). Lab. de Medecine Aerospatiale.
ILLUSIONS OF ATTITUDE AND MOVEMENT DURING

EARTH-HORIZONTAL ROTATION

Alain Leger, Jack P. Landolt, and Kenneth E. Money In AGARD Spatial Disorientation in Flight Oct. 1980 19 p refs In ENGLISH and FRENCH Prepared in cooperation with Defence and Civil Inst. of Environmental Medicine, Downsview, Ontario

Avail: NTIS HC A05/MF A01

Ten voluntary males underwent a sequence of experiments to determine the effect of rotation about the horizontal axis. Each subject underwent nine separate tests of rotation about the horizontal axis. The number of tests was determined by the number of combinations of the three subject axes (X, Y and Z) and three visual conditions (no visual reference, internal visual reference, and external visual reference). In the first condition, the subject was in total darkness (NVR). The internal visual reference (IVR) was produced by lighting the interior of the gondola. Finally, In the external visual reference (EVR) condition. the gondola hatch was left open and the subject could see the surrounding laboratory, with a visual field of about 60 X 50 deg. The order of tests for each subject was determined by a nine by nine Latin square. In spite of the strong visual input, convincing illusions of attitude and movement were found in the IVR condition. Similar illusions, of course, were experienced in the NVR condition. Comparable illusions occurred during the X-axis and Y-axis rotations, as well as during the (usually employed) Z-axis rotations. In most subjects, the illusions were absent in the EVR condition, but, in some subjects, there was perceptible illusory movement inspite of clear visual reference to the real motion.

N81-17706# Institute of Aviation Medicine. Fuerstenfeldbruck (West Germany).

ORTHOSTATIC DISORDER. A CONTRIBUTING FACTOR TO MOTION SICKNESS?

G. R. Froehlich In AGARD Spatial Disorientation in Flight Oct. 1980 4 p refs

Avail: NTIS HC A05/MF A01

Pilot candidates were subjected to the vestibular adroitness test to determine the effects of orthostatic disorders on motion sickness. The test consisted of bending the head once 60 degrees downward and back to the upright position while being rotated at 180 degrees/sec. The test was divided into four categories; each category producing a varying degree of motion sickness symptoms (i.e., mild nausea to severe nausea). Significant results as well as the conclusions are presented in detail. RCT

N81-17707# Defence and Civil Inst. of Environmental Medicine. Downsview (Ontario). Head/Biodynamics Section A GENERALIZED TRANSFER FUNCTION FOR DESCRIBING

MECHANONEURAL SEMICIRCULAR-CANAL DYNAMICS Jack P. Landolt (Texas Univ., Galveston) and Manning J. Correia In AGARD Spatial Disorientation in Flight Oct. 1980 10 p

Avail: NTIS HC A05/MF A01

The dynamic response characteristics of the semicircular canal to rotational head movements were determined via a generalized transfer function. The adequacy of the model was tested by recording the neural activity of the primary efferent fibers inervating the semicircular canals as they respond to appropriate stimulation. Specifically the mechanoneural response characteristics of primary afferent, semicircular canal units in the pigeon were studied to determine whether the model could be used in describing the neurodynamics in other species.

N81-17708# Naval Aerospace Medical Research Lab., Pensacola,

A MULTISTATION SPATIAL DISORIENTATION DEMON-STRATOR

Fred E. Guedry, Jr. In AGARD Spatial Disorientation in Flight Oct. 1980

Avail: NTIS HC A05/MF A01

A disorientation familiarization trainer was designed and constructed for demonstrating a range of visual and acceleratory conditions that induce disorientation. The demonstrator provides students with memorable personal experiences with various classes of disorientating conditions coupled with an introduction to disorientation-error prevention.

N81-17709# Royal Air Force Inst. of Aviation Medicine. Farnborough (England).

THE ROYAL AIR FORCE SPATIAL DISORIENTATION FAMILIARISATION DEVICES (SDFD)

A. J. Benson In AGARD Spatial Disorientation in Flight Oct. 1980 10 p refs Avail: NTIS HC A05/MF A01

The Spatial Disorientation Familiarization Device (SDFD) was designed to demonstrate to aircrew the fallibility of their senses and the errors of perception that can lead to spatial disorientation in flight. The SDFD is a servocontrolled turntable on which the subject is seated 1 m from the axis of rotation, inside a light-tight cab. Displays within the cab show the subject that his sensations of rotation and attitude are in error, and permit the demonstration of oculogyral, oculogravic, cross coupled (Coriolis) and autokinetic phenomena. Control of the velocity trajectory of the turntable and the illumination of the various displays may be preprogrammed and recorded along with a commentary on magnetic tape. This facility allows an optimized training sequence to be delivered consistently, even by relatively unskilled opera-

N81-17710# Forschungsinstitut fuer Anthropotechnik, Meckenheim (West Germany). Forschungsgesellschaft fuer Angewandte Naturwissenschaften e. V.

ON THE PRACTICE OF MEASURING SENSORY THRES-HOLDS: SIGNAL DETECTION AND THE ADAPTIVE METHOD [ZUR PRAXIS DER WAHRNEHMUNGSSCHWELL-ENMESSUNG: SIGNALENTDECKUNGSANALYSE UND ADAPTIVE VERFAHREN

S. Trispel May 1979 117 p refs In GERMAN; ENGLISH summary Prepared in cooperation with Helmholtz-Inst. fuer Biomed. Tech.

(FB-43) Avail: NTIS HC A06/MF A01: Fachinformationszentrum, Karlsruhe, West Ger. DM 10

After an introduction to the principles of psychophysical threshold measurement, the fundamentals of signal detection theory and of adaptive measurement techniques, in each case confined to absolute threshold measurement, are discussed. Both procedures are compared regarding their practical usefulness and levels of significance. The application of both procedures is described for the same situation, subjects had to detect a step like velocity change (with a given a priori probability) of a horizontally moving object on a CRT screen. The results, gathered from relatively small groups of subjects, demonstrate in detail some of the inherent effects of these procedures. An adaptive. automatized test for visual acuity measurement is described as an example for the construction of an adaptive measurement strategy. Finally, the differences between both procedures as to their range of applications are considered. It is concluded that the results of signal detection analysis yield true threshold values. whereas results from adaptive experiments often are influenced by the employed adaptive logic. Author (ESA)

N81-17711*# San Jose State Univ. Foundation, Calif. MAGNITUDE OF VISUAL ACCOMMODATION TO A HEAD-UP DISPLAY

Edward F. Leitner and Richard F. Haines Feb. 1981 12 p

(NASA-TP-1796: HUD-15) NTIS A-8379: Avail: HC A02/MF A01 CSCL 01D

The virtual image symbology of head-up displays (HUDs) is presented at optical infinity to the pilot. This design feature is intended to help pilots maintain visual focus distance at optical infinity. However, the accommodation response could be nearer than optical infinity, due to an individual's dark focus response. Accommodation responses were measured of two age groups of airline pilots to: (1) static symbology on a HUD; (2) a landing site background at optical infinity; (3) the combination of the HUD symbology and the landing site background; and (4) complete darkness. Results indicate that magnitude of accommodation to HUD symbology, with and without the background, is not significantly different from an infinity focus response for either age group. The dark focus response is significantly closer than optical infinity for the younger pilots, but not the older pilots, a finding consistent with previous research.

NB1-17712# DBA Systems, Inc., Lanham, Md. Research

DESIGNER'S GUIDE FOR THE PANEL PROGRAM Technical Interim Report

Medhat Korna and Nilss Aume Oct. 1980 68 p (Contract F33615-78-C-0507; AF Proj. 7184)

(AD-A093989: UDR-TR-80-64: AMRL-TR-80-124) Avail:

NTIS HC A04/MF A01 CSCL 09/2

This designer's guide describes an interactive computer graphics program intended for the computer aided design of avionics control and display panels. Using this program, a designer can specify the basic panel on which all other components will be mounted as well as the components themselves. Also, he can locate and relocate the components, add graphic elements (text, lines, circles), and call for printed, punched, or hard copy (plot) output. The requirements and considerations of several applicable MIL-STANDARDS have been incorporated into the program to facilitate the design process. The Guide to the operation of the PANEL program includes descriptions of the processing available for each of the program functions and subfunctions. A listing of the program is also included along with a brief description of most of the subroutines.

N81-17713# General Electric Co., Syracuse, N.Y. Military Electronic Systems Operation.

COMPUTER-AIDED DEVELOPMENT OF CONTROL CON-SOLE, CONTROL PANEL, AND DISPLAY USER INSTRUC-TIONS AND TRAINING MATERIALS

S. A. Solow and W. O. Mills Oct. 1980 13 p (AD-A093891; R80EMH9) Avail: NTIS HC A02/MF A01 CSCL

09/2 This technical information series (TIS) outlines a procedure for developing instructions and training materials for control panel operation and indicator and display interpretation. The method is particularly advantageous when the operator has to observe and respond to large amounts of data and manipulate many controls. The process is described in this TIS as it is applied to the preparation of information for the tactical towed array sonar (TACTAS) System Operator's Manual. However, it can be applied with slight modification to systems having similarly complex man-machine interfaces. Data input, storage, processing, and output are performed by the time-share subsystem (TSS) of the Honeywell 520 Data Processing System (level 66). GRA

Ingenieurbuero fuer Ergonomie, Munich (West N81-17714# ERGONOMIC STUDY OF THE INFLUENCE OF ROTARY

VIBRATIONS [ERGONOMISCHE UNTERSUCHUNGEN UEBER DIE EINWIRKUNG ROTATORISCHER SCHWIN-GUNGEN. BEANSPRUCHUNG DURCH LSCHWINGUNGSBELASTUNG)

Wilhelm Ilgmann Bonn Bundesministerium fuer Verteididung 1979 133 p refs in GERMAN: ENGLISH summary Sponsored by Bundesministerium fuer Verteididung

(BMVg-FBWT-79-33) Avail: HC A01/MF A01: DOKZENTBW. Bonn DM 40

For the measurement of the effects of sinusoidal rotary whole-body vibrations on man, a two-degree of freedom motion simulator for roll and pitch vibrations was designed and built. Using the method of producing stimuli ratios, roll vibration strain up to the tolerance limit was investigated in the frequency range from 1 to 10 Hz. Results demonstrate that the psychophysical law of Stevens is appropriate to describe the relationship between vibration stress and subjective sensation. Although the deviation between subjects is quite large, in the frequency range investigated the exponent of the psychophysical law is found to be constant. The correlation between subject's individual reaction and physiological data, such as weight and stature, is small. In consequence of the divergent results concerning the magnitude of sensation related to the same intensity level of vibration. percentiles are recommended to set exposure limits

Author (ESA)

NB1-17715*# Forschungsinstitut fuer Anthropotechnik, Meckenheim (West Germany). Forschungsgesellschaft fuer Angewandte Naturwissenschaften e. V

MONITORING AND DECISION MAKING BY PEOPLE IN MAN MACHINE SYSTEMS [UEBERWACHUNGS- UND ENTSCHEIDUNGSVERHALTEN DES MENSCHEN IN MENSCH-MASCHINE-SYSTEMEN)

G. Johannsen May 1979 92 p refs Partly in GERMAN and ENGLISH

(Grant NSG-2119)

(NASA-CR-164026: FB-44) Avail: NTIS HC A05/MF A01: Fachinformationszentrum, Karlsruhe, West Germany DM 10 CSCL

The analysis of human monitoring and decision making behavior as well as its modeling are described. Classic and optimal control theoretical, monitoring models are surveyed. The relationship between attention allocation and eye movements is discussed. As an example of applications, the evaluation of predictor displays by means of the optimal control model is explained. Fault detection involving continuous signals and decision making behavior of a human operator eng ged in fault diagnosis during different operation and maintenance situations are illustrated. Computer aided decision making is considered as a queueing problem. It is shown to what extent computer aids can be based on the state of human activity as measured by psychophysiological quantities. Finally, management information systems for different application areas are mentioned. The possibilities of mathematical modeling of human behavior in complex man machine systems are also critically assessed.

Author (ESA)

N81-17716# Office of Technology Assessment, Washington, D. C.

ENVIRONMENTAL CONTAMINANTS FOOD. VOLUME 2, PART B: WORKING PAPERS

Jan. 1980 557 p refs Sponsored by Office of Technology Assessment, Washington

(PB81-116774-Vol-2-Pt-B) Avail: NTIS HC A24/MF A01 CSCL O6F

The contents include: toxic substances in food information systems: design and management; assessment of carcinogenic risks from PCBs in food; economic analysis of alternative action levels in the regulation of environmental contaminants in food and analysis of foods for radioactivity. Approaches to monitoring environmental contaminants in food and analytical systems for the determination of metals in food and water supplies are described. Assessment of methods for regulating 'unavoidable' contaminants in the food supply and consumer risk from environmental contaminants in food were determined.


SUBJECT INDEX

Physiological mechanisms of spatial disorientation

AEROSPACE MEDICINE AND BIOLOGY /A Continuing Bibliography (Suppl. 219)

MAY 1981

Typical Subject Index Listing



| The title is used to provide a description of the su- insufficiently descriptive of the document conte- separated from the title by three hyphens. The NA is included in each entry to assist the user in local section of this supplement. If applicable, a report aid in identifying the document. | nt a title extension is added. SA or ATAA accession number ing the abstract in the abstract |
|---|---|
| A | |
| ACCRLEBATION STRESSES (PHYSIOLOGY | n |
| Prequency domain measures of i under G-stress | |
| | A81-20500 |
| The response of a realistic co | |
| sitting humans to different | |
| | 481-22550 |
| ACCIDENT INVESTIGATION | |
| Spatial disorientation in flig | ht: Current problems |
| [AGARD-CP-287] | #81-17698 |
| Visual illusions as a probable accidents | |
| | N81-17703 |
| Disorientation in Army belicog | ter operations: A |
| general review accident | |
| 100000000000000000000000000000000000000 | #81-17704 |
| ACCOMMODATION | |
| Magnitude of visual accommodate | tion to a head-up |
| display | |
| (NASA-TP-1796) | NB 1-17711 |
| ACID BASE EQUILIBRIUS | |
| Hemorheological changes, the | state of |
| microcirculation, and blood | |
| rats under conditions of a | 10-day limiting of |
| the motor activity | |
| [NASA-TH-76464] | 881-16719 |
| ACTIVITY (BIOLOGY) | |
| Phytoplankton studies and auti | |
| in the vicinity of the C. P. | . Crane Generating |
| Station | |
| [PB81-114746] | #81-17693 |
| ARROSPACE ENVIRONMENTS | |
| Purther study for fabrication, | , evaluation, and |
| testing of monolayer woven | materials for space |
| suit insulation | |
| (MASA-CR- 166140) | NO1-16740 |
| ARROSPACE MEDICINE | |
| Long-term follow-up of lung vo | |
| initially healthy young avid | |
| | A81-22105 |
| Postmortem coronary atheroscle | |
| general aviation accident pi | lot fatalities - |

Effect of body supination angle on subjective response to whole-body vibration

pyrolysates [NASA-CB-160908]

Relative toxicity testing of spacecraft materials.
1: Spacecraft materials --- lethality of

MR 1-17699 AIR TRAPPIC CONTROL Evaluation and prediction of the vertical situation from a horimontal situation display --- pilot perception of motion and separation in cockpit display of air traffic information Cockpit displayed traffic information and distributed management in air traffic control AIRBORNE/SPACEBORNE COMPUTERS Brain/computer communication to reduce human error A perspective AIRCRAFT ACCIDENTS Postmortem coronary atherosclerosis findings in general aviation accident pilot fatalities -Visual illusions as a probable cause of aircraft AIRCRAPT CONSTRUCTION MATERIALS Relative toxicity testing of spacecraft materials.
2: Aircraft materials AIRCRAPT INSTRUMENTS Technical evaluation report of the Aerospace
Medical Panel Working Group WG-08 on Evaluation
of Methods to Assess Workload
(AGARD-AR-139) N61-1673 NB 1-16739 AIRCRAPT BOISE Effects of internal noise on belic operation - AB aircrew view The effective acoustic environment of helicopter Crewsan Acceptance and control of aircraft interior noise and wibration A61-20057 Pactors affecting acceptable noise levels in helicopters AB 1- 20059 AIRCRAFT PILOTS Effects of internal noise on helicopter operation - An aircrew view Human factors by descent energy management AB 1-20467 Helicopter pilot performance and workload as a function of might wision symbologies AR 1-20502 An integrated training approach Long-term follow-up of long volume measurements in initially healthy young aviators Postmortem coronary atherosclerosis findings in general aviation accident pilot fatalities -AIRCRAPT SPECIFICATIONS Factors affecting acceptable noise levels in helicopters AB 1-20059 ALTITUDE Neuroendocrine strategies for adaptation to high altitude NS 1-16717 ALTITUDE ACCLIBATIZATION

A81-22112

Antidiuretic horsone excretion at high altitude

A81-22109

A81-22110

N81-16731

| 2,3-diphosphoglycerate and night vision | A61-22113 | On the binaural processing of stimuli wi | |
|---|----------------------------------|--|------------------|
| Neuroendocrine strategies for adaptation aititude | H81-16717 | different interaural phase relations - Analysis and modeling of the cephalic re | A81-21450 |
| ANDCHOIC CHARBERS Evaluation of simulated radiofrequency be procedures | pating | a human operator subjected to binaural stimulation in a sound localization ta French thesis | |
| (AD-A092731) ABBUAL VARIATIONS | #81-16735 | AUDITORY TASES | A81-21923 |
| Physiological and hematological responses | to. | Development of a secondary task sethod f | or |
| SUBMER And winter dry-heat acclimation (AD-A093194) ANTIRODIAS | N81-17695 | measuring operator workload. II - A ch secondary task performance with acquis flying skill by Link Trainer | ange of |
| Antibodies to synfibril antigens in coses | Dauts | | 481-21987 |
| atter spaceflights (HASA-TH-76300) ANTIDIUMNTICS | N8 1- 16722 | Advanced control techniques for teleoper earth orbit | ation in |
| Plasma volume, osmolality, vasopressia, a activity during graded exercise in man | and remin | AUTOPSIES | A81-22610 |
| Antidiuretic hormone excretion at high al | A61-21473 Litude A61-22112 | Postmortem coronary atherosclerosis find general aviation accident pilot fatali 1975-77 | |
| ANTIGRES | | | A81-22109 |
| Antibodies to myofibril antigens in cosmo after spaceflights | nauts | AVIONICS Designer's guide for the panel program | |
| (MASA-TH-76300) | M81-16722 | [AD-A093989] | M81-17712 |
| Wydroelastic effects in the aorta bifurca [WASA-TH-75432] | tion zone #81-16728 | В | |
| The role of biochemical factors in ventri | onlar | Benavior Relative toxicity testing of spacecraft | -storials |
| dyschythmia accompanying ischemia | | 2: Aircraft materials | |
| ARTRRIOSCLEBOSIS | A61-19720 | [NASA-CR-160907] BINAURAL REARING | N81-16732 |
| Postmortem coronary atheroscierosis finds general aviation accident pilot fatalit 1975-77 | | On the binaural processing of stimuli wi different interaural phase relations - | |
| ABTIFICIAL BRABT VALVES | A81-22109 | Analysis and modeling of the cephalic re a human operator subjected to binaural | |
| Development of percutaneous energy transm | ission | stimulation in a sound localization ta Prench thesis | ak |
| | N81-16737 | | A81-21923 |
| ASSEMBLING A hierarchical programming approach to ro | obot | BELATIVE toxicity testing of spacecraft | materials. |
| assembly | A81-19841 | 2: Aircraft materials [NASA-CR-160907] | W81-16732 |
| ATROSPHERIC BUTST SIRULATION Cardiovascular and biochemical response t | 10 | BIOASTROBAUTICS The flowering and ripening of Arabidopsi | a seeds |
| simulated space flight entry | A81-22107 | under weightlessness conditions - Bios Kosmos 1129 experiment | atellite |
| ATTITUDE (INCLINATION) Spatial disorientation in flight: Curren | t problems | Cardiovascular and biochemical response | A61-20849 to |
| [AGARD-CP-287] Physiological mechanisms of spatial disor | #81-17698 | simulated space flight entry | A8 1-22107 |
| not of visual origin | N81-17699 | BIOCREMISTRY The role of biochemical factors in wentr | |
| An update of findings regarding spatial | | dysrhythmia accompanying ischemia | |
| disorientation in flight: A reconsider underlying mechanisms | ation of | Cardiovascular and biochemical response | 161-19720 |
| | N81-17700 | simulated space flight entry | A81-22107 |
| The ambient visual system and spatial ori flight stress (biology) | | 2,3-diphosphoglycerate and night vision | |
| Disorientation in Army helicopter operati | N81-17702 OBS: Å | BIODTHABICS | A61-22113 |
| general review accident investigati | | Crew station assessment using the Bioman system | model ing |
| Illusions of attitude and movement during Earth-horizontal rotation oculogram | 1 | A generalized transfer function for desc | |
| | N61-17705 | mechanomeural semicircular-canal dynam | 168 181-17707 |
| A multistation spatial disorientation dem | M81-17708 | Cardiorespiratory and perceptual recover | y from a |
| The Boyal Air Force Spatial Disorientation Pamiliarisation Devices (SDFD) | N81-17709 | marathon run by novice and experienced marathon runners | |
| AGDITORY DEPECTS | | Phermacological activity and toxicity of | |
| Implications of a critical level in the e assessment of noise hazard at high inte | | neurotropic agents under conditions of experimental hypodynamia | |
| | A81-20925 | (NASA-TH-76371) | N81-16724 |
| Rheoencephalography in Meniere's disease [NASA-TH-76387] AUDITORY PRECEPTION | #81-16727 | Phytoplankton studies and nutrient conce in the vicinity of the C. P. Crane Gen Station | |
| Implications of a critical level in the e assessment of noise hazard at high inte | | [PB61-114746] Toxicology and metabolism of mickel comp | N81-17693 |
| | A81-20925 | Comprehensive report of overall activi | ties |
| On the binaural processing of stimuli wit different interaural phase relations | | during the three-year period from 1 De 1977 - 30 November 1980 | cember |
| | A81-21450 | [DOE/EV-03140/5-T1] | N81-17697 |

| BIOLOGICAL EVOLUTION | BODY SEIGHT |
|--|--|
| Hominid evolution and SETI | Statistical studies on blood pressure of JASDF |
| Ad 1-23093 | pilots. III - Relationship between physical |
| BIOLOGICAL MODBLS (MATHEMATICS) | constitution and blood pressure |
| The response of a realistic computer model for | A61-2 |
| sitting humans to different types of shocks A81-22550 | BORE MARRON |
| A generalized transfer function for describing | The colony-forming |
| sechanose ral semicircular-canal dynamics | DERLYRING |
| W61-17707 | Control of breathing during prolonged exercise |
| BIGHAGERTISH | A61-2 |
| Magnetic fields of the cerebral cortex | BREATHING APPARATUS |
| [AD-A086288] #81-16736 | Evaluation of full-head enclosed breathing sys |
| BIOMASS | for extended exposure at high altitude |
| Phytopiankton studies and nutrient concentrations | 401-2 |
| in the vicinity of the C. P. Crane Generating | |
| Station | • |
| [PB01-114746] #81-17693 | |
| BIOMEDICAL DATA | CABIN ATROSPHENES |
| Cardiorespiratory and perceptual recovery from a | Onboard oxygen generation |
| marathon run by movice and experienced women | CARDIAC VENTRICLES |
| #81-16720 | Premature Ventricular complexes - Therapeutic |
| BIOSPRES | dilessas and decisions |
| Heliobiological research - Present status and | A#1-1 |
| prospects | CARDIOGRAPHY |
| A81-19678 | Current concepts is clinical cardiology; |
| BIOT BC BBOLOG T | Proceedings of the Teath Conference on |
| Development of percutaneous energy transmission | Cardiovascular Disease, Aspen, Colo., Januar |
| systems | 15-19, 1979 |
| [PB81-109361] #81-16737 | 401-1 |
| BLOOD CIRCULATION | CARDIOLOGY |
| Memorheological changes, the state of microcirculation, and blood acid-base balance in | Current concepts in clinical cardiology; Proceedings of the Tenth Conference on |
| rats under conditions of a 30-day limiting of | Cardiovascular Disease, Aspen, Colo., Januar |
| the motor activity | 15-19, 1979 |
| [WA SA-TH-76464] W81-16719 | A61-1 |
| Autoregulation of cerebral blood circulation under | Two-dimensional echocardiography - Methodology |
| orthostatic tests | application in clinical cardiology |
| (WA SA-TH-76372) #81-16725 | A61-1 |
| BLOOD FLOW | Echocardiographic studies evaluating the effect |
| Pressure-flow hysteresis in the pulmonary | of exercise training on the heart |
| Vasculature #81-16721 | Notes and the state of the stat |
| Hydroelastic effects in the aorta bifurcation zone | Electrocardiographic stress testing - The deba goes on /probably/ |
| (WASA-TH-75432) W81-16728 | A81-1 |
| BLOOD PLASMA | Detection and management of the asymptomatic |
| Plasma volume, osmolality, vasopressia, and remin | patient with coronary artery disease |
| activity during graded exercise is san | A01-1 |
| 161-21473 | Does exercise protect from coronary artery dis |
| BLOOD PERSSURE | 1.61-1 |
| Statistical studies on blood pressure of JASDP | Premature ventricular complexes - Therapeutic |
| pilots. III - Relationship between physical | dilemmas and Jecisions |
| constitution and blood pressure | Cardiocenicators and personnel consumer from |
| Autoregulation of cerebral blood circulation under | Cardiorespiratory and perceptual recovery from marathom rum by novice and experienced women |
| orthostatic tests | marathon runners |
| [NASA-TH-76372] N81-16725 | NO1-1 |
| BLOOD PURPS | CARDIOVASCULAR STSTER |
| Development of percutaneous energy transmission | Cardiovascular and biochemical response to |
| systems | simulated space flight entry |
| [PB81-109381] N81-16737 | 161-2 |
| BLOOD VESSELS | Development of percutaneous energy transmission |
| Pressure-flow hysteresis in the pulmonary | systems |
| vasculature | (PB81-109381) #81-1 |
| BLOOD VOLUME | Response to transient backorrhage after acute |
| Plasma volume, osmolality, vasopressin, and remin | chronic section of the carotid sinus nerves |
| activity during graded exercise in wan | A61-2 |
| A81-21473 | CELL DIVISION |
| BODIES OF REFOLUTION | The colony-forming |
| Illusions of attitude and sovement during | 461-2 |
| Earth-horizontal rotation oculogravic | CELLS (BIOLOGY) |
| illusions | Dynamics of the state of redox systems in |
| B8 1- 1770 5 | structural elements of the cerebral corter |
| Long-term follow-up of lung volume measurements in | during oxygen deficiency /cytophotometric st |
| initially healthy young aviators | 18 V1VO/ |
| AB1-22105 | Bistochemical study of lipid-like material in |
| BODT TRAPERATORS | photochemically formed jeewans, the protocel |
| Data acquistion system for thermal stress studies | with formaldehyde partially replaced by other |
| cutaneous heat flow and temperature monitors | organic sources |
| for individual human body sites | 181-2 |
| [ASHE PAPER 80-WA/OCE-14] A81-21125 | Development of quayule (Parthenium argentatum) |
| Thermal comfort in an era of energy shortage | research in cell culture |
| [AD-A093193] N81-17696 | (MASA-CR-163945) #81-1 |

BRIGHT atistical studies on blood pressure of JASDF pilots. III - Relationship between physical constitution and blood pressure A81-21990 e colony-forming A 81-20895 ntroi of breathing during prolonged exercise BING APPARATUS aiuation of full-head enclosed breathing system for extended exposure at high altitude ATROSPHERES. board oxygen generation A61-22082 AC VESTRICLES emature Ventricular complexes - Therapeutic dilessas and decisions A81-19719 proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979 rrest concepts in clinical cardiology; Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January 15-19, 1979 A81-19711 o-dimensional echocardiography - Methodology and application in clinical cardiology AB1-19714 hocardiographic studies evaluating the effects of exercise training on the heart A81-19715 ectrocardiographic stress testing - The debate goes on /probably/ AB1-19716 tection and management of the asymptomatic patient with coronary artery disease A81-19717 es exercise protect from Coronary artery disease 181-19718 emature ventricular complexes - Therapeutic dilemmas and decisions rdiorespiratory and perceptual recovery from a marathon run by novice and experienced women marathon runners OVASCULAR SISTER Indiovascular and biochemical response to simulated space flight entry velopment of percutaneous energy transmission systems [PB81-109381] ID SINUS BODY
sponse to transient backerrhage after acute and
chronic section of the carotid sinus nerves DIVISION e colony-forming mamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric study stochemical study of lipid-like material in photochemically formed jeevanu, the protocell with formaidehyde partially replaced by other organic sources

881-17691

| CHRESPAL CORTEX | COMPOTER GRAPHICS |
|--|---|
| Dynamics of the state of redox systems in | Designer's quide for the panel program |
| atructural elements of the cerebral cortes | [AD-A093989] #61-1771 |
| during oxygen deficiency /cytophotometric study | COMPUTER PROGRAMMING |
| in vivo/ | A hierarchical programming approach to robot |
| A81-19900 | assembly |
| Magnetic fields of the cerebral cortex [AD-A086288] #81-16736 | A81-1984 |
| CRARBAGA | COMPUTERIZED DESIGN Pactly unmanned machining |
| Autoregulation of cerebral blood circulation under | A61-1984 |
| orthostatic tests | wavy manager's quide for the design sections of |
| [MASA-TM-76372] H01-16725 | MIL-H-46855 |
| CHRNICAL EVOLUTION | (AD-A092009) #81-1674 |
| Histochemical study of lipid-like material in | Designer's guide for the panel program |
| photochemically formed jeewanu, the protocell, | [AD-A093989] No 1- 1771 |
| with formaldehyde partially replaced by other | COMPUTERIZED SIMULATION |
| organic sources | Task segmentation - An approach to simulator task |
| CHEROTHERAPT | Eidelity A61-2172 |
| Dopaminergic agonists and conditioned avoidance | The response of a reglistic computer model for |
| response in normatic or hyporic rats | sitting humans to different types of shocks |
| A61-22106 | A 8 1- 2255 |
| CIRCULATORI SYSTER | COMPLITIONED REPLEXES |
| Development of percutaneous energy transmission | Dopaminergic agonists and conditioned avoidance |
| systems | response in normoxic or hypoxic rats |
| [PB81-109381] #81-16737 | A 0 1- 22 10 |
| CLINICAL MEDICINE | COMPRORMERS |
| Current concepts in clinical cardiology; Proceedings of the Tenth Conference on | Current concepts in clinical cardiology; |
| Cardiovascular Disease, Aspen, Colo., January | Proceedings of the Tenth Conference on Cardiovascular Disease, Aspen, Colo., January |
| 15-19, 1979 | 15-19, 1979 |
| A61-19711 | A61-1971 |
| Acute mountain sickness - The clinical approach | Spatial disorientation in flight; Current proble |
| A81-19713 | [AGAED-CP-287] N81-1769 |
| Two-dimensional echocardiography - Methodology and | COMPIGURATION MANAGEMENT |
| application in clinical cardiology | Navy manager's guide for the design sections of |
| A61-19714 | BIL-H-46855 |
| Echocardiographic studies evaluating the effects | [AD-A092009] No 1- 1674 |
| of exercise training on the heart | CONSCIOUSNESS Structural analysis of factor patterns on EPG |
| Electrocardiographic stress testing - The debate | under various states of consciousness |
| goes on /probably/ | A 0 1- 2190 |
| A01-19716 | COMSOLES |
| Detection and management of the asymptomatic | Computer-aided development of control console, |
| patient with coronary artery disease | control panel, and display user instructions and |
| A61- 19717 | training materials |
| CLOTHING | [AD-A093891] #81-1771 |
| Thermal confert in an era of energy shortage [AD-A093193] #81-17696 | CONTANIBARTS ENVIRONMENTAL CONTANIBARTS IN food. Volume 2, |
| COCEPIT SINULATORS | part B: Working papers |
| An integrated training approach | [PB81-116774-VOL-2-PT-B] #81-1771 |
| 101-21727 | CONTROL BOARDS |
| COCEPITS | Designer's guide for the panel program |
| Evaluation and prediction of the vertical | [AD-A093989] N81-1771 |
| situation from a horizontal situation display | Computer-aided development of control console, |
| pilot perception of motion and separation in | control panel, and display user instructions and |
| cockpit display of air traffic information 861-20503 | (AD-A093891) #81-1771 |
| Cockpit displayed traffic information and | COROUARY ARTERY DISEASE |
| distributed management in air traffic control | Detection and management of the asymptomatic |
| A81-20916 | patient with coronary artery disease |
| Effects of ozone (0.30 parts per million, | A81-1971 |
| approximately 600 mu g/m 3) on sedentary men | Does exercise protect from coronary artery diseas |
| reprensentative of airline passengers and | A 6 1- 1971 |
| cockpit crevmembers | The role of biochemical factors in ventricular |
| [AD-A092268] N81-16734 COLD WATER | dysrbythmia accompanying ischemia |
| Effectiveness and wearability of immersion | A81-1972 |
| hypothermia protection equipment | general aviation accident pilot fatalities - |
| A01-22006 | 1975-77 |
| COMBUSTION PRODUCTS | A 8 1- 22 10 |
| Relative toxicity testing of spacecraft materials. | COSMIC BATS |
| 1: Spacecraft materials lethality of | Dosimetric investigations of cosmic radiation |
| pyrolysates | aboard the Kosmos-936 AES (joint Soviet-America |
| [NASA-CH-160908] N81-16731 | experiment K-206) |
| Relative toricity testing of spacecraft materials. 2: Aircraft materials | [NASA-TH-75772] N8 1-1673 |
| (MASA-CR-160907) W81-16732 | Antibodies to ayofibril antiques in cosmonauts |
| COMPENSATORY TRACKING | after spaceflights |
| A stochastic differential game theory approach to | [NASA-TH-76300] N81-1672 |
| auman operators in adversary tracking encounters | CREW STATIONS |
| A81-21023 | Crew station assessment using the Bioman modeling |
| COMPOSITION (PROPERTY) | system |
| Effects of ozone (0.30 parts per million, | A 8 1- 2209 |
| approximately 600 su q/m 3) on sedentary men | COLTURE TECHNIQUES |
| reprensentative of airline passengers and cockpit crevmembers | Development of quayule (Parthenium argentatum) research in cell culture |
| [AD-A092260] #81-16734 | (NASA-CR-163945) N81-1769 |
| | [|



CTTOGRESSIS

| Development of quayule (Parthenium argentatum) research in cell culture | Dominetric investigations of cosmic radiation |
|---|--|
| (#ASA-CR-163945) #81-1769 | aboard the Kosmos-936 AES (joint Soviet-American experiment K-206) |
| | (WASA-TH-75772) No.1-16730 |
| D | Responses to dry heat of men and women with |
| 2,3-diphosphoglycerate and night vision | similar aerobic capacities |
| A01-2211 | |
| DATA ACQUISITION Data acquistion system for thermal stress studies | Summer and winter dry-heat acclimation [AD-A093194] No 1- 17695 |
| Cutaneous heat flow and temperature monitor | 8 DURABILITY |
| for individual human body sites | Purther study for fabrication, evaluation, and |
| (ASHE PAPER 80-WA/OCE-14) A81-2112 | 5 testing of monolayer woven materials for space |
| DECISION MAKING | suit insulation |
| Hental workload in decision and control A81-2049 | (MASA-CR-166140) 801-16740 9 DIBABIC COBTROL |
| Monitoring and decision making by people in man | A recursive Lagrangian formulation of manipulator |
| machine systems | dynamics and a comparative study of dynamics |
| (MASA-C R- 164026) M81-1771 | |
| Environmental contaminants in food. Volume 2, | DINABLE BESPONSE |
| part B: Working papers | The response of a realistic computer model for |
| (PB81-116774-VOL-2-PT-B) W81-1771 | |
| DESCRIPT TRAJECTORIES SUBAR factors by descent energy management | A81-22550 |
| A81-2046 | 1 |
| DIAGBOSIS | E |
| Two-dimensional echocardiography - Methodology as | |
| application in clinical cardiology A81-1971 | Implications of a critical level in the ear for assessment of noise hazard at high intensities |
| Electrocardiographic stress testing - The debate | A61-20925 |
| goes on /probably/ | EARTH ORBITS |
| A81-1971 Detection and management of the asymptomatic | |
| patient with coronary artery disease | earth orbit |
| A81-1971 | |
| Presature ventricular complexes - Therapeutic | Two-dimensional echocardiography - Methodology and |
| dilensas and decisions | application is clinical cardiology A81-19714 |
| DIFFRSION | Echocardiographic studies evaluating the effects |
| Autoregulation of cerebral blood circulation unde | |
| orthostatic tests | 18 F 19715 |
| [NASA-TH-76372] N81-1672 DISORIBUTATION | 5 EDEMA Speculations on the pathogenesis of high-altitude |
| Physiological mechanisms of spatial disorientatio | |
| not of visual origin | A01-19712 |
| DISPLACEMENT | 9 EDUCATION Computer-aided development of control console. |
| Displacement detection in human vision | control panel, and display user instructions and |
| A81-2309 | |
| Direction-specific and position-specific effects upon detection of displacements during saccadic | [AD-A093891] 881-17713 |
| eye sovements | Effect of cervicolabyrinthine impulsation on the |
| 181-2309 | 9 spinal reflex apparatus |
| DISPLAT DEVICES | [WASA-TH-76375] W81-16726 |
| Evaluation and prediction of the vertical situation from a horizontal situation display | Development of an automatic opening lap beit |
| pilot perception of motion and separation i | |
| cockpit display of air traffic information | A8 1- 2208 3 |
| A81-2050 | |
| An analysis of the human as a predictor model A81-2051 | system A81-22092 |
| Cockpit displayed traffic information and | BLECTRIC PIELDS |
| distributed management in air traffic control | Life of the onion not knowing up from down |
| Human visual performance and flat panel display | 6 [NASA-TH-76353] 881-16718 BLECTRICAL BESISTABCE |
| image quality | Use of an electrical resistance hygrometer to |
| [AD-A092685] #81-1674 | 3 measure buman sweat rates |
| Designer's guide for the panel program [AD-A093989] #81-1771 | (NASA-TH-8 1223) N81-17692 ELECTROCARDIGGRAPHY |
| Computer-aided development of control console, | Electrocardiographic stress testing - The debate |
| control panel, and display user instructions an | d goes on /probably/ |
| training materials [AD-A093891] #81-1771 | 3 RLECTBORNCEPHALOGRAPHY |
| [AD-A093891] W81-1771 | Structural analysis of factor patterns on EEG |
| Dopaminergic agonists and conditioned avoidance | under various states of consciousness |
| response in normoxic or hypoxic rats | 161-21989 |
| DOSAGE A81-2210 | 8 ELECTROSIC SQUIPMEST Data acquistion system for thermal stress studies |
| Pharmacological activity and toxicity of some | cutaneous heat flow and temperature monitors |
| neurotropic agents under conditions of | for individual human body sites |
| experimental hypodynamia (MASA-TH-76371) W01-1672 | (ASME PAPER 60-WA/OCE-14) A61-21125 RESCRIPTIONS |
| (| The role of biochemical factors in wentricular |
| | dysrhythmia accompanying ischemia |
| | A81-19720 |



BEST DOCUMENT AVAILABLE

| RHCOUNTRAS | | echnical evaluation report of the Aerospace |
|---|---|--|
| A stochastic differential game theory appro | | Medical Panel Working Group WG-08 on Evaluation |
| human operators in adversary tracking end | 1-21023 | of Methods to Assess Workload [AGARD-AR-139] N81-16739 |
| REDOCRINGLOGY | | BT OPERATIONS |
| Neuroendocrine strategies for adaptation to | | isorientation in Army helicopter operations; A |
| altitude | | general review accident investigation |
| ENERGY CONSERVATION | 1-16717 | ME 1- 17704 |
| Human factors by descent energy management | | ev developments in restraint systems |
| | 1-20467 | A 61-22084 |
| BBERGY TRANSPER | b | rain/computer communication to reduce human error |
| Development of percutaneous energy transmis | sion | - A perspective |
| (PB81-109381) N8 | 1-16737 PLIC | BT SIBULATION |
| BULTUR ACTIVITY | | he role of simulation in Space Shuttle training |
| Plasma volume, osmolality, vasopressis, and | cenin | A 8 1- 21726 |
| activity during graded exercise in man | | HT SINULATORS |
| REBORS | 1-21473 | evelopment of a secondary task method for measuring operator workload. II - A change of |
| Errors in human performance | | secondary task performance with acquisition of |
| | 1-16738 | flying skill by Link Trainer |
| RULER-LAGRANGE EQUATION | | A61-21967 |
| A recursive Lagrangian formulation of manip dynamics and a comparative study of dynamics | | HT STRESS requescy domain measures of human performance |
| formulation complexity | | under G-stress |
| A6 | 1-21020 | A81-20500 |
| EVALUATION | | HT STRESS (BIOLOGY) |
| Evaluation of simulated radiofrequency heat procedures | ing S | patial discrimination in flight: Current problem: [AGAND-CP-287] N81-17698 |
| | 1-16735 P | hysiological mechanisms of spatial disorientation |
| Use of an electrical resistance hygrometer | | not of visual origin |
| measure human sweat rates | | #81~17699 |
| [NASA-TH-81223] N8 | 1-17692 A | m update of findings regarding spatial |
| Use of an electrical resistance hygrometer | to | disorientation in flight: A reconsideration of underlying mechanisms |
| measure human sveat rates | | N81-17700 |
| | 1-17692 P | ercentual errors in flight: A survey of 100 |
| BIERCISE PHYSIOLOGY | | military pilots on active duty |
| Ways of increasing muscular activity by mea isometric muscular exertion | | BT TRAIDING |
| | | evelopment of a secondary task method for |
| EIOB IOLOGY | | measuring operator workload. II - A change of |
| The flowering and ripening of Arabidopsis s | | secondary task performance with acquisition of |
| under weightlessness conditions - Biosate Kosmos 1129 experiment | 11160 | flying skill by Link Trainer |
| A8 | 1-20849 A | multistation spatial disorientation demonstrator |
| EIPECTATION | | N8 1- 17708 |
| The effect of expectations on slow oculomot | | DETECTORS |
| control. III - Guessing unpredictable tar displacements | get | ynamic target acquisitom: Empirical models of operator performance |
| | 1-23097 | [AD-A092263] N81-16733 |
| ETE MOVEMENTS | | EQUATIONS |
| The effect of expectations on slow oculomot control. III - Guessing unpredictable tar | | ydroelastic effects in the aorta bifurcation zone { NASA-TH-75432 } N81-16728 |
| displacements | | [NASA-TH-75432] N81-16728 |
| | | ressure-flow hysteresis in the pulmonary |
| _ | | vasculature |
| F | | N 8 1- 1672 1 |
| PABBICS | | D DYBARICS ydroelastic effects in the aorta bifurcation zone |
| Further study for fabrication, evaluation, | | [NASA-TH-75432] N81-16728 |
| testing of monolayer woven materials for | space PLOI | PLOU |
| suit insulation | | ressure-flow hysteresis in the pulmonary |
| [NASA-CB-166140] N8 | 1-16740 | Vasculature N81-16721 |
| Structural analysis of factor patterns on E | EG FLOO | RESCRECE |
| under various states of consciousness | | ntibodies to myofibril antigens in cosmonauts |
| | 1-21989 | after spaceflights |
| Thermal comfort in an era of energy shortag [AD-A093193] N8 | | [MASA-TH-76300] NB1-16722 |
| PLIGHT CLOTHIEG | | |
| Development and fabrication of an advanced | | PROCESSING |
| cooling garment | E | |
| | liquid | PROCESSING avironmental contaminants in food. Voiume 2, part B: Working papers [PB81-116774-VOL-2-PT-8] 881-17716 |
| [NASA-CR-152101] N8 | 1iquid 1-16741 FORB | PROCESSING nvironmental contaminants in food. Volume 2, part B: Working papers [PB81-116774-VOL-2-PT-8] N81-17716 |
| [NASA-CR-152101] N8 PLIGHT CRESS | 1iquid 1-16741 PORB. H. | PROCESSING nvironmental contaminants in food. Volume 2, part B: Working papers [PB81-116774-VOL-2-PT-B] N81-17716 NLDENTOR istochemical study of lipid-like material in |
| [NASA-CR-152101] N8 | 1iquid 1-16741 PORB. H. | PROCESSING nvironmental contaminants in food. Volume 2, part B: Working papers [PB81-116774-VOL-2-PT-8] N81-17716 |
| [NASA-CR-152101] N8 PLIGHT CREUS The effective acoustic environment of helic crewman A6 | liquid 1-16741 FORM Opter 1-20056 | PROCESSING naironmental contaminants in food. Volume 2, part B: Working papers [PB81-116774-VOL-2-PT-B] N81-17716 ALDENTOR istochemical study of lipid-like material in photochemically formed jeevanu, the protocell, with formaldehyde partially replaced by other organic sources |
| [NASA-CR-152101] N8 PLIGHT CRES The effective acoustic environment of helic crewman A8 Development of an automatic opening lap bel | liquid 1-16741 FORM Opter 1-20056 | PROCESSING PROCESSING Part B: Working papers [PB81-116774-VOL-2-PT-B] **LORNIDE** Stockenical study of lipid-like material in photochemically formed jeevanu, the protocell, with formaldebyde partially replaced by other |
| [NASA-CR-152101] PLIGHT CREUS The effective acoustic environment of helic crewnan Development of an automatic opening lap bel buckle for aircrew restraint systems | liquid 8: 1-16741 FORM: opter 1-20056 | PROCESSING naironmental contaminants in food. Volume 2, part B: Working papers [PB81-116774-VOL-2-PT-B] N81-17716 ALDENTOR istochemical study of lipid-like material in photochemically formed jeevanu, the protocell, with formaldehyde partially replaced by other organic sources |
| [NASA-CR-152101] PLIGHT CREUS The effective acoustic environment of helic crewman Development of an automatic opening lap bel buckle for aircrew restraint systems A8 | liquid 1-16741 FORM Opter 1-20056 | PROCESSING naironmental contaminants in food. Volume 2, part B: Working papers [PB81-116774-VOL-2-PT-B] N81-17716 ALDENTOR istochemical study of lipid-like material in photochemically formed jeevanu, the protocell, with formaldehyde partially replaced by other organic sources |
| [NASA-CR-152101] PLIGHT CREUS The effective acoustic environment of helic crewnan Development of an automatic opening lap bel buckle for aircrew restraint systems Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary | liquid 1-16741 FORM. opter 1-20056 t 1-22083 men GAME | PROCESSING PROCES |
| [NASA-CR-152101] PLIGHT CREUS The effective acoustic environment of helic crewman Development of an automatic opening lap bel buckle for aircrew restraint systems Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary repressentative of airline passengers and | liquid 1-16741 FORM. opter 1-20056 t 1-22083 men GAME | PROCESSING PROCES |
| [NASA-CR-152101] PLIGHT CREUS The effective acoustic environment of helic crewman Development of an automatic opening lap bel buckle for aircrew restraint systems A8 Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary reprensentative of airline passengers and cockpit crewmembers | liquid 1-16741 FORM. opter 1-20056 t 1-22083 men GAME | PROCESSING PROCES |



| GRAVITATIONAL RPPECTS | BRATOLOGY |
|---|--|
| Life of the onion not knowing up from down [NASA-TH-76353] #81-16718 | 2,3-diphosphoglycerate and night vision A01-22113 |
| (2000-10-1000) | Toxicology and metabolism of mickel compounds: |
| u | Comprehensive report of overall activities |
| HATARDS | during the three-year period from 1 December 1977 - 30 November 1980 |
| The effective acoustic environment of helicopter | [DOE/EV-03140/5-T1] N81-17697 |
| Crevan | HERODYBARIC BESPONSES |
| A81-20056 Implications of a critical level in the ear for | Hemorheological changes, the state of microcirculation, and blood acid-base balance in |
| assessment of noise hazard at high intensities | rats under conditions of a 30-day limiting of |
| A81-20925 | the motor activity |
| HEAD (ANATORY) Development and fabrication of an advanced liquid | (NASA-TH-76464) N81-16719 |
| cooling garment | Besponse to transient haemorrhage after acute and |
| (MASA-CR-152101) #81-16741 | chronic section of the carotid sinus nerves |
| HEAD-UP DISPLAYS Magnitude of visual accompodation to a head-up | A81-22106 |
| display | HIGH ALTITUDE BERATHING Speculations on the pathogenesis of high-altitude |
| [MASA-TP-1796] #81-17711 | pulsonary edesa |
| HEART DISEASES | A81-19712 |
| Current concepts in clinical cardiology; Proceedings of the Tenth Conference on | Acute mountain sickness - The clinical approach A81-19713 |
| Cardiovascular Disease, Aspen, Colo., January | Evaluation of full-head enclosed breathing system |
| 15-19, 1979 | for extended exposure at high altitude |
| A81-19711 Premature ventricular complexes - Therapeutic | An improved oxygen mask for high-altitude protection |
| dilemmas and decisions | A81-22061 |
| A81-19719 | RICH ALTITUDE REVIEWHERTS |
| BEADT PUBCTION Echocardiographic studies evaluating the effects | Acute mountain sickness - The clinical approach A81-19713 |
| of exercise training on the heart | Antidiuretic hormone excretion at high altitude |
| A81-19715 | A81-22112 |
| Cardiorespiratory and perceptual recovery from a | 2,3-diphosphoglycerate and night vision A81-22113 |
| marathon run by novice and experienced women | HISTOCHBRICAL ABALTSIS |
| marathon runners | Histochemical study of lipid-like material in |
| WRAT ACCLIMATIZATION | photochemically formed jeewanu, the protocell, |
| Responses to dry heat of men and women with | with formaldehyde partially replaced by other organic sources |
| similar aerobic capacities | A61-23092 |
| A81-21472 | BORROSTASIS |
| Physiological and hematological responses to summer and winter dry-heat acclimation | Physiological and bematological responses to summer and winter dry-heat acclimation |
| [AD-A093194] N81-17695 | [AD-A093194] N81-17695 |
| HEAT TOLERANCE | BORISOUTAL ORIENTATION |
| Responses to dry heat of men and women with similar merobic capacities | Evaluation and prediction of the vertical situation from a horizontal situation display |
| A81-21472 | pilot perception of motion and separation in |
| Thermal comfort in an era of energy shortage | cockpit display of air traffic information |
| [AD-A093193] H81-17696 | #OR#ORES |
| Evaluation of simulated radiofrequency heating | Antidiuretic hormone excretion at high altitude |
| procedures | A61-22112 |
| [AD-A092731] #81-16735 Use of an electrical resistance hygrometer to | HURAN BRINGS Hominid evolution and SETI |
| measure human sweat rates | A81-23093 |
| [NASA-T8-81223] #81-17692 | MUMAS BODY |
| HRAVY SUCLEI | The response of a realistic computer model for |
| Dosimetric investigations of cosmic radiation aboard the Kosmos-936 AES (joint Soviet-American | sitting humans to different types of shocks A81-22550 |
| experiment K-206) | Use of an electrical resistance hygrometer to |
| [MASA-TH-75772] HB1-16730 | measure human sweat rates [NASA-TE-81223] N61-17692 |
| The effective acoustic environment of helicopter | HUHAD FACTORS REGISEREING |
| CTEVERAL | Human factors by descent energy management |
| HELICOPTERS | A81-20467 Crew station assessment using the Bioman modeling |
| Effects of internal noise on helicopter operation | system |
| - An aircrew view | A81-22092 |
| Acceptance and control of aircraft interior noise | Wavy manager's guide for the design sections of MIL-H-46855 |
| and vibration | [AD-A092009] N81-16742 |
| A8 1-20057 | Human visual performance and flat panel display |
| Pactors affecting acceptable noise levels in helicopters | image quality [AD-A092685] H81-16743 |
| A81-20059 | Magnitude of Visual accommodation to a head-up |
| Helicopter pilot performance and workload as a | display |
| function of night vision symbologies A81-20502 | [MASA-TP-1796] N81-17711 Ergonomic study of the influence of rotary |
| Disorientation in Army helicopter operations: A | vibrations |
| general review accident investigation | (BMVG-PBWT-79-33) N81-17714 |
| HELBETS | Brrors in human performance |
| Development and fabrication of an advanced liquid | [AD-A091925] N81-16738 |
| cooling garment | |
| [MASA-CR-152101] #81-16741 | |



BEST DOCUMENT AVAILABLE

| Technical evaluation report of the Aerospace Medical Panel Working Group WG-08 on Evalua | I MUNOLOGY | es to myofibril antigens in cosmonauts |
|---|--|--|
| of Methods to Assess Workload | | spaceflights |
| [AGARD-AR-139] N81- | 16739 [NASA- | TH-76300] N81-16722 |
| Human visual performance and flat panel displanage quality | | |
| | | onse of a realistic computer model for g humans to different types of shocks |
| HUMAN TOLERANCES | | A81-22550 |
| Responses to dry heat of men and women with | INDUSTRIAL | |
| similar aerobic capacities | | nkton studies and nutrient concentrations vicinity of the C. P. Crane Generating |
| Effectiveness and wearability of immersion | Statio | 0 |
| hypothermia protection equipment | | 114746) N81-17693 |
| Physiological and hematological responses to | | MANAGEMENT displayed traffic information and |
| summer and winter dry-heat acclimation | distri | buted management in air traffic control |
| [AD-A093194] N81- Thermal comfort in an era of energy shortage | 17695 | A81-20916 |
| | | displayed traffic information and |
| HYDROBLASTICITY | distri | buted management in air traffic control |
| Hydroelastic effects in the aorta bifurcation [NASA-TH-75432] N81- | 16728 ISCHERIA | A81-20916 |
| BYGROBETERS | | of biochemical factors in ventricular |
| Use of an electrical resistance hygrometer to | | thmia accompanying ischemia |
| measure human sveat rates | 17602 | A8 1- 19720 |
| [NASA-TH-81223] N81- | 17692 | 1 |
| Experimental studies on the survival capacity | | - |
| the sealed environment. I - Effect of coops in the individual sealed chamber of various | | |
| volume on survival time in rats of various | | and control for a compliant er-controlled manipulator |
| weight | | A81-21031 |
| HYPODYHAMIA | 21988 LETHALITY | toxicity testing of spacecraft materials. |
| Hemorheological changes, the state of | | acecraft materials lethality of |
| microcirculation, and blood acid-base balas | ce in pyroly | sates |
| rats under conditions of a 30-day limiting the motor activity | of [NASA- LIPIDS | CR-160908) N81-16731 |
| | | mical study of lipid-like material in |
| Ways of increasing muscular activity by means | of photoc | hemically formed jeevand, the protocell, |
| isometric muscular exertion [NASA-TH-76307] N81- | | ormaldehyde partially replaced by other c sources |
| Pharmacological activity and toxicity of some | | A81-23092 |
| neurotropic agents under conditions of | FIGUID COOL | |
| experimental hypodynamia [NASA-TH-76371] NB1- | | ent and fabrication of an advanced liquid g garment |
| HYPOTESSION | (WASA- | CR-152101) N81-16741 |
| Orthostatic hypotension | LUBS NORPHO | |
| [NASA-TH-75433] H81- | | g capacity of the lung during hypoxia - of capillary recruitment |
| Effectiveness and wearability of immersion | | A81-21474 |
| hypothermia protection equipment | 22086 Speculat | ions on the pathogenesis of high-altitude |
| HYPOXIA | | |
| | | ary edema |
| Speculations on the pathogenesis of high-alti | pulmor | A81-19712 |
| pulmonary edema | tude Long-ter | # follow-up of lung volume measurements in |
| pulmonary edema A81- Dynamics of the state of redox systems in | tude Long-ter | A81-19712 |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex | tude Long-ter 19712 initia | m follow-up of lung volume measurements in the healthy young aviators |
| pulmonary edema A81- Dynamics of the state of redox systems in | tude Long-ter 19712 initia | m follow-up of lung volume measurements in the healthy young aviators |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- | pulmor tude Long-ter 19712 initia tudy 19900 MACHIBING | n follow-up of lung volume measurements in the follow-up of lung v |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxic | pulmor tude Long-ter 19712 initia tudy 19900 MACHIBING | A81-19712 In follow-up of lung volume measurements in liv healthy young aviators A81-22105 |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxia Role of capillary recruitment | pulmor tude Long-ter 19712 initia tudy 19900 MACHIBING Partly to 21474 HAGNETIC PI | M 1-19712 M follow-up of lung volume measurements in lip healthy young aviators M 1-22105 M 1-19842 |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxia Bole of capillary recruitment A81- Experimental studies on the survival capacity | tude Long-ter 19712 initia tudy 19900 MACHIBING Partly 21474 MAGHETIC PJ Hagnetic | A81-19712 In follow-up of lung volume measurements in A81-22105 M Inmanued machining A81-19842 ELDS fields of the cerebral cortex |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxical Role of capillary recruitment A81- Experimental studies on the survival capacity the sealed environment. I - Effect of coopi | tude 19712 tudy 19900 MACHIBIEG Partly to 21474 MAGHETIC FI in Magnetic G AD-AC | M follow-up of lung volume measurements in ally healthy young aviators M manned machining ELDS fields of the cerebral cortex (86288) |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxia Role of capillary recruitment A81- Experimental studies on the survival capacity the sealed environment. I - Effect of coopi in the individual sealed chamber of various volume on survival time in rats of various | tude Long-ter 19712 tudy 19900 BACHIBUBG Partly 21474 IN MAGHETIC PJ IN Magnetic IN MAGHETIC PJ BAGNETIC AD-ACHIBUBG BAB BACHIBUBG AD-ACHIBUBG HUBAN CO | A81-19712 In follow-up of lung volume measurements in A81-22105 M Inmanned machining ELDS fields of the cerebral cortex 186288] STSTEMS Introller modeling in environments that |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxia Bole of capillary recruitment A81- Experimental studies on the survival capacity the sealed environment. I - Effect of coopi in the individual sealed chamber of various volume on survival time in rats of various weight | tude Long-ter 19712 initia tudy 19900 MACHIBING Partly to 21474 HAGHETIC PI in Magnetic ng up (AD-AC HAN MACHIBI body Human co | Maintenance machining ELDS Fields of the cerebral cortex 86288] SYSTEMS Maintenance modeling in environments that the cortex model in the cerebral cortex 86288 |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxia Bole of capillary recruitment A81- Experimental studies on the survival capacity the sealed environment. I - Effect of coopi in the individual sealed chamber of various volume on survival time in rats of various weight | tude 19712 tudy 19900 ACHIBING Partly to 21474 In Magnetic I | Main follow-up of lung volume measurements in a single process of lung volume measurements in the single process of lung volume measurements in a single process of lung volume measurements in a single process of lung volume measurements in a single process of lung volume measurements and lung in environments that the lung process of lung in environments that the lung process of lung in environments that the lung process of lung in environments and lung lung lung lung lung lung lung lung |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxia Role of capillary recruitment A81- Experimental studies on the survival capacity the sealed environment. I - Effect of coops in the individual sealed chamber of various volume on survival time in rats of various weight A81- Dopaminergic agonists and conditioned avoidar response in normoxic or hypoxic rats | pulmor tude Long-ter 19712 initia tudy 19900 MACHINING Partly v 21474 HAGNETIC PI in Hagnetic ng up (AD-AC HAN SACHINI body Human co includ 21988 ce Evaluati situat | Maintenance machining ELDS fields of the cerebral cortex 86288) SYSTEMS enon-control tasks a81-29501 Maintenance machining A81-19842 Maintenance machining A81-19842 Maintenance machining A81-20501 Maintenance machining A81-20501 A81-20501 A81-20501 A81-20501 |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxic Role of capillary recruitment A81- Experimental studies on the survival capacity the sealed environment. I - Effect of coopi in the individual sealed chamber of various volume on survival time in rats of various weight A81- Dopaminergic agonists and conditioned avoidar response in normoxic or hypoxic rats | tude 19712 tudy 19900 ACHIBING Partly of 21474 In HAGNETIC FI In Hagnetic In (AD-AC HAD BACHIBI Body 21988 Ce Evaluati Situat 22108 | A81-19712 In follow-up of lung volume measurements in a follow-up of lung volume measurements in the follow-up of lung volume measurements in the follow-up of lung volume measurements in a first follow fo |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxia Role of capillary recruitment A81- Experimental studies on the survival capacity the sealed environment. I - Effect of coops in the individual sealed chamber of various volume on survival time in rats of various weight A81- Dopaminergic agonists and conditioned avoidar response in normoxic or hypoxic rats | tude 19712 tudy 19900 ACHIBING Partly of 21474 In HAGNETIC FI In Hagnetic In (AD-AC HAD BACHIBI Body 21988 Ce Evaluati Situat 22108 | Maintenance machining ELDS fields of the cerebral cortex 86288) SYSTEMS enon-control tasks a81-29501 Maintenance machining A81-19842 Maintenance machining A81-19842 Maintenance machining A81-20501 Maintenance machining A81-20501 A81-20501 A81-20501 A81-20501 |
| Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxic Role of capillary recruitment Experimental studies on the survival capacity the sealed environment. I - Effect of coopi in the individual sealed chamber of various volume on survival time in rats of various weight Dopaminergic agonists and conditioned avoidar response in normoxic or hypoxic rats Neuroendocrine strategies for adaptation to a altitude | tude 19712 tudy 19900 MACHIBING Partly 21474 IN MAGHETIC PI IN Magnetic IN MACHIBING Partly 21474 LONG PARTLY MAGHETIC PI IN MAGNETIC PI IN MAGNETI | Maintenance machining ELDS Fields of the cerebral cortex 86288] SISTEMS Introller modeling in environments that en non-control tasks On and prediction of the vertical ion from a horizontal situation display lot perception of motion and separation in this display of air traffic information Sist of the human as a predictor model |
| pulmonary edema A81- Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ A81- Diffusing capacity of the lung during hypoxis Role of capillary recruitment Experimental studies on the survival capacity the sealed environment. I - Effect of coopi in the individual sealed chamber of various volume on survival time in rats of various weight A81- Dopaminergic agonists and conditioned avoidant response in normoxic or hypoxic rats Neuroendocrine strategies for adaptation to it altitude HYSTERESIS | tude 19712 tudy 19900 RACHIBING Partly to Hagnetic plan hagnetic pla | A81-19712 In follow-up of lung volume measurements in a season of lung volume measurements in the little way of lung aviators M Inmanned machining A81-22105 M Inmanned machining A81-19842 Interpolation of the cerebral cortex machining and little way of little |
| Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ Diffusing capacity of the lung during hypoxic Role of capillary recruitment Experimental studies on the survival capacity the sealed environment. I - Effect of coopi in the individual sealed chamber of various volume on survival time in rats of various weight Dopaminergic agonists and conditioned avoidar response in normoxic or hypoxic rats Neuroendocrine strategies for adaptation to a altitude N81- BYSTERESIS Pressure-flow hysteresis in the pulmonary vasculature | tude 19712 tudy 19900 ACHINING Partly 21474 In Hagnetic In H | A81-19712 In follow-up of lung volume measurements in a follow-up of lung volume measurements in the follow-up of lung volume measurements in the follow-up of lung volume measurements in the follow-up of lung volume measurements in a fields of the cerebral cortex (maintain follow-up of the cerebral cortex (maintain follow-up of lung in environments that the non-control tasks (maintain form a horizontal situation display lot perception of motion and separation in the display of air traffic information (maintain follow-up of lung maintain follow-up of the human as a predictor model (maintain follow-up of lung maintain follow-up of lung |
| Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ Diffusing capacity of the lung during hypoxic Role of capillary recruitment Experimental studies on the survival capacity the sealed environment. I - Effect of coopi in the individual sealed chamber of various volume on survival time in rats of various weight Dopaminergic agonists and conditioned avoidar response in normoxic or hypoxic rats Neuroendocrine strategies for adaptation to a altitude N81- BYSTERESIS Pressure-flow hysteresis in the pulmonary vasculature | tude 19712 tudy 19900 MACHIBING Partly 21474 in Hagnetic ng up HABACHIBI body 21988 ce Evaluati situat 22108 pi igh Kaster-s Baster-s | A81-19712 In follow-up of lung volume measurements in a follow-up of lung volume measurements in the follow-up of lung volume measurements in the follow-up of lung volume measurements in a first section of the cerebral cortex section of the cerebral cortex section and prediction of the vertical controller modeling in environments that section and prediction of the vertical controller modeling in the following section of model and separation in the display of air traffic information and separation in t |
| Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ Diffusing capacity of the lung during hypoxic Role of capillary recruitment Experimental studies on the survival capacity the sealed environment. I - Effect of coopi in the individual sealed chamber of various volume on survival time in rats of various weight Dopaminergic agonists and conditioned avoidar response in normoxic or hypoxic rats Neuroendocrine strategies for adaptation to a altitude N81- BYSTERESIS Pressure-flow hysteresis in the pulmonary vasculature | tude 19712 tudy 19900 ACHIBING Partly 21474 in Hagnetic ng up body 21988 ce 22108 ce 22108 cockpi 16717 An analy Master-s dynami 16721 | A81-19712 In follow-up of lung volume measurements in a follow-up of lung volume measurements in the follow-up of lung volume measurements in the follow-up of lung volume measurements in the follow-up of lung volume measurements in a fields of the cerebral cortex (maintain follow-up of the cerebral cortex (maintain follow-up of lung in environments that the non-control tasks (maintain form a horizontal situation display lot perception of motion and separation in the display of air traffic information (maintain follow-up of lung maintain follow-up of the human as a predictor model (maintain follow-up of lung maintain follow-up of lung |
| Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ Diffusing capacity of the lung during hypoxic Role of capillary recruitment Experimental studies on the survival capacity the sealed environment. I - Effect of coopi in the individual sealed chamber of various volume on survival time in rats of various weight Dopaminergic agonists and conditioned avoidar response in normoxic or hypoxic rats Neuroendocrine strategies for adaptation to a altitude HISTERESIS Pressure-flow hysteresis in the pulmonary vasculature N81- | tude 19712 tudy 19900 ACHIBING Partly 21474 in Hagnetic ng up body 21988 ce 22108 ce 22108 cockpi 16717 An analy Master-s dynami 16721 | A81-19712 In follow-up of lung volume measurements in a season of lung volume measurements in the lily healthy young aviators M Inmanned machining A81-22105 M Institute of the cerebral cortex 186288] SISTEMS Introller modeling in environments that the non-control tasks A81-20501 Introller modeling in environments that the non-control tasks A81-20501 Interpretation of the vertical to the properties of motion and separation in the display of air traffic information A81-20503 Sis of the human as a predictor model A81-20503 A81-20501 C characteristics and positioning task ters A81-21024 |
| Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ Diffusing capacity of the lung during hypoxia Role of capillary recruitment A81- Experimental studies on the survival capacity the sealed environment. I - Effect of coopy in the individual sealed chamber of various volume on survival time in rats of various weight Dopaminergic agonists and conditioned avoidant response in normoxic or hypoxic rats Neuroendocrine strategies for adaptation to a latitude N81- HYSTERESIS Pressure-flow hysteresis in the pulmonary vasculature N81- | tude 19712 tudy 19900 RACHIBURG Partly 21474 In Hagnetic Ragnetic Rag | A81-19712 In follow-up of lung volume measurements in a season of lung volume measurements in the lung volume measurements in the lung volume measurements in a season of lung volume measurements in a season of the cerebral cortex measurements that the lung in environments that the non-control tasks A81-20501 On and prediction of the vertical ion from a horizontal situation display lot perception of motion and separation in the display of air traffic information A81-20503 Sis of the human as a predictor model A81-20503 Lave manipulator performance for various c characteristics and positioning task there A81-21024 Liave manipulator performance for various c characteristics and positioning task there. |
| Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric s in vivo/ Diffusing capacity of the lung during hypoxic Role of capillary recruitment Experimental studies on the survival capacity the sealed environment. I - Effect of coopi in the individual sealed chamber of various volume on survival time in rats of various weight Dopaminergic agonists and conditioned avoidar response in normoxic or hypoxic rats Neuroendocrine strategies for adaptation to a altitude HISTERESIS Pressure-flow hysteresis in the pulmonary vasculature N81- | tude 19712 tudy 19900 MACHINING Partly 21474 in Hagnetic ng up HAD-AG HAN BACHINI body 21988 ce Evaluati situat cockpi 16717 An analy Master-s dynami parame Crev sta system ay Brain/co | A81-19712 In follow-up of lung volume measurements in a season of lung volume measurements in the lily healthy young aviators M Inmanned machining A81-22105 M Institute of the cerebral cortex 186288] SISTEMS Introller modeling in environments that the non-control tasks A81-20501 Introller modeling in environments that the non-control tasks A81-20501 Interpretation of the vertical to the properties of motion and separation in the display of air traffic information A81-20503 Sis of the human as a predictor model A81-20503 A81-20501 C characteristics and positioning task ters A81-21024 |

| Errors in human performance | MOLECULAR BIOLOGY |
|--|--|
| [AD-A091925] N81-16738 | Dynamics of the state of redox systems in |
| An assessment of undersea teleoperators [PB81-102535] #81-16744 | structural elements of the cerebral cortex |
| Computer-aided development of control console, | during oxygen deficiency /cytophotometric study in vivo/ |
| control panel, and display user instructions and | A81-19900 |
| training materials | BORTALITY |
| [AD-A093891] #81-17713 | Experimental studies on the survival capacity in |
| Monitoring and decision making by people in man | the sealed environment. I - Effect of cooping up |
| machine systems | in the individual sealed chamber of various |
| [HASA-CR-164026] B81-17715 MANIPULATORS | volume on survival time in rats of various body |
| A hierarchical programming approach to robot | Weight A81-21988 |
| assembly | MOTIOS PERCEPTIOS |
| A81-19841 | Displacement detection in human vision |
| A recursive Lagrangian formulation of manipulator | A81-23098 |
| dynamics and a comparative study of dynamics | Direction-specific and position-specific effects |
| formulation complexity | upon detection of displacements during saccadic |
| A81-21020 | eye movements |
| Haster-slave manipulator performance for various dynamic characteristics and positioning task | NOTION SICKNESS |
| parameters | Orthostatic disorder. A contributing factor to |
| A81-21024 | notion sickness? |
| Learning and control for a compliant | N81-17706 |
| computer-controlled manipulator | MOTION SIMULATORS |
| A81-21031 | Task segmentation - An approach to simulator task |
| An assessment of undersea teleoperators [PB81-102535] N81-16744 | fidelity |
| MANUAL CONTROL | BUSCULAR PUBCTION |
| Mental workload in decision and control | Effect of cervicolabyrinthine impulsation on the |
| A81-20499 | spinal refler apparatus |
| A stochastic differential game theory approach to | [NASA-TH-76375] N81-16726 |
| human operators in adversary tracking encounters | MYOCARDIUM |
| A81-21023 | Antibodies to myofibril antigens in cosmonauts |
| Master-slave manipulator performance for various | after spaceflights |
| dynamic characteristics and positioning task parameters | [NASA-TH-76300] N91-16722 |
| 101-21024 | N |
| MABUPACTURING | |
| Partly unmanned machining | WAVIGATION AIDS |
| A 81- 19842 | Cockpit displayed traffic information and |
| MATHEMATICAL MODELS | distributed management in air traffic control |
| Analysis and modeling of the cephalic response of a human operator subjected to binaural | NERVES A 8 1- 209 16 |
| stimulation in a sound localization task | Response to transient haemorrhage after acute and |
| French thesis | chronic section of the carotid sinus nerves |
| A81-21923 | A81-22106 |
| Hydroelastic effects in the aorta bifurcation zone | MEUROPHYSIOLOGY |
| [NASA-TM-75432] W81-16728 | Brain/computer communication to reduce human error |
| Dynamic target acg isiton: Empirical models of | - A perspective |
| operator perfor since | A81-22111 |
| [AD-A092263] N81-16733 MEDICAL ELECTRONICS | NEUROTRANSAITTERS Neuroendocrine strategies for adaptation to high |
| Two-dimensional echocardiography - Methodology and | altitude |
| application in clinical cardiology | N81-16717 |
| A81-19714 | BEUROTROPISE |
| BRUTAL PERFORMANCE | Pharmacological activity and toxicity of some |
| Mental workload in decision and control | neurotropic agents under conditions of |
| A81-20499 | experimental hypodynamia |
| METABOLISH | [NASA-TH-76371] N81-16724 |
| Toricology and metabolism of nickel compounds: Comprehensive report of overall activities | Dosimetric investigations of cosmic radiation |
| during the three-year period from 1 December | aboard the Kosmos-936 AES (joint Soviet-American |
| 1977 - 30 November 1980 | experiment K-206) |
| [DOE/EV-03140/5-T1] #81-17697 | [WASA-TH-75772] N81-16730 |
| MICROPROCESSORS | BESTORIAS PLUIDS |
| Brain/computer communication to reduce human error | Hydroelastic effects in the aorta bifurcation zone |
| - A perspective | [NASA-TH-75432] N81-16728 |
| MILITARY AIRCRAFT | Toxicology and metabolism of nickel compounds: |
| Onboard oxygen generation | Comprehensive report of overall activities |
| A81-22082 | during the three-year period from 1 December |
| Technical evaluation report of the Aerospace | 1977 - 30 November 1980 |
| Medical Panel Working Group WG-08 on Evaluation | [DOB/EV-03140/5-T1] N81-17697 |
| of Methods to Assess Workload | DIGHT VISION |
| [AGARD-AR-139] N81-16739 | Helicopter pilot performance and workload as a |
| The physician's determination of personnel | function of might vision symbologies A61-20502 |
| reliability in sensitive occupations | 2,3-diphosphoglycerate and night vision |
| A81-22114 | A81-22113 |
| MILITARY TECHNOLOGY | BOISE INTENSITY |
| New developments in restraint systems | The effective acoustic environment of helicopter |
| A81-22084 | Crevian |
| MISSION PLANNING Technical evaluation report of the Aerospace | A01-20056 Factors affecting acceptable noise levels in |
| Medical Panel Working Group WG-08 on Evaluation | helicopters |
| of Methods to Assess Workload | A81-20059 |
| | |

| Implications of a critical level in the ear for assessment of noise hazard at high intensities | OBBITAL SERVICING |
|--|--|
| A81-20925 | Advanced control techniques for teleoperation in earth orbit |
| NOISE REDUCTION | A81-22610 |
| Effects of internal noise on helicopter operation | ORTHOSTATIC TOLERANCE |
| - An aircrew view | Cardiovascular and biochemical response to simulated space flight entry |
| The effective acoustic environment of helicopter | A81-22107 |
| Crevean | Autoregulation of cerebral blood circulation under |
| A81-20056 | orthostatic tests |
| Acceptance and control of aircraft interior noise and vibration | [NASA-TH-76372] H81-16725 |
| A81-20057 | Orthostatic hypotension [NASA-TH-75433] 881-16729 |
| Pactors affecting acceptable noise levels in | Orthostatic disorder. A contributing factor to |
| helicopters | notion sickness? |
| A8 1-20059 | N 8 1- 1770 6 |
| NOISE TOLERANCE Implications of a critical level in the ear for | OXIGEN CONSUMPTION CARDIORESPIRATORY and perceptual recovery from a |
| assessment of noise hazard at high intensities | marathon run by novice and experienced women |
| A81-20925 | marathon runners |
| NORERICAL CONTROL | N81-16720 |
| A hierarchical programming approach to robot assembly | OXYGEN MASKS Evaluation of full-head enclosed breathing system |
| A81-19841 | for extended exposure at high altitude |
| A recursive Lagrangian formulation of manipulator | A81-22077 |
| dynamics and a comparative study of dynamics | An improved oxygen mask for high-altitude protection |
| formulation complexity A81-21020 | A81-22081 |
| Learning and control for a compliant | OXYGEN SUPPLY EQUIPMENT Onboard oxygen generation |
| computer-controlled manipulator | A81-22082 |
| A81-21031 | 02083 |
| _ | Effects of ozone (0.30 parts per million, |
| 0 | approximately 600 mu g/m 3) on sedentary men reprensentative of airline passengers and |
| OCCUPATION | cockpit crevnembers |
| The physician's determination of personnel | [AD-A092268] N81-16734 |
| reliability in sensitive occupations A81-22114 | |
| OCULOGRAVIC ILLUSIONS | P |
| Illusions of attitude and movement during | PASSENGER AIRCRAFT |
| Earth-horizontal rotation oculogravic | Acceptance and control of aircraft interior noise |
| illusions N81-17705 | and wibration |
| | |
| OCULONOTOR MERVES | PASSENGERS |
| OCCLOHOTOR MERVES The effect of expectations on slow oculomotor | PASSENGERS Effects of ozone (0.30 parts per million, |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men reprensentative of airline passengers and |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men reprensentative of airline passengers and cockpit creumembers |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men reprensentative of airline passengers and |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGRHESIS Speculations on the pathogenesis of high-altitude |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men reprensentative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials (AD-A093891) N81-17713 | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men reprensentative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Mental workload in decision and control A81-20499 | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGI Orthostatic hypotension [NASA-TH-75433] N81-16729 |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-TM-75433] N81-16729 PERCEPTUAL EMBORS |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] N81-17713 OPERATOR PERFORMANCE Mental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-TM-75433] N81-16729 PERCEPTUAL REBORS Evaluation and prediction of the vertical |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-TM-75433] N81-16729 PERCEPTUAL EMBORS |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] N81-17713 OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGI Orthostatic hypotension [NASA-TM-75433] N81-16729 PERCEPTOAL REMONS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] N81-17713 OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-T8-75433] N81-16729 PENCEPTUAL ENHORS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] N81-17713 OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Haster-slave manipulator performance for various | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-TM-75433] N81-16729 PENCEPTUAL ENRORS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] N81-17713 OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-T8-75433] N81-16729 PENCEPTUAL ENHORS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Haster-slave manipulator performance for various dynamic characteristics and positioning task parameters | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension (MASA-TM-75433) N81-16729 PENCEPTUAL ERMONS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Haster-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-TM-75433] N81-16729 PERCEPTOAL REMONS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERPORNANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] N81-17713 OPERATOR PERFORMANCE Mental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Haster-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men reprensentative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-TM-75433] N81-16729 PENCEPTUAL ENROMS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PENFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Haster-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-TM-75433] N81-16729 PERCEPTOAL REMONS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERPORNANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] N81-17713 OPERATOR PERFORMANCE Mental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Master-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-T8-75433] N81-16729 PERCEPTOAL REPROSE Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks A81-20917 PRESONALITY The physician's determination of personnel reliability in sensitive occupations |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] N81-17713 OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Haster-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis A81-21923 Dynamic target acquisiton: Empirical models of | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension (MASA-TM-75433) N81-16729 PENCEPTUAL ERMONS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks A81-20917 PERSONALITY The physician's determination of personnel reliability in sensitive occupations |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Haster-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis Dynamic target acquisiton: Empirical models of operator performance | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension (NASA-T8-75433) N81-16729 PERCEPTUAL EMBORS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks PERSONALITY The physician's determination of parsonnel reliability in sensitive occupations A81-22114 |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] N81-17713 OPERATOR PERPORMANCE Mental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Master-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis A81-21923 Dynamic target acquisiton: Empirical models of operator performance [AD-A092263] OPERATORS (PRESOUREL) | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men reprensentative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-TM-75433] N81-16729 PERCEPTUAL RENOBS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks A81-20917 PERSONALITY The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Haster-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis A81-21923 Dynamic target acquisiton: Empirical models of operator performance [AD-A092263] OPERATORS (PERSONDEL) Honitoring and decision making by people in man | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-T8-75433] N81-16729 PERCEPTOAL EMBORS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks PERSONALITY The physician's determination of parsonnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Mental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Master-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis Dynamic target acquisiton: Empirical models of operator performance [AD-A092263] OPERATORS (PERSONNEL) Honitoring and decision making by people in man machine systems | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGI Orthostatic hypotension (NASA-TM-75433) N81-16729 PERCEPTOAL REMONS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERPORNANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks A81-20917 PRESONALITY The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Haster-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis A81-21923 Dynamic target acquisiton: Empirical models of operator performance [AD-A092263] OPERATORS (PERSONDEL) Honitoring and decision making by people in man | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-T8-75433] N81-16729 PERCEPTOAL EMBORS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks PERSONALITY The physician's determination of parsonnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Haster-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis A81-21923 Dynamic target acquisiton: Empirical models of operator performance [AD-A092263] OPERATORS (PERSONEL) Honitoring and decision making by people in man machine systems [MASA-CR-164026] Visual illusions as a probable cause of aircraft | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGI Orthostatic hypotension (NASA-TH-75433) N81-16729 PERCEPTOAL REBOOS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERPORNANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks A81-20917 PRESONALITY The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION A81-22114 PERSPIRATION Use of an electrical resistance hygrometer to measure human sweat rates (NASA-TM-81223) |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Mental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Master-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis A81-21923 Dynamic target acquisiton: Empirical models of operator performance [AD-A092263] OPERATORS (PERSONDEL) Honitoring and decision making by people in man machine systems [NASA-CR-164026] N81-17715 OPTICAL ILLOSION Visual illusions as a probable cause of aircraft accidents | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers [AD-A092268] N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension [NASA-TM-75433] N81-16729 PERCEPTOAL REPORS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks A81-20917 PRESONALITY The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION Use of an electrical resistance hygrometer to measure human sweat rates [NASA-TM-81223] N81-17692 Thermal comfort in an era of energy shortage |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters a81-21023 Haster-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis A81-21923 Dynamic target acquisiton: Empirical models of operator performance [AD-A092263] OPERATORS (PERSONDEL) Honitoring and decision making by people in man machine systems [MASA-CR-164026] Wisual illusions as a probable cause of aircraft accidents | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension (NASA-TM-75433) N81-16729 PERCEPTUAL EMBORS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks PRESONALITY The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION A81-22114 PERSONATION Use of an electrical resistance hygrometer to measure human sweat rates (MASA-TM-81223) Thermal comfort in an era of energy shortage (AD-A093193) N81-176-96 |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Mental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Master-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis A81-21923 Dynamic target acquisiton: Empirical models of operator performance [AD-A092263] OPERATORS (PERSONDEL) Honitoring and decision making by people in man machine systems [NASA-CR-164026] N81-17715 OPTICAL ILLOSION Visual illusions as a probable cause of aircraft accidents | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGI Orthostatic hypotension (NASA-TH-75433) N81-16729 PERCEPTOAL REBEORS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERPORNANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks A81-20917 PRESONALITY The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION A81-22114 |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Hental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters a81-21023 Haster-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis A81-21923 Dynamic target acquisiton: Empirical models of operator performance [AD-A092263] OPERATORS (PERSONDEL) Honitoring and decision making by people in man machine systems [MASA-CR-164026] OPTICAL ILLUSION Visual illusions as a probable cause of aircraft accidents N81-17703 OPTIMAL COUTBOL Monitoring and decision making by people in man machine systems | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGRESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension (NASA-TM-75433) N81-16729 PERCEPTUAL REMORS Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks PRESONALITY The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION A81-22114 PERSONALITON Use of an electrical resistance hygrometer to measure human sweat rates (NASA-TM-81223) Thermal comfort in an era of energy shortage (AD-A093193) N81-17696 |
| The effect of expectations on slow oculomotor control. III - Guessing unpredictable target displacements A81-23097 OPERATING SYSTEMS (COMPUTERS) Computer-aided development of control console, control panel, and display user instructions and training materials [AD-A093891] OPERATOR PERFORMANCE Mental workload in decision and control A81-20499 Predicting search performance for multiple targets in human operator visual tasks A81-20917 A stochastic differential game theory approach to human operators in adversary tracking encounters A81-21023 Master-slave manipulator performance for various dynamic characteristics and positioning task parameters A81-21024 Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task Prench thesis A81-21923 Dynamic target acquisiton: Empirical models of operator performance [AD-A092263] OPERATORS (PERSONDEL) Homitoring and decision making by people in man machine systems [NASA-CR-164026] Visual illusions as a probable cause of aircraft accidents N81-17703 OPTIMAL COMPBOL Honitoring and decision making by people in man | Effects of ozone (0.30 parts per million, approximately 600 mu g/m 3) on sedentary men representative of airline passengers and cockpit crewmembers (AD-A092268) N81-16734 PATHOGENESIS Speculations on the pathogenesis of high-altitude pulmonary edema A81-19712 PATHOLOGY Orthostatic hypotension (NASA-TM-75433) N81-16729 PERCEPTOAL REPROSE Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 PERFORMANCE PREDICTION An analysis of the human as a predictor model A81-20511 Predicting search performance for multiple targets in human operator visual tasks A81-20917 PRESONALITY The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION The physician's determination of personnel reliability in sensitive occupations A81-22114 PERSONNEL SELECTION Use of an electrical resistance hygrometer to measure human sweat rates (NASA-TM-81223) Thermal comfort in an era of energy shortage (AD-A093193) PHARACOLOGY Dopaminergic agonists and conditioned avoidance |



| Pharmacological activity and toxicity of some neurotropic agents under conditions of | Effect of cerwicolabyrinthine impulsation on the spinal reflex apparatus |
|---|---|
| experimental hypodynamia [MASA-TH-76371] H81-16724 | [MASA-TH-76375] N81-1672 Physiological and hematological responses to |
| PHOTOCHERICAL REACTIONS Histochemical study of lipid-like material in | summer and winter dry-heat acclimation [AD-A093194] N81-1769 |
| photochemically formed jeewanu, the protocell, | Spatial disorientation in flight: Current proble |
| with formaldehyde partially replaced by other | [AGARD-CP-287] N81-1769 |
| organic sources | Physiological mechanisms of spatial disorientation |
| PHYSICAL BYARINATIONS A81-23092 | not of visual origin |
| Statistical studies on blood pressure of JASDF | PHISIOLOGICAL TRSTS |
| pilots. III - Relationship between physical | Diffusing capacity of the lung during hypoxia - |
| constitution and blood pressure | Role of capillary recruitment |
| A81-21990 | 181-2147 |
| PHYSICAL EXEBCISE | Experimental studies on the survival capacity in the sealed environment. I - Effect of cooping u |
| Echocardiographic studies evaluating the effects of exercise training on the heart | in the individual sealed chamber of various |
| A81-19715 | volume on survival time in rats of various body |
| Electrocardiographic stress testing - The debate | weight |
| goes on /probably/ | A81-2198 |
| A81-19716 Does exercise protect from coronary artery disease | PHYSIOLOGY Orthostatic hypotension |
| A61-19718 | [NASA-TH-75433] N81-1672 |
| Control of breathing during prolonged exercise | Use of an electrical resistance hygrometer to |
| A81-21471 | measure human sweat rates |
| Plasma volume, osmolality, vasopressin, and remin | [NASA-TH-81223] N81-1769 |
| activity during graded exercise in man A81-21473 | PILOT BREOR Percentual errors in flight: A survey of 100 |
| Ways of increasing muscular activity by means of | military pilots on active duty |
| isometric muscular exertion | N81-1770 |
| [NA SA-TH-76307] N81-16723 | PILOT PERFORMANCE |
| PHYSICAL PACTORS | Mental workload in decision and control |
| Does exercise protect from coronary artery disease A81-19718 | A81-2049' Frequency domain measures of human performance |
| PHYSIOLOGICAL RFF BCTS | under G-stress |
| Echocardiographic studies evaluating the effects | A81-2050 |
| of exercise training on the heart | Human controller modeling in environments that |
| A81-19715 Ways of increasing muscular activity by means of | include non-control tasks A81-2050 |
| isometric muscular exertion | Helicopter pilot performance and workload as a |
| [NASA-TH-76307] N81-16723 | function of night vision symbologies |
| Effects of ozone (0.30 parts per million, | A 8 1- 20 50 |
| approximately 600 mu g/m 3) on sedentary men | An analysis of the human as a predictor model |
| reprensentative of airline passengers and | Development of a secondary task Tethod for |
| cockpit crewmembers [AD-A092268] N81-16734 | Development of a secondary task method for measuring operator workload. II - A change of |
| Toxicology and metabolism of nickel compounds: | secondary task performance with acquisition of |
| Comprehensive report of overall activities | flying skill by Link Trainer |
| during the three-year period from 1 December | A81-2198 |
| 1977 - 30 November 1980 [DOE/EV-03140/5-T1] N81-17697 | Statistical studies on blood pressure of JASDP pilots. III - Relationship between physical |
| Orthostatic disorder. A contributing factor to | constitution and blood pressure |
| motion sickness? | 181-2199 |
| W81-17706 | Physiological responses of human subjects wearing |
| PHYSIOLOGICAL RESPONSES | thermal protective clothing assemblies in varying environments |
| Acute mountain sickness - The clinical approach A81-19713 | A81-2208 |
| The role of biochemical factors in ventricular | Brain/computer communication to reduce human error |
| dysrhythmia accompanying ischemia | - A perspective |
| A81-19720 | A81-2211 |
| Responses to dry heat of men and women with similar aerobic capacities | PILOT TRAINING An integrated training approach |
| A81-21472 | A81-2172 |
| Analysis and modeling of the cephalic response of | Task segmentation - An approach to simulator task |
| a human operator subjected to binaural | fidelity |
| stimulation in a sound localization task Prench thesis | A81-2172 The Royal Air Force Spatial Disorientation |
| A81-21923 | Pamiliarisation Devices (SDFD) |
| Physiological responses of human subjects wearing | N81-1770 |
| thermal protective clothing assemblies in | PITCH (INCLINATION) |
| varying environments | Ergonomic study of the influence of rotary vibrations |
| Response to transient haemorrhage after acute and | (BNVG-PBUT-79-33) N81-1771 |
| chronic section of the carotid sinus nerves | PLANKTON |
| A81-22106 | Phytoplankton studies and nutrient concentrations |
| Cardiovascular and biochemical response to | in the vicinity of the C. P. Crane Generating |
| simulated space flight entry | Station #81-1766 |
| A01-22107 Dopaminergic agonists and conditioned avoidance | [PB81-114746] N81-1769 PLANT STRESS |
| response in normoxic or hypoxic rats | Life of the onion not knowing up from down |
| A81-22108 | [NASA-TH-76353] N81-1671 |
| Effect of body supination angle on subjective | PLANTS (BOTANT) |
| response to whole-body vibration A81-22110 | The flowering and ripening of Arabidopsis seeds under weightlessness conditions - Biosatellite |
| Antidiuretic hormone excretion at high altitude | Kosmos 1129 experiment |
| A81-22112 | A81-2084 |
| | Life of the onion not knowing up from down |
| | (NASA-TH-76353) N81-1671 |

| PORTABLE LIFE SUPPORT SYSTEMS An improved oxygen mask for high-altitude | |
|---|-----------------------|
| POSITION (LOCATION) | A8 1-22081 |
| Direction-specific and position-specific upon detection of displacements during eye movements | |
| POTABLE NATER | A81-23099 |
| Environmental contaminants in food. Volu | me 2, |
| part B: Working papers [PB81-116774-VOL-2-PT-B] | N81-17716 |
| PRESSORE RFFECTS Pressure-flow hysteresis in the pulmonary vasculature | 1 |
| PROBABILITY DISTRIBUTION PUNCTIONS | N81-16721 |
| Predicting search performance for multiple in human operator visual tasks | e targets |
| | A81-20917 |
| A hierarchical programming approach to re | bot |
| assembly | A81-19841 |
| Partly unmanned machining | A81-19842 |
| PRODUCT DEVELOPMENT Development and fabrication of an advance | |
| cooling garment | |
| [NASA-CR-152101] PRODUCTION HANAGEBERT | N81-16741 |
| Partly unmanned machining | A81-19842 |
| PROJECT SETI Hominid evolution and SETI | |
| | A81-23093 |
| PROTECTIVE CLOTHING Physiological responses of human subjects | wearing |
| thermal protective clothing assemblies varying environments | in |
| Effectiveness and wearability of immersion | A81-22085 |
| hypothermia protection equipment | |
| Development and fabrication of an advance | A81-22086 d liquid |
| cooling garment [NASA-CR-152101] | N81-16741 |
| PSYCHOLOGICAL PACTORS The physician's determination of personne | 1 |
| reliability in sensitive occupations | A81-22114 |
| PSTCHOLOGICAL SETS | |
| The effect of expectations on slow oculon control. III - Guessing unpredictable t | |
| displacements | A81-23097 |
| PSYCHORETRICS On the practice of measuring sensory thre | sholds: |
| Signal detection and the adaptive metho | |
| PSYCHOPHYSICS | 801-17710 |
| Displacement detection in human vision | A81-23098 |
| On the practice of measuring sensory three Signal detection and the adaptive methor | |
| [PB-43] PSYC HOPHYSIOLOGY | N81-17710 |
| The ambient visual system and spatial ori | entation |
| flight stress (biology) | 881-1770 2 |
| PUBLIC HEALTH Heliobiological research - Present status | and |
| prospects | A81-19678 |
| Toxicology and metabolism of mickel compo | unds: |
| Comprehensive report of overall activit during the three-year period from 1 Dec | ember |
| 1977 - 30 November 1980 [DOE/EV-03140/5-T1] | N81-17697 |
| Environmental contaminants in food. Volu part B: Working papers | me 2, |
| [PB81-116774-VOL-2-PT-B] PULHOWARY CIRCULATION | N81-17716 |
| Diffusing capacity of the lung during hyp | oxia - |
| Role of capillary recruitment | A81-21474 |
| Pressure-flow hysteresis in the pulmonary wasculature | |
| | |

| SUBJECT TERE | |
|--|--------------------------|
| | |
| PULMONARY PUNCTIONS Long-term follow-up of lung volume me | acurements in |
| initially healthy young aviators | |
| PURSUIT TRACKING | A81-22105 |
| The effect of expectations on slow oc control. III - Guessing unpredictab | ulomotor |
| displacements | |
| PTBOLYSIS | A81-23097 |
| Relative toxicity testing of spacecra 2: Aircraft materials | ft materials. |
| (NASA-CR-160907) | N81-16732 |
| R | |
| RADIATION DOSAGE | |
| Dosimetric investigations of cosmic raboard the Kosmos-936 AES (joint So | |
| experiment K-206) [MASA-TH-75772] | N81-16730 |
| RADIO PREGUENCY HEATING | |
| Evaluation of simulated radiofrequenc procedures | y heating |
| (AD-A092731) BADIOBIOLOGY | N81-16735 |
| The colony-forming | 101 20045 |
| RATS | A81-20845 |
| Hemorheological changes, the state of microcirculation, and blood acid-ba | se balance in |
| rats under conditions of a 30-day 1 | imiting of |
| the motor activity [NASA-TM-76464] | NB 1-16719 |
| A recursive Lagrangian formulation of | manipulator |
| dynamics and a comparative study of formulation complexity | dynamics |
| REDOX CELLS | A81-21020 |
| Dynamics of the state of redox system | |
| structural elements of the cerebral during oxygen deficiency /cytophoto | |
| in vivo/ | A81-19900 |
| REPLEIES | |
| Effect of cervicolabyrinthine impulsa spinal reflex apparatus | |
| [NASA-TH-76375] REBOTE CONTROL | N81-16726 |
| Advanced control techniques for teleo earth orbit | peration in |
| REMOTE BANDLING | A61-22610 |
| Master-slave manipulator performance | |
| dynamic characteristics and position parameters | ning task |
| BESPIRATORY DISBASES | 181-21024 |
| Speculations on the pathogenesis of h | igh-altitude |
| pulmonary edema | A81-19712 |
| EESPIRATORY PHYSIOLOGY Control of breathing during prolonged | exercise |
| Diffusing capacity of the lung during | A81-21471 |
| Role of capillary recruitment | |
| RESPIRATORY RATE | A81-21474 |
| Cardiorespiratory and perceptual reco- marathon run by novice and experien- | very from a ced women |
| marathon runners | N81-16720 |
| RHROENCEPHALOGRAPHY | |
| Rheoencephalography in Meniere's dise- [NASA-TM-76387] | #81-16727 |
| HEOLOGY Hemorheological changes, the state of | |
| Hemorheological changes, the state of microcirculation, and blood acid-ba | se balance in |
| rats under conditions of a 30-day 1. the motor activity | imiting of |
| [NASA-TH-76464] | N81-16719 |

Pharmacological activity and toxicity of some neurotropic agents under conditions of experimental hypodynamia
[NASA-TH-76371] N81-

N81-16724



N81-16721

| ***** | | | |
|--|--------------------------|--|------|
| A hierarchical programming approach to rassembly | obot | Beliobiological research - Present status and | |
| | A81-19841 | prospects A81-1 | 9678 |
| Partly unmanned machining | A81-19842 | SOLAR TERRESTRIAL INTERACTIONS Heliobiological research - Present status and prospects | |
| Ergonomic study of the influence of rota | ЕУ | A81-1 | 9678 |
| vibrations [BNVG-FBNT-79-33] | N81-17714 | Analysis and modeling of the cephalic response | |
| ROBBER | | a human operator subjected to binaural | |
| Development of guayule (Parthenium argen research in cell culture | tatum) | stimulation in a sound localization task French thesis | |
| [MA SA-CR- 163945] | M81-17691 | A81-2 | 1923 |
| RUBBISG | | SPACE PLIGHT | |
| Cardiorespiratory and perceptual recover marathon run by novice and experienced | | Antibodies to myofibril antigens in cosmonauts after spaceflights | |
| marathon runners | | [NASA-TH-76300] N81-1 | 6722 |
| _ | N81-16720 | SPACE FLIGHT STRESS Cardiovascular and biochemical avenues to | |
| S | | simulated space flight entry | |
| SACCADIC BYE MOVEMENTS | | A8 1- 2 | 2107 |
| Direction-specific and position-specific | effects | SPACE PLIGHT TRAINING The role of simulation in Space Shuttle traini | ng |
| upon detection of displacements during | | A81-2 | |
| eye movements | A81-23099 | SPACE SHUTTLE ORBITERS The role of simulation in Space Shuttle traini | na |
| SAPETT DEVICES | | A8 1- 2 | |
| New developments in restraint systems | A81-22084 | SPACE SOLTS | |
| SEARCHING | A01-22004 | Further study for fabrication, evaluation, and testing of monolayer woven materials for spa | ce |
| Predicting search performance for multip | le targets | suit insulation | |
| in human operator visual tasks | A81-20917 | (NASA-CR-166140) N81-1 SPACEBORNE EXPERIMENTS | 6740 |
| SEAT BELTS | 401-20717 | The flowering and ripening of Arabidopsis seed | s |
| Development of an automatic opening lap | belt | under weightlessness conditions - Biosatelli | te |
| buckle for aircrew restraint systems | A81-22083 | Kosmos 1129 experiment | 0849 |
| SERDS | | SPACECRAPT CONSTRUCTION MATERIALS | |
| The flowering and ripening of Arabidopsi under weightlessness conditions - Bios | | Relative toxicity testing of spacecraft materi 1: Spacecraft materials lethality of | als. |
| Kosmos 1129 experiment | 4.0111.0 | pyrolysates | |
| SHRICIBCULAR CANALS | A81-20849 | [NASA-CR-160908] N81-1 SPACECRAPT BEVIRORHETS | 6731 |
| A generalized transfer function for desc | ribing | Life of the onion not knowing up from down | |
| mechanoneural semicircular-canal dynam | ics | [NASA-TH-76353] N81-1 | 6718 |
| SENSORIHOTOR PERFORMANCE | N8 1- 17707 | SPINAL CORD Effect of cerwicolabyrinthine impulsation on t | he |
| The ambient visual system and spatial or | ientation | spinal reflex apparatus | |
| flight stress (biology) | N81-17702 | [NASA-TH-76375] N81-1 STOCHASTIC PROCESSES | 6726 |
| SEBSORY PERCEPTION | #01-1770a | A stochastic differential game theory approach | to |
| Spatial disorientation in flight: Curre | nt problems #81-17698 | human operators in adversary tracking encoun | |
| [AGARD-CP-287] Physiological mechanisms of spatial diso | | STRESS (PHYSIOLOGY) | 1023 |
| not of visual origin | | Electrocardiographic stress testing - The deba | te |
| SEX PACTOR | NB 1-17699 | goes on /probably/ | 9716 |
| Responses to dry heat of men and women w | ith | An update of findings regarding spatial | |
| similar aerobic capacities | A81-21472 | disorientation in flight: A reconsideration underlying mechanisms | of |
| SIGNATURE ANALYSIS | | N81-1 | 7700 |
| Dynamic target acquisiton: Empirical mo | dels of | SUBBERGIEG | |
| operator performance [AD-A092263] | N81-16733 | Effectiveness and wearability of immersion hypothermia protection equipment | |
| SINULATION | | A81-2 | 2086 |
| Evaluation of simulated radiofrequency h procedures | eating | SUPINE POSITION Effect of body supination angle on subjective | |
| [AD-A092731] | M81-16735 | response to whole-body vibration | |
| Development of percutaneous energy trans | mission | SURVIVAL EQUIPMENT | 2110 |
| systems | | Onboard oxygen generation | |
| [PB81-109381] | N81-16737 | SUITERLAND | 2082 |
| The response of a realistic computer mod | el for | Orthostatic hypotension | |
| sitting humans to different types of s | hocks | [NASA-TH-75433] N81-1 | 6729 |
| SKIN TEMPERATURE (BIOLOGY) | A81-22550 | SYSTEM EFFECTIVENESS Effectiveness and wearability of immersion | |
| Data acquistion system for thermal stres | s studies | hypothermia protection equipment | |
| cutaneous heat flow and temperatur for individual human body sites | e monitors | A 8 1-2 | 2086 |
| [ASHE PAPER 80-WA/OCE-14] | A81-21125 | - | |
| SOCIOLOGY | | TARCET ACOUSTITON | |
| Errors in human performance [AD-A091925] | ₩81-16738 | TARGET ACQUISITION The effect of expectations on slow oculomotor | |
| SOLAR ACTIVITY RPPECTS | | control. III - Guessing unpredictable target | |
| Heliobiological research - Present statu prospects | s and | displacements | 3097 |
| prospecto | A81-19678 | | |

TARGET RECOGNITION SUBJECT INDEX

| Displacement detection in human vision | TOXICITY |
|--|--|
| A81-23098 Direction-specific and position-specific effects | Pharmacological activity and toxicity of some neurotropic agents under conditions of |
| upon detection of displacements during saccadic | experimental hypodynamia |
| eye movements | [NASA-TH-76371] N81-16724 |
| Dynamic target acquisiton: Empirical models of | Relative toxicity testing of spacecraft materials. 1: Spacecraft materials lethality of |
| operator performance | pyrolysates |
| [AD-A092263] N81-16733 TARGET RECOGNITION | [NASA-CR-160908] N81-16731 |
| Predicting search performance for multiple targets | Toxicology and metabolism of mickel compounds: |
| in human operator visual tasks | Comprehensive report of overall activities |
| TASE COMPLEXITY | during the three-year period from 1 December 1977 - 30 November 1980 |
| Human controller modeling in environments that | [DOB/EV-03140/5-T1] N81-17697 |
| include non-control tasks | TRACKING (POSITION) An analysis of the human as a predictor model |
| Task segmentation - An approach to simulator task | A8 1- 20511 |
| fidelity A81-21728 | TRAINING DRVICES An integrated training approach |
| TECHNOLOGY ASSESSMENT | A8 1-21727 |
| Human visual performance and flat panel display | TRAINING SIMULATORS |
| image quality [AD-A092685] N81-16743 | Task segmentation - An approach to simulator task fidelity |
| An assessment of undersea teleoperators | A81-21728 |
| [PB81-102535] N81-16744 TELEOPERATORS | The Royal Air Porce Spatial Disorientation Familiarisation Devices (SDFD) |
| Learning and control for a compliant | N81-17709 |
| computer-controlled manipulator | TRAJECTORY OPTIBIZATION |
| A61-21031 Advanced control techniques for teleoperation in | Human controller modeling in environments that include non-control tasks |
| earth orbit | A81-20501 |
| An assessment of undersea teleoperators | TRANSPER PUNCTIONS A generalized transfer function for describing |
| [PB81-102535] N81-16744 | mechanoneural semicircular-canal dynamics |
| TREPERATURE CONTROL Evaluation of simulated radiofrequency heating | N81-17707 |
| procedures | U |
| [AD-A092731] N81-16735 TEMPERATURE SENSORS | ODDERWATER VEHICLES |
| Data acquistion system for thermal stress studies | An assessment of undersea teleoperators |
| cutaneous heat flow and temperature monitors | [PB81-102535] N81-16744 |
| for individual human body sites | ORIBE |
| | Antidiuretic hormone excretion at high altitude |
| [ASME PAPER 80-WA/OCE-14] A81-21125 | Antidiuretic hormone excretion at high altitude A81-22112 |
| [ASME PAPER 80-WA/OCE-14] A81-21125 THERAPY Premature ventricular complexes - Therapeutic | |
| [ASME PAPER 80-WA/OCE-14] A81-21125 THERAPT Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 | V 81-22112 |
| [ASME PAPER 80-WA/OCE-14] A81-21125 THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION | V VASCULAR SYSTEM |
| [ASME PAPER 80-WA/OCE-14] A81-21125 THERAPT Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TH-76387] N81-16727 |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A61-19719 THERHAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letaality of pyrolysates | VASCULAR SYSTEM Rhecencephalography in Meniere's disease [MASA-TM-76387] VEGETATION GROWTH |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION Relative toricity testing of spacecraft materials. 1: Spacecraft materials lethality of | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TH-76387] N81-16727 |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials lethality of pyrolysates [NASA-CR-160908] THERMAL INSULATION Further study for fabrication, evaluation, and | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TM-76387] VEGETATION GROWTH Life of the onion not knowing up from down [NASA-TM-76353] VESTILATION |
| [ASME PAPER 80-WA/OCE-14] THERAPT Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERHAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials lethality of pyrolysates [NASA-CR-160908] N81-16731 THERHAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space | VASCULAR SYSTEM Rhecencephalography in Meniere's disease [NASA-TH-76387] VEGETATION GROWTH Life of the onion not knowing up from down [NASA-TH-76353] N81-16718 |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials lethality of pyrolysates [NASA-CR-160908] THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] N81-16740 | V VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TH-76387] VECHTATION GROWTH Life of the onion not knowing up from down [NASA-TH-76353] VENTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION |
| [ASME PAPER 80-WA/OCE-14] THERAPT Premature ventricular complexes - Therapeutic dilemmas and decisions A61-19719 THERHAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials lethality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] N81-16740 Thermal comfort in an era of energy shortage | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TM-76387] VEGETATION GROWTH Life of the onion not knowing up from down [NASA-TM-76353] VESTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] N81-16740 Thermal comfort in an era of energy shortage [AD-A093193] THERMAL PROTECTION | VASCULAR SYSTEM Rhecencephalography in Meniere's disease [NASA-TH-76387] VEGETATION GROWER Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in |
| [ASME PAPER 80-WA/OCE-14] THERAPT Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERHAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials lethality of pyrolysates [NASA-CR-160908] N81-16731 THERHAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] Thermal comfort in an era of energy shortage [AD-A093193] THERHAL PROTECTION Physiological responses of human subjects wearing | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TM-76387] VEGETATION GROWTH Life of the onion not knowing up from down [NASA-TM-76353] VESTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [HASA-CR-166140] N81-16740 Thermal comfort in an era of energy shortage [AD-A093193] THERMAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments | VASCULAR SYSTEM Rhecencephalography in Meniere's disease [NASA-TH-76387] VEGETATION GROWER Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 |
| [ASME PAPER 80-WA/OCE-14] THERAPT Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERHAL DECRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials lethality of pyrolysates [NASA-CR-160908] N81-16731 THERHAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] Thermal comfort in an era of energy shortage [AD-A093193] THERHAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TH-76387] VEGETATION GROWTH Life of the onion not knowing up from down [NASA-TH-76353] VESTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTIGO Rheoencephalography in Meniere's disease |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [HASA-CR-166140] N81-16740 Thermal comfort in an era of energy shortage [AD-A093193] THERMAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments | VASCULAR SYSTEM Rhecencephalography in Meniere's disease [NASA-TH-76387] VEGETATION GROWER Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 |
| [ASME PAPER 80-WA/OCE-14] THERAPT Premature ventricular complexes - Therapeutic dilemmas and decisions A61-19719 THERHAL DECRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials lethality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [MASA-CR-166140] N81-16740 Thermal comfort in an era of energy shortage [AD-A093193] THERMAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERMAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TH-76387] VEGRTAFION GROWER Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTIGO Rheoencephalography in Meniere's disease [NASA-TH-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] Thermal comfort in an era of energy shortage [AD-A093193] N81-17696 THERMAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERMAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites | VASCULAR SYSTEM Rhecencephalography in Meniere's disease [NASA-TM-76387] VEGETATION GROWER Life of the onion not knowing up from down [NASA-TM-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Rhecencephalography in Meniere's disease [NASA-TM-76387] VIBRATION DAMPING |
| [ASME PAPER 80-WA/OCE-14] THERAPT Premature ventricular complexes - Therapeutic dilemmas and decisions A61-19719 THERHAL DECRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials lethality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [HASA-CR-166140] Thermal comfort in an era of energy shortage [AD-A093193] N81-17696 THERMAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERMAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASME PAPER 80-WA/OCE-14] THERESOLDS (PERCEPTION) | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TH-76387] VEGRTATION GROWTH Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Rheoencephalography in Meniere's disease [NASA-TH-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration A81-20057 |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERHAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials lethality of pyrolysates [NASA-CR-160908] N81-16731 THERHAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [HASA-CR-166140] Thermal comfort in an era of energy shortage [AD-A093193] N81-17696 THERHAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERHAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASME PAPER 80-WA/OCE-14] THERSHOLDS (PERCEPTION) Displacement detection in human vision | VASCULAR SISTEM Rheoencephalography in Meniere's disease [NASA-TM-76387] VEGETATION GROWEN Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Rheoencephalography in Meniere's disease [NASA-TH-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration A81-20057 VIBRATION PRECEPTION Ergonomic study of the influence of rotary |
| [ASHE PAPER 80-WA/OCE-14] THERAPT Premature ventricular complexes - Therapeutic dilemmas and decisions A61-19719 THERHAL DECRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials lethality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [HASA-CR-166140] N81-16740 Thermal comfort in an era of energy shortage [AD-A093193] THERMAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERMAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASHE PAPER 80-WA/OCE-14] A81-21125 THRESBOLDS (PERCEPTION) Displacement detection in human vision A81-23098 On the practice of measuring sensory thresholds: | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TM-76387] VEGRTATION GROWTH Life of the onion not knowing up from down [NASA-TM-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Rheoencephalography in Meniere's disease [NASA-TM-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration VIBRATION PERCEPTION Ergonomic study of the influence of rotary Vibrations [BMVG-PBNT-79-33] N81-17714 |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERHAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERHAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [HASA-CR-166140] Thermal comfort in an era of energy shortage [AD-A093193] N81-17696 THERHAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERHAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASME PAPER 80-WA/OCE-14] THERSOLDS (PERCEPTION) Displacement detection in human vision A81-23098 On the practice of measuring sensory thresholds: Signal detection and the adaptive method | VASCULAR SISTEM Rheoencephalography in Meniere's disease [NASA-TM-76387] VEGETATION GROWEN Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Rheoencephalography in Meniere's disease [NASA-TH-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration A81-20057 VIBRATION PRECEPTION Ergonomic study of the influence of rotary vibrations [BMVG-FBWT-79-33] VIBRATIONAL STERSS |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] N81-16740 Thermal comfort in an era of energy shortage [AD-A093193] N81-17696 THERMAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERMAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASME PAPER 80-WA/OCE-14] A81-21125 THRESBOLDS (PERCEPTION) Displacement detection in human vision A81-23098 On the practice of measuring sensory thresholds: Signal detection and the adaptive method [PB-43] TISSUES (BIOLOGY) | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TM-76387] VEGRTATION GROWTH Life of the onion not knowing up from down [NASA-TM-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Rheoencephalography in Meniere's disease [NASA-TM-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration A81-20057 VIBRATION PERCEPTION Ergonomic study of the influence of rotary vibrations [BMYG-PBWT-79-33] VIBRATIONAL STEESS Effect of body supination angle on subjective response to whole-body vibration |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERHAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERHAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] N81-16740 Thermal comfort in an era of energy shortage [AD-A093193] THERHAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERHAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASME PAPER 80-WA/OCE-14] A81-21125 THERESOLDS (PERCEPTION) Displacement detection in human vision A81-23098 On the practice of measuring sensory thresholds: Signal detection and the adaptive method [PB-M3] TISSUES (BIOLOGY) The colony-forming | VASCULAR SISTEM Rheoencephalography in Meniere's disease [NASA-TM-76387] VIEGRATION GROWEN Life of the onion not knowing up from down [NASA-TH-76353] N81-16718 VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Rheoencephalography in Meniere's disease [NASA-TH-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration N81-20057 VIBRATION PRECEPTION Ergonomic study of the influence of rotary vibrations [BMVG-FBWT-79-33] VIBRATIONAL STERSS Effect of body supination angle on subjective response to whole-body vibration |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] N81-16740 Thermal comfort in an era of energy shortage [AD-A093193] N81-17696 THERMAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERMAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASME PAPER 80-WA/OCE-14] A81-21125 THRESBOLDS (PERCEPTION) Displacement detection in human vision A81-23098 On the practice of measuring sensory thresholds: Signal detection and the adaptive method [PB-43] TISSUES (BIOLOGY) | VASCULAR SYSTEM Rhecencephalography in Meniere's disease [NASA-TH-76387] VEGETATION GROWTH Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Bheoencephalography in Meniere's disease [NASA-TH-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration A81-20057 VIBRATION PERCEPTION Ergonomic study of the influence of rotary vibrations [BMYG-FBWT-79-33] VIBRATIONAL STEESS Effect of body supination angle on subjective response to whole-body vibration A81-22110 VISUAL ACUITY Displacement detection in human vision |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERHAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERHAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] N81-16740 Thermal comfort in an era of energy shortage [AD-A093193] N81-17696 THERHAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERHAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASME PAPER 80-WA/OCE-14] A81-21125 THERESOLDS (PERCEPTION) Displacement detection in human vision On the practice of measuring sensory thresholds: Signal detection and the adaptive method [PB-43] TISSUES (BIOLOGY) The colony-forming A81-20845 TOIIC HAZARDS Relative toxicity testing of spacecraft materials. | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TH-76387] VEGRTATION GROWTH Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Rheoencephalography in Meniere's disease [NASA-TH-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration N81-20057 VIBRATION PERCEPTION Ergonomic study of the influence of rotary vibrations [BMVG-PBWT-79-33] VIBRATIONAL STRESS Effect of body supination angle on subjective response to whole-body vibration A81-22110 VISUAL ACUITI Displacement detection in human vision |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CB-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CB-166140] Thermal comfort in an era of energy shortage (AD-A093193) N81-17696 THERMAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments THERMAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASME PAPER 80-WA/OCE-14] A81-21125 THRESGOLDS (PERCEPTION) Displacement detection in human vision A81-23098 On the practice of measuring sensory thresholds: Signal detection and the adaptive method (PB-3) TISSUES (BIOLOGY) The colony-forming A81-20845 | VASCULAR SYSTEM Rhecencephalography in Meniere's disease [NASA-TH-76387] VEGETATION GROWTH Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Bheoencephalography in Meniere's disease [NASA-TH-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration A81-20057 VIBRATION PERCEPTION Ergonomic study of the influence of rotary vibrations [BMYG-FBWT-79-33] VIBRATIONAL STEESS Effect of body supination angle on subjective response to whole-body vibration A81-22110 VISUAL ACUITY Displacement detection in human vision |
| [ASME PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERHAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERHAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] N81-16740 Thermal comfort in an era of energy shortage [AD-A093193] N81-17696 THERHAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERHAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASME PAPER 80-WA/OCE-14] A81-21125 THEREBOLDS (PERCEPTION) Displacement detection in human vision On the practice of measuring sensory thresholds: Signal detection and the adaptive method [PB-43] TISSUES (BIOLOGY) The colony-forming A81-20845 TOIIC HAZARDS Relative toxicity testing of spacecraft materials. 2: Aircraft materials [NASA-CR-160907] Environmental contaminants in food. Volume 2, | VASCULAR SYSTEM Rheoencephalography in Meniere's disease [NASA-TH-76387] VEGRTATION GROWTH Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Rheoencephalography in Meniere's disease [NASA-TH-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration N81-20057 VIBRATION PERCEPTION Ergonomic study of the influence of rotary vibrations [BHVG-PBNT-79-33] VIBRATIONAL STERSS Effect of body supination angle on subjective response to whole-body vibration N81-22110 VISUAL ACUITY Displacement detection in human vision A81-23098 VISUAL AIDS Magnitude of visual accommodation to a head-up display |
| [ASHE PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A61-19719 THERMAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] N81-16740 Thermal confort in an era of energy shortage [AD-A093193] N81-17696 THERMAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERMAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASME PAPER 80-WA/OCE-14] A81-21125 THRESBOLDS (PERCEPTION) Displacement detection in human vision A81-23098 On the practice of measuring sensory thresholds: Signal detection and the adaptive method [PB-43] TISSUES (BIOLOGY) The colony-forming A81-20845 TOXIC HAZARDS Relative toxicity testing of spacecraft materials. 2: Aircraft materials [NASA-CR-160907] N81-16732 | VASCULAR SISTEM Rhecencephalography in Meniere's disease [NASA-TH-76387] VEGETATION GROWTH Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTICO Rhecencephalography in Meniere's disease [NASA-TH-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration A81-20057 VIBRATION PERCEPTION Ergonomic study of the influence of rotary vibrations [BMYG-PBWT-79-33] VIBRATIONAL STESS Effect of body supination angle on subjective response to whole-body vibration A81-23098 VISUAL ACUITY Displacement detection in human vision N81-23098 VISUAL AIDS Hagnitude of visual accommodation to a head-up |
| [ASHE PAPER 80-WA/OCE-14] THERAPY Premature ventricular complexes - Therapeutic dilemmas and decisions A81-19719 THERMAL DEGRADATION Relative toxicity testing of spacecraft materials. 1: Spacecraft materials letnality of pyrolysates [NASA-CR-160908] N81-16731 THERMAL INSULATION Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation [NASA-CR-166140] Thermal comfort in an era of energy shortage [AD-A093193] N81-17696 THERMAL PROTECTION Physiological responses of human subjects wearing thermal protective clothing assemblies in varying environments A81-22085 THERMAL STRESSES Data acquistion system for thermal stress studies cutaneous heat flow and temperature monitors for individual human body sites [ASME PAPER 80-WA/OCE-14] A81-21125 THRESHOLDS (PERCEPTION) Displacement detection in human vision On the practice of measuring sensory thresholds: Signal detection and the adaptive method [PB-43] TISSUES (BIOLOGY) The colony-forming A81-20845 TOLIC HAZARDS Relative toxicity testing of spacecraft materials. 2: Aircraft materials [NASA-CR-160907] Environmental contaminants in food. Volume 2, part B: Working papers | VASCULAR SISTEM Rheoencephalography in Meniere's disease [NASA-TH-76387] VEGETATION GROWTH Life of the onion not knowing up from down [NASA-TH-76353] VEBTILATION Control of breathing during prolonged exercise A81-21471 VERTICAL PERCEPTION Evaluation and prediction of the vertical situation from a horizontal situation display pilot perception of motion and separation in cockpit display of air traffic information A81-20503 VERTIGO Rheoencephalography in Meniere's disease [NASA-TH-76387] VIBRATION DAMPING Acceptance and control of aircraft interior noise and vibration N81-16727 VIBRATION PERCEPTION Ergonomic study of the influence of rotary vibrations [BMVG-PBWT-79-33] VIBRATIONAL STERSS Effect of body supination angle on subjective response to whole-body vibration N81-22110 VISUAL ACUITY Displacement detection in human vision N81-23098 VISUAL AIDS Hagnitude of visual accommodation to a head-up display [NASA-TP-1796] N81-17711 |





A multistation spatial disorientation demonstrator #81-17708

VISUAL PERCEPTION

Direction-specific and position-specific effects upon detection of displacements during saccadic

Visual illusions as a probable cause of aircraft accidents

BR 1- 1770 3

VISUAL STIMULI
The ambient visual system and spatial orientation
--- flight stress (biology)

Predicting search performance for multiple targets --- in human operator visual tasks

Task segmentation - An approach to simulator task fidelity

A81-21728

WATER POLLUTION

Phytoplankton studies and nutrient concentrations in the vicinity of the C. P. Crane Generating

Station [PB81-114746] WEAPON STSTERS

Mavy manager's guide for the design sections of MIL-H-46855

BORE CAPACITY

Technical evaluation report of the Aerospace
Bedical Panel Working Group WG-08 on Evaluation
of Methods to Assess Workload
(AGARD-AR-139)
BORKDADS (PSTCHOPRYSIOLOGY)
Hental Workload in decision and control

N81-16739

A61-20499

Helicopter pilot performance and workload as a function of night vision symbologies

Development of a secondary task method for measuring operator workload. II - A change of secondary task performance with acquisition of flying skill by Link Trainer

A81-21987

Percentual errors in flight: A survey of 100 military pilots on active duty

NB 1-17701

PERSONAL AUTHOR INDEX

AEROSPACE MEDICINE AND BIOLOGY | A Continuing Bibliography (Suppl. 219)

MAY 1981

Typical Personal Author Index Listing

| PERSON | NAL AUTHOR | |
|----------------------------------|--|---|
| The accurace data from [AD-A0894 | y of screw axis anal manatomical motion | lysis using positio studies #81-10692 |
| 4 """ | REPORT | ACCESSION |
| TITLE | | |

The title of the document is used to provide the user with a brief description of the subject matter. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of this supplement. If applicable, a report number is also included as an aid in identify.

ABBANOVA, V. M.

The flowering and ripening of Arabidopsis seeds under weightlessness conditions - Biosatellite Kosmos 1129 experiment

Evaluation of full-head enclosed breathing system for extended exposure at high aititude

AR 1-22077

Neuroendocrine strategies for adaptation to high altitude

N81-16717

stochastic differential game theory approach to human operators in adversary tracking encounters

Development of a secondary task method for measuring operator workload. II - A change of secondary task performance with acquisition of flying skill by Link Trainer

A81-21987 Designer's guide for the panel program Na1-17712 [AD-A093989]

В

BARADUR, K. distochemical study of lipid-like material in photochemically formed jeewanu, the protocell, with formaldehyde partially replaced by other organic sources

BALL, B. A.
Development of guayule (Parthenium argentatum)

research in cell culture [NASA-Ch-163945] N81-17691 BARTON, S. A. 2, 3-diphosphoglycerate and night vision

481-22113 BECK, K. C.

Pressure-flow hysteresis in the pulmonary vasculature N81-16721

BEIDEMAN, L. R. Dynamic target acquisiton: Empirical models of operator performance [AD-A092263] NB1-16733 BEJCET, A. E. Advanced control techniques for teleoperation in earth orbit

BENEVOLENSKII, V. B.

Heliobiological research - Present Status and prospects

DENSON, A. J.
Spatial disorientation in flight: Current problems (AGARD-CP-287)
The Royal Air Porce Spatial Disorientation Na 1-17698

Familiarisation Devices (SDFD)

Dosimetric investigations of cosmic radiation aboard the Kosmos-936 AES (joint Soviet-American experiment K-206) [NASA-TH-75772] No 1- 16730

BERNAUKE, R. M.
Plasma volume, osmolality, vasopressin, and renin
activity during graded exercise in man

BILODRAU, J. W.

The role of simulation in Space Shuttle training
A81-217

Partly upmanned machining

A81-19842

BOISBARE, P. Dopaminergic agonists and conditioned avoidance response in normoxic or hypoxic rats

Postmortem coronary atherosclerosis findings in general aviation accident pilot fatalities -1975-77 BOLDING, P. A.

Master-slave manipulator performance for various dynamic characteristics and positioning task

BOORE, C. P. Postmortem coronary atheroscierosis findings in general aviation accident pilot fatalities

AB 1- 22109

Learning and control for a compl ant computer-controlled manipulator

BOURRIERES, J.-P.
Analysis and modeling of the cephalic response of a human operator subjected to binaural stimulation in a sound localization task

481-21923 Disorientation in Army belicopter operations: A

general review

Advanced control techniques for teleoperation in earth orbit

A81-22610 BROUVER, H. An integrated training approach

Valuation of simulated radiofrequency heating procedures (AD-A092731)

| CAMP. M. T., JM. The effective acoustic environment of helicopter | DRRIL, A. B. Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric study in vivo/ |
|--|--|
| GEOVERN A81-20056 | DIAMOND, G. A. |
| CAMPBELL, F. U. Displacement detection in human vision | Electrocardiographic stress testing - The debate goes on /probably/ |
| CAPES, B. L. | DICHGAMS, J. |
| Diffusing capacity of the lung during hypoxia - Note of capillary recruitment | The ambient visual system and spatial orientation #61-17702 |
| CHRISTERSES, C. L. | DIRGS, G. Evaluation of full-head enclosed breathing system |
| Cardiorespiratory and perceptual recovery from a marathon run by movice and experienced women marathon runners | for extended exposure at high altitude A81-22077 |
| CHGRCHER, J. #81-16720 | Learning and control for a compliant computer-controlled manipulator |
| Direction-specific and position-specific effects upon detection of displacements during saccadic | DONABUR, N. B. |
| eye sovements | Evaluation of simulated radiofrequency heating procedures |
| CLASCA, J. | [AD-A092731] Not-16735 |
| 2,3-diphosphoglycerate and might vision A81-22113 COPPER, B. J. | Predicting search performance for multiple targets A61-20917 |
| Hominid evolution and SETI | DOBALS, V. Y. Dosimetric investigations of cosmic radiation |
| COLIS, J. | aboard the Kosmos-936 ABS (joint Soviet-American |
| Physiological mechanisms of spatial disorientation not of visual origin | experiment K-206) (MASA-TM-75772) H61-16730 |
| COSTI, C. B. 881-17699 | _ |
| Detection and management of the asymptomatic patient with coronary artery disease | EDG186708, E. |
| CONVENTINO, V. A. | Disorientation is Army helicopter operations: A |
| Plasma volume, osmolality, vasopressin, and remin activity during graded exercise in man | general review #61-17704 |
| A81-21473 | Mary manager's quide for the design sections of |
| CORP. P. A. | |
| CORR, P. B. The role of biochemical factors in ventricular dysrhythmia accompanying ischemia | #IL-H-46855 (AD-A092009) #81-16742 |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 | MIL-H-46855 [AD-A092009] BBBSTIBG, J. An improved oxygen mask for high-altitude protection |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORRETA, B. J. A generalized transfer function for describing mechanoneural semicircular-canal dynamics | MIL-H-46855 [AD-A092009] N81-16792 |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing mechanoneural semicircular-canal dynamics H81-17707 CURRET, B. R. | MIL-H-46855 (AD-A092009) BRESTING, J. An improved oxygen mask for high-altitude protection A61-22081 FARRIS, L. |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing mechanomeural semicircular-canal dynamics 861-17707 | MIL-H-46855 [AD-A092009] BIBSTIBC, J. An improved oxygen mask for high-altitude protection A61-22081 FARRIS, L. New developments in restraint systems |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORRETA, M. J. A generalized transfer function for describing mechanomeural semicircular-canal dynamics W81-17707 CURRET, R. R. Human factors by descent energy management | #IL-H-46855 [AD-A092009] #IBSTIBC, J. An improved oxygen mask for high-altitude protection A6 1-22081 FARRIS, L. New developments in restraint systems FREEELL, A. E. 2,3-diphosphoglycerate and night vision |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing sechanoneural semicircular-canal dynamics H81-17707 CORREI, B. B. Human factors by descent energy management A81-20467 DALY, B. D. T. | FILTH-46855 [AD-A092009] BBSTING, J. An improved oxygen mask for high-altitude protection A61-22061 F FARMIS, L. New developments in restraint systems FREERLL, R. E. 2,3-diphosphoglycerate and night vision FORRESTER, J. S. A61-22113 |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing sechanoneural semicircular-canal dynamics H81-17707 CORRET, B. B. Human factors by descent energy management A81-20467 | ### ### ############################## |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing sechanoneural semicircular-canal dynamics H81-17707 CORRET, B. B. Human factors by descent energy management A81-20467 D DALY, B. D. T. Development of percutaneous energy transmission systems [PB81-109381] W81-16737 | F FARRIS, L. New developments in restraint systems A61-22064 FORRESTER, J. S. Electrocardiographic stress testing - The debate goes on /probably/ A61-19716 |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing sechanoneural semicircular-canal dynamics #81-17707 CORREI, B. B. Human factors by descent energy management A81-20467 D DALY, B. D. T. Development of percutaneous energy transmission systems [PB81-109381] DABILOTA, T. A. Antibodies to myofibril antigens in cosmonauts after spaceflights | ### ### ############################## |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing mechanoneural semicircular-canal dynamics #81-17707 CORREY, B. B. Human factors by descent energy management A81-20467 D DALY, B. D. T. Development of percutaneous energy transmission systems [P881-109381] DABILOVA, T. A. Antibodies to myofibril antigens in commonauts after spaceflights [MASA-TH-76300] N81-16722 | ### ### ### #### #### ################ |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing mechanoneural semicircular-canal dynamics #81-17707 CORREI, B. B. Human factors by descent energy management A81-20467 D DALY, B. D. T. Development of percutaneous energy transmission systems [P881-109381] A81-16737 DABILOVA, T. A. Antibodies to myofibril antigens in commonauts after spaceflights [NASA-TH-76300] B81-16722 DAULERIO, L. A. Crev station assessment using the Bioman modeling system | ### ### ### ### ### ### ### ### ### ## |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing sechanoneural semicircular-canal dynamics H81-17707 CORRET, B. R. Human factors by descent energy management A81-20467 D DALT, B. D. T. Development of percutaneous energy transmission systems [PB81-109381] DANILOTA, T. A. Antibodies to myofibril antigens in commonauts after spaceflights [MASA-TH-76300] BULBRIO, L. A. Crew station assessment using the Bioman modeling system DAVIS, A. U. | ### ### ### ### ### ### ### ### ### ## |
| The role of biochesical factors in ventricular dysrhythsia accompanying ischesia A81-19720 CORREIA, B. J. A generalized transfer function for describing sechanoneural semicircular-canal dynamics W81-17707 CURRY, B. B. Human factors by descent energy management A81-20467 D DALY, B. D. T. Development of percutaneous energy transmission system [P881-109381] W81-16737 DABILOVA, T. A. Antibodies to myofibril antigens in commonauts after spaceflights [MASA-TM-76300] W81-16722 DAULRIO, L. A. Crew station assessment using the Bioman modeling system A81-22092 DAVIS, A. W. Postmorten coronary atherosclerosis findings in general aviation accident pilot fatalities - | ### ### ### ### ### ### ### ### ### ## |
| The role of biochesical factors in ventricular dysrhythsia accompanying ischesia A81-19720 CORREIA, B. J. A generalized transfer function for describing sechanoneural semicircular-canal dynamics B81-17707 CURBI, B. B. Human factors by descent energy management A81-20467 D DALY, B. D. T. Development of percutaneous energy transmission system [P881-109381] B81-16737 DABILOVA, T. A. Antibodies to myofibril antigens in commonauts after spaceflights [MASA-TH-76300] B81-16722 DAULENO, L. A. Crev station assessment using the Bioman modeling system A81-22092 DAVIS, A. B. Postmorten coronary atherosclerosis findings in general aviation accident pilot fatalities - 1975-77 DEDIVITEVA, T. I. | ### ### ### ### ### ### ### ### ### ## |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing sechanoneural semicircular-canal dynamics #81-17707 CURRY, B. R. Human factors by descent energy management A81-20467 D DALY, B. D. T. Development of percutaneous energy transmission systems [PB81-109381] DABILOVA, T. A. Antibodies to myofibril antigens in cosmonauts after spaceflights [MASA-TM-76300] B81-16722 DAULHIO, L. A. Crew station assessment using the Bioman modeling system A81-22092 DAVIS, A. W. Postmortem coronary atherosclerosis findings in general aviation accident pilot fatalities - 1975-77 DEDYUTEVA, T. Y. Antibodies to myofibril antigens in cosmonauts after spaceflights | MIL-H-46855 [AD-A092009] BBSTIBG, J. An improved oxygen mask for high-altitude protection A61-22081 FARRIS, L. New developments in restraint systems A61-22064 FERRELL, R. R. 2,3-diphosphoglycerate and night vision A81-22113 FORRESTER, J. S. Electrocardiographic stress testing - The debate goes on /probably/ A61-19716 FBISCB, G. D. Crew station assessment using the Bioman modeling system A61-22092 FBOELICE, G. R. Orthostatic disorder. A contributing factor to motion sickness? FROELICER, V. F. Echocardiographic studies evaluating the effects of exercise training on the heart A61-19715 Does exercise protect from coronary artery disease A61-19716 FBTE, A. J. Responses to dry heat of men and women with |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing sechanoneural semicircular-canal dynamics W81-17707 CORRET, B. B. Human factors by descent energy management A81-20467 D DALT, B. D. T. Development of percutaneous energy transmission systems [P861-109381] DABILOVA, T. A. Antibodies to myofibril antigens in commonauts after spaceflights [MASA-TH-76300] M81-16722 DAULERIO, L. A. Crew station assessment using the Bioman modeling system A81-22092 DAVIS, A. U. Postmorten coronary atherosclerosis findings in general aviation accident pilot fatalities - 1975-77 DEDYUTEVA, T. T. Antibodies to myofibril antigens in cosmonauts after spaceflights [MASA-TH-76300] DEGIOSA, P. W81-16722 | ### ### ### ### ### ### ### ### ### ## |
| The role of biochesical factors in ventricular dysrhythsia accompanying ischesia A81-19720 CORREIA, B. J. A generalized transfer function for describing sechanoneural semicircular-canal dynamics #81-17707 CORRET, R. R. Human factors by descent energy management A81-20467 D DALY, B. D. T. Development of percutaneous energy transmission systems [PB81-109381] W81-16737 DABILOVA, T. A. Antibodies to myofibril antigens in cosmonauts after spaceflights [NASA-TH-76300] B81-16722 DAVIS, A. B. Postmortem coronary atherosclerosis findings in general aviation accident pilot fatalities - 1975-77 BRDYUTEVA, T. T. Antibodies to myofibril antigens in cosmonauts after spaceflights [NASA-TH-76300] BRDYUTEVA, T. T. Antibodies to myofibril antigens in cosmonauts after spaceflights [NASA-TH-76300] N81-16722 | ### ### ### ### ### ### ### ### ### ## |
| The role of biochemical factors in ventricular dysrhythmia accompanying ischemia A81-19720 CORREIA, B. J. A generalized transfer function for describing sechanoneural semicircular-canal dynamics A81-17707 CORRET, R. R. Human factors by descent energy management A81-20467 D DALY, B. D. T. Development of percutaneous energy transmission systems [PB81-109381] N81-16737 DABILOTA, T. A. Antibodies to myofibril antigens in cosmonauts after spaceflights [MASA-TM-76300] DAULEIO, L. A. Crew station assessment using the Bioman modeling system A81-22092 DAVIS, A. B. Postmortem coronary atherosclerosis findings in general aviation accident pilot fatalities - 1975-77 DEDYUTEVA, T. T. Antibodies to myofibril antigens in cosmonauts after spaceflights [MASA-TM-76300] DEGIOSA, P. Percentual errors in flight: A survey of 100 military pilots on active duty | ### ### ############################## |

| | ø | • | ь | |
|---|---|---|----|---|
| 4 | r | ۰ | ٠ | |
| ٠ | ı | 4 | | ı |
| 3 | ٠ | ú | e. | ı |
| | | | | |

GATRYTT, M. D. Autoregulation of cerebral blood circulation under (MASA-TH-76372) MAI-16725 GERRARDT, U.

Cardiovascular and biochemical response to simulated space flight entry A81-22107 GRESHETH, M. S.

Hydroelastic effects in the aorta bifurcation zone
#81-16728 GOLDANS, B. P. MB1-16728 Thermal comfort in an era of energy shortage GOLDSHITH, B. I. No. 1-17696 2,3-diphosphoglycerate and night vision A6 1-22113 GOMER, P. R. Dynamic target acquisiton: Empirical models of operator performance [AD-1092263] NO 1-16733 GORDETTY, A.
Life of the onion not knowing up from down [MASI-TH-76353] M61-16 GOVINDARAJ, T. Human controller modeling in environments that MB 1-16718 include non-control tanks A61-20501 Long-term follow-up of lung volume measurements in initially healthy young aviators A81-22105 GREENLEAP, J. E. Plasma volume, osmolality, vasopressis, and remin activity during graded exercise in man A81-21473 GRIME, J. J.
Orthostatic hypotension
(NASA-TH-75433)
B81-16729
GROVED, B. F.
Speculations on the pathogenesis of high-altitude
pulsonary edema
A81-19713 Na1-16729 A sultistation spatial disorientation demonstrator MACKETT, P. B. Acute mountain sickness - The clinical approach Development of a secondary task method for measuring operator workload. II - A change of secondary task performance with acquisition of flying skill by Link Trainer Magnitude of visual accommodation to a head-up display [NASA-TP-1796] MARILL, D. A. Evaluation of simulated radiofrequency heating procedures [AD-A092731] HASSEMA, D. P. Master-slave manipulator performance for various dynamic characteristics and positioning task 181-21024 MARDER, 8. J.
Antidiuretic bormone excretion at high altitude

Long-term follow-up of lung volume measurements in initially healthy young aviators

Effectiveness and wearability of immersion hypothermia protection equipment

Effect of body supination angle on subjective response to whole-body vibration

HARPETT, R. S.

Evaluation and prediction of the vertical situation from a horizontal situation display AB 1- 20 50 3 HARTHAN, B. O.
Technical evaluation report of the Aerospace
Redical Panel Working Group WG-08 on Evaluation
of Methods to Assess Workload
(AGAED-AE-139)
W81-1673: BARTERLL, R. J. Helicopter pilot performance and workload as a function of night vision symbologies A81-20502 **AUDRESCRILD, C. C. Development of percutaneous energy transmission systems (PB81-109381) N61-16737 Direction-specific and position-specific effects upon detection of displacements during saccadic eye sovements AB1-23099 SICCIBS, R. A.

Effects of ozone (0.30 parts per million,
approximately 600 mu q/m 3) on sedentary men
representative of airline passengers and cockpit crevmembers [AD-A092268] Ma 1- 16734 BIIOS, C. S.
Development and fabrication of an advanced liquid cooling garment BOLDES, 8.
An improved oxygen mask for high-altitude protection
A81-22081 BOLLEBBACH, J. M.
A recursive Lagrangian formulation of manipulator dynamics and a comparative study of dynamics formulation complexity

181-2102 BORDINSKY, J. R. Cardiovascular and biochemical response to simulated space flight entry A81-22107 R. A. Response to transient baemorrhage after acute and chronic section of the carotid sinus nerves A81-22106 Physiological and hematological responses to Summer and winter dry-heat acclimation [AD-A093194] IKELS, E. G. Onboard oxygen generation A81-22082 ILCHARD, V. Ergonomic study of the influence of rotary vibrations (BMVG-FBWT-79-33) N61-17714 JOHANNSEN, G. Honitoring and decision making by people in man machine systems [MASA-CR-164026] JOHANSON, D. C. Physiological responses of human subjects wearing ysiological responses of numer subjects we thermal protective clothing assemblies in warying environments A81-22085 KAROB, R. Responses to dry heat of men and women with similar aerobic capacities A81-21472 Predicting search performance for multiple targets

Magnetic fields of the cerebral cortex

[AD-A086288]

A81-22105

A81-22086

A81-22110

A81-20917

NB 1-16736

| ERIL, L. C. | LAURENCE, Q. H. |
|--|---|
| Plasma volume, osmolality, vasopressin, and re | |
| activity during graded exercise in man | 1: Spacecraft materials 1473 [NASA-CR-160908] N61-1673 |
| ERSTSRITH, D. E. | Belative toxicity testing of spacecraft materials. |
| The physician's determination of personnel | 2: Aircraft materials |
| reliability is sensitive occupations | [HASA-CR-160907] N61-1673. |
| CROLIE, R. D. | Data acquistion system for thermal stress studies |
| Development of an automatic opening lap belt | (ASHE PAPER 80-WA/GCE-14) A81-2112 |
| buckle for aircrew restraint systems | LEATERINGOD, J. D. |
| EIMBBOUGH, C. B. | 2003 Acceptance and control of aircraft interior noise and vibration |
| Physiological and hematological responses to | A81-2005 |
| summer and winter dry-heat acclimation | LECLERC, JL. |
| (AD-A093194) BIRICHEK, L. T. | 7695 Dopaminergic agonists and conditioned avoidance response in normoxic or hypoxic rats |
| Pharmacological activity and toxicity of some | A81-22106 |
| neurotropic agents under conditions of | LEGISIOT, V. I. |
| experimental hypodynamia [MASA-TM-76371] #81-1 | Antibodies to myofibril antigens in cosmonauts |
| [NASA-TR-76371] N61-1 | 6724 after spaceflights [NASA-TH-76300] NO 1- 1672; |
| Prequency domain measures of human performance | |
| under G-stress | Illusions of attitude and movement during |
| KORE, J. | 0500 Barth-horizontal rotation N81-17705 |
| Prequency domain measures of human performance | |
| under 6-stress | Displacement detection in human vision |
| A01-2 | |
| ROBBA, N. Designer's guide for the panel program | LEITHER, E. P. |
| [AD-A093989] N81-1 | Nagnitude of visual accommodation to a head-up display |
| BOVALIE, A. V. | (MASA-TP-1796) 881-1771 |
| Ways of increasing muscular activity by means | |
| isometric muscular exertion [NASA-TH-76307] N81-1 | Antibodies to myofibril antiques in cosmonauts 6723 after spaceflights |
| ROVALYRY, T. Y. | (MASA-TH-76300) NB1-16722 |
| Dosimetric investigations of cosmic radiation | LEVIER. S. H. |
| aboard the Kosmos-936 AES (joint Soviet-Amer | icas Dynamic target acquisiton: Empirical models of |
| experiment K-206) [HASA-TH-75772] N81-1 | operator performance (AD-A092263) N81-1673: |
| KOULER, E. | LRUIS, M. B. |
| The effect of expectations on slow oculomotor | Development of percutaneous energy transmission |
| control. III - Guessing unpredictable target displacements | Systems [PB61-109381] N81-16737 |
| A81-2 | |
| EBRIPHLDT, J. G. | The ambient visual system and spatial orientation |
| An analysis of the buman as a predictor model A61-2 | 0511 LIBGROIS, A. W81-17702 |
| Cockpit displayed traffic information and | Learning and control for a compliant |
| distributed management in air traffic contro | |
| EROPP, J. H. | 0916 LOOMIS, L. L. |
| Evaluation of simulated radiofrequency heating | |
| procedures | situation from a horizontal situation display |
| [AD-A092731] N61-1 | |
| An improved oxygen mask for high-altitude prot | ction Onboard oxygen generation |
| A81-2 | 2081 A81-2208. |
| EURIBARA, Y. | LYOUS, L. A. |
| Structural analysis of factor patterns on EEG under various states of consciousness | Phytoplankton studies and nutrient concentrations in the vicinity of the C. P. Crane Generating |
| | 1989 Station |
| Statistical studies on blood pressure of JASDF | |
| pilots. III - Relationship between physical | |
| constitution and blood pressure | 1990 M |
| | MACINTYRE, W. R. |
| L | Long-term follow-up of lung volume measurements in |
| LABDOLT, J. P. | initially healthy young aviators A81-22109 |
| Illusions of attitude and movement during | HAHOUEY, R. K. |
| Earth-horizontal rotation | Phytoplankton studies and nutrient concentrations |
| N81-1 A generalized transfer function for describing | |
| mechanoneural semicircular-canal dynamics | [PB81-114746] N81-17693 |
| N81-1 | 7707 BAITLAND, J. E. |
| LATEGOLA, H. T. | Effects of internal noise on helicopter operation |
| Effects of ozone (0.30 parts per million, approximately 600 mm g/m 3) on sedentary men | - An aircrew view |
| representative of airline passengers and | HALTSEV, V. G. |
| cockpit crevmembers | Autoregulation of cerebral blood circulation under |
| [AD-A092268] 881-1 LATHAR, L. P. | 6734 orthostatic tests [NASA-TH-76372] N61-16725 |
| Diffusing capacity of the lung during hypoxia | |
| Role of capillary recruitment | Control of breathing during prolonged exercise |
| A 6 1 - 2 | 1474 |

| MATIN, A. P. | |
|---|---------------------|
| Two-dimensional echocardiography - Metho | dology and |
| application in clinical cardiology | A81-19714 |
| MASLES, E. B. | |
| Factors affecting acceptable noise level | a in |
| helicopters | A81-20059 |
| MELICHES, J. B. | 401-20039 |
| Development of percutaneous energy trans | mission . |
| systems | *** ***** |
| [PB81-109381] | H81-16737 |
| Effects of ozone (0.30 parts per million | |
| Effects of ozone (0.30 parts per million approximately 600 mu q/m 3) on sedenta repressentative of airline passengers | cy sen |
| cockpit crevmembers | bas |
| [AD-A092268] | NO 1-16734 |
| MERTERS, M. | |
| The response of a realistic computer mod sitting humans to different types of s | el for |
| sitting numbers to different types of a | A81-22550 |
| HERTSALOVA, O. N. | |
| Rhecencephalography in Meniere's disease | |
| (MASA-TH-76307) | M81-16727 |
| Onboard oxygen generation | |
| | A81-22082 |
| MILLS, W. O. Computer-aided gevelopment of control co | nsole. |
| control panel, and display user instru | |
| training materials | |
| (AD-A093891) BIBTS, U. H., JR. | #81-17713 |
| Data acquistion system for thermal stres | s studies |
| [ASHE PAPER 80-WA/OCE-14] | A81-21125 |
| MITCHELL, R. B. Long-term follow-up of lung volume measu | rements in |
| initially healthy young aviators | rements In |
| | A81-22105 |
| NORRSI, P. H. An update of findings regarding spatial | |
| disorientation in flight: A reconside | ration of |
| underlying mechanisms | |
| ***** * * | NB 1-17700 |
| MONEY, E. R. Illusions of attitude and movement durin | a |
| Barth-horizontal rotation | • |
| | N81-17705 |
| ROORS, A. Evaluation of full-head enclosed breathi | ng system |
| Evaluation of full-head enclosed breathi for extended exposure at high altitude | |
| | A81-22077 |
| BOORE, D. Dopaminergic agonists and conditioned av | oidance |
| response in normoxic or hypoxic rats | |
| | A81-22108 |
| NORAWSKI, T. Predicting search performance for multip | le targets |
| | A81-20917 |
| HORGAN, R. J. | |
| Control of breathing during prolonged ex | ercise A81-21471 |
| MORTON, J. J. | 401-214/1 |
| Antidiuretic hormone excretion at high a | |
| | A81-22112 |
| | |
| N | |
| BAGASAWA, T. | |

| 0 | | | | |
|---|--------------------|--|--|--|
| OBERNAL, A. Long-term follow-up of lung volume measur initially healthy young aviators | ements in | | | |
| | A81-22105 | | | |
| OBBIES, R. M. Effectiveness and wearability of immersio hypothermia protection equipment | a | | | |
| OLSON, M. M. | A61-22086 | | | |
| Phytoplankton studies and nutrient concent in the vicinity of the C. P. Crane Gene Station | trations rating | | | |
| | NB 1-17693 | | | |
| D | | | | |
| PANDOLE | | | | |
| Physiological and hematological responses | to | | | |
| susser and winter dry-heat acclimation | | | | |
| PARPEROV, G. P. | NB 1-17695 | | | |
| The flowering and ripening of Arabidopsis under weightlessness conditions - siosa | | | | |
| Kosmos 1129 experiment | A81-20849 | | | |
| PREDRIEL, G. | bl | | | |
| PERRY, E. S. | N81-17698 | | | |
| Phytopiankton studies and nutrient concent in the vicinity of the C. P. Crane Gene | | | | |
| Station | | | | |
| (PB81-114746) PIDKOWICE, J. K. | N81-17693 | | | |
| Postmortem coronary atherosclerosis findi general aviation accident pilot fatalit | | | | |
| 1975-77 | A 8 1- 22 10 9 | | | |
| POGOBELYT, V. B. Autoregulation of cerebral blood circulat | ion under | | | |
| Orthostatic tests [NASA-TH-76372] | N81-16725 | | | |
| POIRIER, V. L. | | | | |
| Development of percutaneous energy transm systems | 15510h | | | |
| (PB81-109381) | NB1-16737 | | | |
| PRICE, G. R. Implications of a critical level in the e | at for | | | |
| assessment of noise hazard at high inte | nsities | | | |
| PROITT, J. B. | A81-20925 | | | |
| Effectiveness and wearability of immersion | a | | | |
| hypothermia protection equipment | A81-22086 | | | |
| PURINTA, B. A. Hydroelastic effects in the aorta bifurca [NASA-TH-75432] | | | | |
| [8838-18-73432] | #01-16720 | | | |
| R | | | | |
| RAATGEVER, J. | | | | |
| On the binaural processing of stimuli wit different interaural phase relations | h | | | |
| | A81-21450 | | | |
| BEEPS, S. M. Physiological responses of human subjects thermal protective clothing assemblies | vearing in | | | |
| varying environments | A81-22085 | | | |
| REPPENGER, D. W. Frequency domain measures of human perfor | | | | |
| under G-stress | A81-20500 | | | |
| | | | | |

Development of a secondary task method for measuring operator workload. II - A change of secondary task performance with acquisition of flying skiil by Link Trainer A81-21987 MICHOLSON, A. N. Response to transient haemorrhage after acute and chronic section of the carotid sinus nerves A81-22106 MIKOLATEV, H. P. Rheoencephalography in Heniere's disease [NASA-TH-76387] N81-16727 MORAN, D. A. Errors in human performance [AD-A091925] N81-16738

REPPERGER, D. W.

Frequency domain measures of human performance under G-stress

ROLSTADAS, A.

Partly unmanned machining

A81-20500

ROOT, D.

An improved oxygen mask for high-altitude protection &81-22081

ROTHHAMHER, P.

2,3-diphosphoglycerate and night vision

ROUSE, W. B.

Human controller modeling in environments that include non-control tasks

A81-20501

SALIGABT, C.
Dopaminergic agonists and conditioned avoidance response in normoxic or hypoxic rats

stochastic differential game theory approach to human operators in adversary tracking encounters A61-21023

SABOILOV, M. O.

Dynamics of the state of redox systems in
structural elements of the cerebral cortex
during oxygen deficiency /cytophotometric study
in vivo/

A81-19906

SANTAMARIA, L. J.
Physiological responses of human subjects wearing
thermal protective clothing assemblies in
varying environments

Cardiovascular and biochemical response to simulated space flight entry

A8 1- 22107 SCHELLER, C. E.
Development of percutaneous energy transmission

systems
[PB61-109361]
SCHOLL, W. J.
2,3-diphosphoglycerate and might vision N81-16737

A81-22113

SEARS, W.
An improved oxygen mask for high-altitude protection
A81-22081

SELLBER, E. C. Phytoplankton studies and nutrient concentrations in the vicinity of the C. P. Crane Generating Station

[PB81-114746] SELTIER, D. S.
A hierarchical programming approach to robot

assembly

SEM-JACOBSES, C. W.
Brain/computer communication to reduce human error

A perspective

Dynamics of the state of redox systems in structural elements of the cerebral cortex during oxygen deficiency /cytophotometric study

An improved oxygen mask for high-altitude protection A81-22081

Physiological and hematological responses to summer and winter dry-heat acclimation [AD-A093194] M81-17695

SHRBIDAN, D. J.
Premature ventricular complexes - Therapeutic
dilemmas and decisions

A81-19719 SHERIDAN, T. B.
Hental workload in decision and control

A81-20499

An assessment of undersea teleoperators N8 1- 16744

[PB81-102535]
SHOREBERGER, B. W.
Effect of body supination angle on subjective response to whole-body vibration

Further study for fabrication, evaluation, and testing of monolayer woven materials for space suit insulation N81-16740

[NASA-CB-166140] SHTYKHBO, Y. M. Hemorheological changes, the state of microcirculation, and blood acid-base balance in rats under conditions of a 30-day limiting of the motor activity [NASA-TH-76464] N81-16719 SIAS, P. R. Effectiveness and wearability of immersion hypothermia protection equipment A81-22086

Presature ventricular complexes - Therapeutic

dilessas and decisions

SHIDER, M. L. Human visual performance and flat panel display (AD-A092685)

SOBEL, B. Z.
Presature ventricular complexes - Therapeutic dilemmas and decisions

The role of biochemical factors in ventricular

dyschythmia accompanying ischemia A81-19720 SOPTABOS, T. B.

An assessment of undersea teleoperators [PB81-102535] N81-16744

[PB81-102535]
SOLOW, S. A.
Computer-aided development of control console,
control panel, and display user instructions and
training materials
[AD-A093891]

SPEYER, J. L.
A stochastic differential game theory approach to
human operators in adversary tracking encounters
A81-21023

Task segmentation - An approach to simulator task fidelity

STRIBBAN, R. B. The effect of expectations on slow oculomotor control. III - Guessing unpredictable target

Acceptance and control of aircraft interior noise and wibration

SUGA, T. Use of an electrical resistance hygrometer to measure human sweat rates [NASA-TH-61223]

SUBDERAS, F. W., JR.
Toxicology and metabolism of mickel compounds:
Comprehensive report of overall activities during the three-year period from 1 December 1977 - 30 November 1980 (DOE/RY-03140/5-T1) #81-176
SIYCHER, M.
Development of percutaneous energy transmission M81-17697

systems [PB61-109381]

TASHPOLATOV, R. T. Antibodies to myofibril antigens in cosmonauts after spaceflights [MASA-TM-76300]

TREDICI, T. J.
Visual illusions as a probable cause of aircraft accidents

TRISPEL, S. On the practice of measuring sensory thresholds: Signal detection and the adaptive method N8 1- 17710 [PB-43]

U

ODOVICERBEO, V. I.

Hemorheological changes, the state of
microcirculation, and blood acid-base balance in
rats under conditions of a 30-day limiting of the motor activity [MASA-TM-76464]

DESORI, D.

Development of a secondary task method for measuring operator workload. II - A change of secondary task performance with acquisition of flying skill by Link Trainer

A81-2196

VARMA, P. K.

Histochemical study of lipid-like material in
photochemically formed jeewanu, the protocell,
with formaldehyde partially replaced by other

VAUGHAB, J. A.

Effects of ozone (0.30 parts per million,
approximately 600 mu g/m 3) on sedentary men
representative of airline passengers and

cockpit crevmembers M81-16734

[AD-A092268] VOGEL, J. H. K.
Current concepts in clinical cardiology:
Proceedings of the Tenth Conference on
Cardiovascular Disease, Aspen, Colo., January
15-19, 1979
A81-19

T, L.
The response of a realistic computer model for sitting humans to different types of shocks
A81-22550 TOGT, L.

WOLMIR, A. S.
Hydroelastic effects in the aorta bifurcation zone
[MASA-TH-75432] M81-16728
WOSKRESHASKII, A. D.
Heliobiological research - Present status and

prospects A81-19678

UAGUER, U. U., JR.
Diffusing capacity of the lung during hypoxia Role of capillary recruitment
A81-21

A81-21474 MARRE, R. G.
Development of percutaneous energy transmission

systems
[PB81-109381]
WHGHANN, H. H.
Cardiovascular and biochemical response to
simulated space flight entry

UBIL, J. V.
Control of breathing during prolonged exercise
A61-21471

Antidioretic hormone excretion at high altitude A81-22112

WILLIAMSON, S. J. Magnetic fields of the cerebral cortex

[AD-A086288] WIBDSOR, A. D. An integrated training approach MR1-16736

A81-21727

WORTHINGTON, M.
Development of percutaneous energy transmission systems [PB81-109381] N81-16737

TAROTSEIT, A. I.

Effect of cervicolabyrinthine impulsation on the spinal reflex apparatus [NASA-TH-76375] N81-16726

Z Antibodies to myofibril antigens in cosmonauts after spaceflights
[MASA-TH-76300] N81-10

ZUILLICH, C. U.
Control of breathing during prolonged exercise

A81-2 N81-16722

BEST DOCUMENT AVAILABLE

| 1. Report No. NASA SP-7011(219) | 2. Government Access | ion No. | 3. Recipient's Catalog | No. |
|--|---|----------------------------|------------------------|------------------|
| 4. Title and Subtitle | | | 5. Report Date | 091 |
| AEROSPACE MEDICINE AND BI | OLOGY | - | May 1 | |
| | A Continuing Bibliography (Supplement 219 | | | ration Code |
| 7. Author(s) | | | 8. Performing Organiz | ation Report No. |
| 9. Performing Organization Name and Address | | | 10. Work Unit No. | |
| National Aeronautics and Washington, D.C. 20546 | Space Administra | ation | 11. Contract or Grant | |
| 12. Sponsoring Agency Name and Address | | | 13. Type of Report an | d Period Covered |
| The opening rightly reality and are | | L. | | |
| | | | 14. Sponsoring Agency | Code |
| 15. Supplementary Notes | | | | |
| | | | | |
| | | | | |
| 16. Abstract | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| This bibliography lists 1 | | | | |
| introduced into the NASA | scientific and t | echnical informat | ion system | |
| in April 1981. | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | - | | |
| | | | | |
| | | | | |
| 17. Key Words (Suggested by Author(s)) | | 18. Distribution Statement | | |
| Aerospace Medicine | | | | |
| Bibliographies | | Unclassified - Unlimited | | |
| Biological Effects | | | | |
| | | | | |
| 19. Security Classif. (of this report) | 20. Security Classif. (o | | 21. No. of Pages | 22. Price* |
| Unclassified | Uncla | ssified | 52 | \$7.00 HC |

^{*}For sale by the National Technical Information Service, Springfield, Virginia 22161



PUBLIC COLLECTIONS OF NASA DOCUMENTS

DOMESTIC

NASA distributes its technical documents and bibliographic tools to eleven special libraries located in the organizations listed below. Each library is prepared to furnish the public such services as reference assistance, interlibrary loans, photocopy service, and assistance in obtaining copies of NASA documents for retention.

CALIFORNIA

University of California, Berkeley

COLORADO

University of Colorado, Boulder

DISTRICT OF COLUMBIA

Library of Congress

GEORGIA

Georgia Institute of Technology. Atlanta

ILLINOIS

The John Crerar Library, Chicago

MASSACHUSETTS

Massachusetts Institute of Technology. Cambridge

MISSOURI

Linda Hall Library, Kansas City

NEW YORK

Columbia University, New York

OKLAHOMA

University of Oklahoma, Bizzell Library

PENNSYLVANIA

Carnegie Library of Pittsburgh

WASHINGTON

University of Washington. Seattle

NASA publications (those indicated by an "*" following the accession number) are also received by the following public and free libraries

CALIFORNIA

Los Angeles Public Library San Diego Public Library

COLORADO

Denver Public Library

CONNECTICUT

Hartford Public Library

MARYLAND

Enoch Pratt Free Library, Baltimore

MASSACHUSETTS

Boston Public Library

MICHIGAN

Detroit Public Library

MINNESOTA

Minneapolis Public Library

MISSOURI

Kansas City Public Library St. Louis Public Library

NEW JERSEY

Trenton Public Library

NEW YORK

Brooklyn Public Library Buffalo and Erie County Public Library

Rochester Public Library

New York Public Library

ОНЮ

Akron Public Library

Cincinnati Public Library

Cleveland Public Library

Dayton Public Library

Toledo Public Library

TENNESSEE

Memphis Public Library

TEXAS

Dallas Public Library Fort Worth Public Library

WASHINGTON

Seattle Public Library

WISCONSIN

Milwaukee Public Library

An extensive collection of NASA and NASA-sponsored documents and aerospace publications available to the public for reference purposes is maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 555 West 57th Street, 12th Floor, New York, New York 10019

EUROPEAN

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. By virtue of arrangements other than with NASA, the British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy of microfiche of NASA and NASA-sponsored documents, those identified by both the symbols "#" and "*", from: ESA-Information Retrieval Service, European Space Agency, 8-10 rue Mario-Nikis, 75738 Paris CEDEX 15, France.

National Aeronautics and Space Administration

Washington, D.C. 20546

Official Business
Penalty for Private Use, \$300

THIRD-CLASS BULK RATE

Postage and Fees Paid National Aeronautics and Space Administration NASA-451



10 2 SP-7011, 052281 S02378DU GOVERNMENT PRINTING OFFICE LIBRARY LIV ATTN: MAE S COLLINS, CHIEF LIBRARY DLV 5236 ELSENHOWER AVE ALEXANDRIA VA 22304



POSTMASTER:

If Undeliverable (Section 158 Postal Manual) Do Not Return

NASA CONTINUING BIBLIOGRAPHY SERIES

| NUMBER | TITLE | FREQUENCY | |
|--------------|---|--------------|--|
| NASA SP-7011 | AEROSPACE MEDICINE AND BIOLOGY Aviation medicine, space medicine, and space biology | Monthly | |
| NASA SP-7037 | AERONAUTICAL ENGINEERING Engineering, design, and operation of aircraft and aircraft components | Monthly | |
| NASA SP-7039 | NASA PATENT ABSTRACTS BIBLIOGRAPHY NASA patents and applications for patent | Semiannually | |
| NASA SP-7041 | EARTH RESOURCES Remote sensing of earth resources by aircraft and spacecraft | Quarterly | |
| NASA SP-7043 | ENERGY Energy sources, solar energy, energy conversion, transport, and storage | Quarterly | |
| NASA SP-7500 | MANAGEMENT Program, contract, and personnel management, and management techniques | Annually | |


Details on the availability of these publications may be obtained from:

SCIENTIFIC AND TECHNICAL INFORMATION OFFICE

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

Washington, D.C. 20546

BEST DOCUMENT AVAILABLE 43



7-20-82